

Balancing and Settlement Code

BSC Procedure

BSCP128 - Appendix 1

**Methodology Self Assessment Document (MSAD) for Host LDSOs and
Embedded LDSOs that do not Mirror**

Version 2.0

Effective Date: 24 June 2010

BSCP128 - Appendix 1**Relating to****Methodology Self Assessment Document (MSAD) for Host LDSOs and Embedded LDSOs that do not Mirror**

1. Reference is made to the Balancing and Settlement Code (the Code) for the Electricity Industry in Great Britain and, in particular, to the definition of "BSC Procedure".
2. This is BSCP128 Appendix 1, Version 2.0 relating to the Methodology Self Assessment Document (MSAD) for Host LDSOs and Embedded LDSOs that do not Mirror.
3. This BSC Procedure Appendix is effective from 24 June 2010.
4. This BSC Procedure has been approved by the Panel.

Intellectual Property Rights, Copyright and Disclaimer

The copyright and other intellectual property rights in this document are vested in ELEXON or appear with the consent of the copyright owner. These materials are made available for you for the purposes of your participation in the electricity industry. If you have an interest in the electricity industry, you may view, download, copy, distribute, modify, transmit, publish, sell or create derivative works (in whatever format) from this document or in other cases use for personal academic or other non-commercial purposes. All copyright and other proprietary notices contained in the document must be retained on any copy you make.

All other rights of the copyright owner not expressly dealt with above are reserved.

No representation, warranty or guarantee is made that the information in this document is accurate or complete. While care is taken in the collection and provision of this information, ELEXON Limited shall not be liable for any errors, omissions, misstatements or mistakes in any information or damages resulting from the use of this information or action taken in reliance on it.

AMENDMENT RECORD

Version	Date	Description of Changes	Changes Included	Mods/ Panel/ Committee Refs
1.0	20/04/09	First Published	P216	153/04
2.0	24/06/10	June 10 Release	CP1326	ISG111/03 SVG111/01

CONTENTS

1.	INTRODUCTION	5
1.1	General Information	6
1.2	Methodology Applicability	7
1.3	Principles Review	8

1. INTRODUCTION

Objectives of the MSAD

The Audit of Line Loss Factors seeks to provide additional transparency and consistency regarding the calculation and application of Line Loss Factors (LLFs) used in Settlement by creating a set of high level principles, which all LLF methodologies (created by Licensed Distribution System Operators (LDSOs)) must adhere to. The principles are detailed in BSCP128 'Production, Submission, Audit and Approval of Line Loss Factors'.

Licensed Distribution System Operators require a review of the methodologies used to calculate LLFs to ensure that they are consistent with the principles. This Methodology Self Assessment Document (MSAD) is designed to gather factual information about the LLF Methodology and the Principles (as detailed in section 3.1 of BSCP128) that it complies with.

For any defined terms see BSCP128. All defined terms are initially capitalised. Any other terms please refer to the Balancing Settlement Code.

Guidance for completing the MSAD

The MSAD has been split into three sections as follows:

1.1 General Information

This section should be completed in full in respect of all questions.

1.2 Methodology Applicability Section.

LDSOs should provide information to which GSP Groups the Methodology applies to.

1.3 Principles Assessment Section.

This section contains a series of questions, for each of which guidance is provided in order to either provide clarification or to set out the areas the response should address. It is only required to be completed where a new methodology is submitted or there has been a change to an existing methodology.

The LDSO should also indicate what evidence is available to support the responses given. This evidence will need to be available to BSCCo for the review take place.

References to 'systems' within the MSAD do not relate solely to the functionality of computer hardware and software, but extend to the supporting business and operational processes (including manual processes). The term 'development' in relation to a system refers to either the development of a new system or to any significant changes or upgrades in respect of an existing system.

The final question in this section is not mandatory and is provided so that Applicants can provide any additional information that they consider to be relevant to their methodology and MSAD submission.

1.1 General Information	
Distribution Company Name	
We confirm that:	
<ul style="list-style-type: none"> the Line Loss Factor Methodology Self-Assessment Document (MSAD) is true, complete and accurate and not misleading because of any omission or ambiguity or for any other reason; and in our opinion, the arrangements as documented are adequate and appropriate for the provisions under the Balancing and Settlement Code Section K and BSCP128 'Production, Submission, Audit and Approval of Line Loss Factors. 	
Authorised Signature	
Name of Authorised Signatory (Category X as per BSCP38 'Authorisations')	
Password	
Date	
VERIFICATION OF DETAILS <i>To be completed by BSCCo</i>	
DATE RECEIVED	_____
NAME AND PASSWORD/SIGNATURE VALID (Y/N)	_____

1.2 Methodology Applicability	
Please attach a copy of the methodology statement and provide the following details: Methodology Statement Name Publication Date Version No.	
Distribution Area(s) (GSP Group(s)) to which methodology is applicable to:	
Has the methodology changed from the previous submission? If yes please provide a description of the change.	
In the remainder of this document the methodology detailed above will be referred to as 'the methodology'.	

1.3 Principles Review			
Question	Guidance	LDSO Response: Y/N	Reference to supporting evidence in methodology
1a. Sites that are connected at EHV shall have Site Specific LLFs. How does the methodology comply with this principle?	EHV – Extra High Voltage and Site Specific are defined in BSCP128 please refer to the defined terms. Evidence should include how the LDSO determines sites to be connected at EHV.		
1b. Where the customer has requested Site Specific LLFs and the LDSO is in agreement with this request the LDSO shall calculate and assign a Site Specific LLF. How does the methodology comply with this principle?	Evidence will be required to detail correspondence between the customer and the LDSO. The relevant MSIDs shall also be provided.		
2. All LLFs must be calculated to at least 3 decimal places (d.p.) and submitted to 3 d.p. How does the methodology comply with this principle?	Evidence shall be provided to clearly state that the LLFs will be calculated to at least 3 decimal places.		
3. All Site Specific LLFs shall account for Technical Losses only. How does the methodology comply with this principle?	‘Technical Losses’ is defined in BSCP128 please refer to the defined terms. The LDSO should include a high level description of the calculation method and model used to calculate Site Specific LLFs.		

1.3 Principles Review			
Question	Guidance	LDSO Response: Y/N	Reference to supporting evidence in methodology
4. Generic LLFs shall account for all Losses (Technical and Non Technical) in the distribution area. How does the methodology comply with this principle?	<p>‘Technical’ and ‘Non Technical losses’ are defined in BSCP128 please refer to the defined terms.</p> <p>The LDSO should include a high level description of the calculation method and model used to calculate Generic LLFs.</p>		
5. Site Specific LLFs and the total GSP Group losses shall be considered in the calculation of Generic LLFs. How does the methodology comply with this principle?	Evidence shall be provided on how the calculation uses both losses associated with MSIDs with Site Specific LLFs and Settlement Data of the relevant GSP Group losses.		
6. Non-EHV Generic LLFCs for Import and Export at the same site where the voltage level is the same shall have the same values. How does the methodology comply with this principle?	Examples of evidence can include MSIDs for sites with Import and Export at the same voltage.		
7a. There shall be no more than 2 Low Voltage (LV) LLFC Groups, in each GSP Group. How does the methodology comply with this principle?	<p>Low Voltage is defined in BSCP128, please refer to the defined terms.</p> <p>Evidence should include the LLFC Groups used.</p>		

1.3 Principles Review			
Question	Guidance	LDSO Response: Y/N	Reference to supporting evidence in methodology
7b. There shall be no more than 2 High Voltage (HV) LLFC Groups, in each GSP Group. How does the methodology comply with this principle?	High Voltage is defined in BSCP128, please refer to the defined terms. Evidence should include the LLFC Groups used.		
7c. There shall be at least 1 Generic EHV LLFC Group in each GSP Group. How does the methodology comply with this principle?	EHV – Extra High Voltage is defined in BSCP128, please refer to the defined terms. Evidence should include the LLFC Group(s) used.		
8. As a minimum, Generic LLFs shall be calculated separately for Day and Night. How does the methodology comply with this principle?	'Day and Night' is defined in BSCP128 please refer to the defined terms. The methodology statement will be required to define 'Day and Night', LDSOs may also have greater granularity above 'Day and Night'. Evidence will require a specific statement from the methodology and its location.		

1.3 Principles Review			
Question	Guidance	LDSO Response: Y/N	Reference to supporting evidence in methodology
<p>9. LDSOs shall utilise Settlement data from a Settlement Run at R3 or greater and from a complete 12-month period, for calculating Generic LLFs. The 12-month period to be used shall be the BSC Year¹ 3 years prior to the BSC Year for which the LLFs are being calculated.</p> <p>How does the methodology comply with this principle?</p>	<p>Evidence shall be provided on what data the methodology specifies the calculation to use</p>		
<p>10. Adjustments to LLFs, to take into account historic market wide issues noted in the BSC Auditor's latest Report, can only be made if agreed to be appropriate by the Panel. How does the methodology comply with this principle?</p>	<p>Evidence shall be provided on how the methodology takes into account any Panel decisions with regards to market issues and the calculation of LLFs.</p>		
<p>11. Robust error detection and correction processes shall be in place throughout the calculation and submission of LLFs. How does the methodology comply with this principle?</p>	<p>Evidence shall be provided on what quality management systems and control techniques the methodology describes in the calculation of LLFs</p>		

¹ This principle only applies to the calculation of Generic LLFs. The BSC Year is 1 April to 31 March, for LLFs applying in April 2011 the Settlement Data will cover the 2008 BSC Year, 1 April 2008 to 31 March 2009.

1.3 Principles Review			
Question	Guidance	LDSO Response: Y/N	Reference to supporting evidence in methodology
12. All Generic LLFs shall be re-calculated at least every 2 years? How does the methodology comply with this principle?	Evidence shall be provided on the frequency of re-calculation or criteria used to determine how often the Generic LLFs are calculated.		
13. All Site Specific LLFs shall be re-calculated when there has been a relevant change to the site or network, and at least every 5 years? How does the methodology comply with this principle?	Evidence shall be provided on the frequency of re-calculation or criteria used to determine how often Site Specific LLFs are calculated.		
14. No changes shall be made to approved Generic LLFs mid year. Annual updates will have an effective from date of 1 April. Where default LLFs have been applied due to an audit failure, these may be replaced with approved LLFs on a prospective basis as determined when the LLFs resubmitted by the LDSO have been approved by the Panel. How does the methodology comply with this principle?	The principle must be included in the methodology statement.		

1.3 Principles Review			
Question	Guidance	LDSO Response: Y/N	Reference to supporting evidence in methodology
15. No retrospective changes shall be made to approved Site Specific LLFs or Generic LLFs. How does the methodology comply with this principle?	The principle must be included in the methodology statement.		
16. Changes shall only be made to approved Site Specific LLFs mid year if there has been a material change affecting the site; and the revised LLFs have been approved by the Panel. How does the methodology comply with this principle?	The principle must be included in the methodology statement.		
Is there any additional detail you would like to add to your response?	Additional information that supports the review of the Methodology Statement can be added here or appended to the document.		