



## NETA Interface Definition and Design: Part 2

### Interfaces to other Service Providers

Synopsis	This document contains the definition and design of all interfaces between the BSC Service Systems and other Systems. It includes the specification of file formats and structure of electronic files. Part two only contains details for interfaces which involve BSC Agents and other service providers.
Version	27.0
Effective date	3 November 2011
Prepared by	ELEXON Design Authority

#### Intellectual Property Rights, Copyright and Disclaimer

The copyright and other intellectual property rights in this document are vested in ELEXON or appear with the consent of the copyright owner. These materials are made available for you for the purposes of your participation in the electricity industry. If you have an interest in the electricity industry, you may view, download, copy, distribute, modify, transmit, publish, sell or create derivative works (in whatever format) from this document or in other cases use for personal academic or other non-commercial purposes. All copyright and other proprietary notices contained in the document must be retained on any copy you make.

All other rights of the copyright owner not expressly dealt with above are reserved.

No representation, warranty or guarantee is made that the information in this document is accurate or complete. While care is taken in the collection and provision of this information, ELEXON Limited shall not be liable for any errors, omissions, misstatements or mistakes in any information or damages resulting from the use of this information or action taken in reliance on it.

## Table Of Contents

<b>1</b>	<b>Introduction .....</b>	<b>7</b>
1.1	Purpose .....	7
1.1.1	Summary .....	7
1.2	Scope .....	7
1.2.1	The Scope of this Document.....	7
1.3	Summary.....	7
1.4	Amendment History .....	8
1.5	References .....	8
1.6	Abbreviations.....	8
<b>2</b>	<b>Common Interface Conventions .....</b>	<b>9</b>
2.1	Interface Mechanisms .....	9
2.1.1	Manual .....	9
2.1.2	Electronic Data File Transfer.....	9
2.1.3	Internal Interfaces .....	11
2.1.4	Repeating Structure.....	11
2.1.5	File names .....	11
2.1.6	Unstructured File Format.....	11
2.1.7	Acknowledgement Messages and Sequence Numbers .....	11
2.1.8	Time .....	12
2.1.9	Valid Sets .....	12
<b>3</b>	<b>External Interface Summary.....</b>	<b>14</b>
3.1	Interfaces by BSC Agent .....	14
3.1.1	BMRA Interfaces .....	14
3.1.2	CDCA Interfaces.....	14
3.1.3	CRA Interfaces.....	15
3.1.4	ECVAA Interfaces .....	17
3.1.5	SAA Interfaces.....	17
3.2	Interfaces by Corresponding Party .....	18
3.2.1	BSCCo Ltd Interfaces .....	19
3.2.2	FAA Interfaces.....	21
3.2.3	System Operator Interfaces.....	21
3.2.4	Stage 2 Interfaces.....	22
3.2.5	Transfer Coordinator Interfaces.....	22
3.2.6	Internal Interfaces .....	23
<b>4</b>	<b>Interfaces From and To Multiple Parties.....</b>	<b>25</b>
4.1	CRA-I004: (input) BSC Service Agent Details.....	25
4.2	CRA-I013: (output) Issue Authentication Report .....	26
4.3	CRA-I015: (output) BM Unit, Interconnector and GSP Group Data.....	27
4.4	CRA-I020: (output) Operations Registration Report .....	29
4.5	CRA-I028: (output) NGC Standing Data Report .....	31
4.6	ECVAA-I016: (output) ECVAA Data Exception Report .....	32
4.7	ECVAA-I025: (output) Credit Cover Minimum Eligible Amount Report.....	32
4.8	SAA-I013: (output) Credit/Debit Reports .....	33
<b>5</b>	<b>Interfaces From and To System Operators .....</b>	<b>34</b>
5.1	BMRA-I002: (input) Balancing Mechanism Data .....	34

5.2	BMRA-I003: (input) System Related Data .....	35
5.3	BMRA-I010: (output, common) Data Exception Reports.....	36
5.4	BMRA-I014: (input) Price Adjustment Data .....	37
5.5	BMRA-I020: (input) BM Unit Fuel Type List.....	38
5.6	BMRA-I021: (input) Temperature Reference Data.....	38
5.7	BMRA-I022: (input) Daily Energy Volume Reference Data.....	39
5.8	BMRA-I023: (input) Wind Generation Registered Capacities .....	39
5.9	CDCA-I012: (output, part 1) Report Raw Meter Data.....	39
5.10	CDCA-I029: (output, part 1) Aggregated GSP Group Take Volumes....	39
5.11	CDCA-I042: (output, part 1) BM Unit Aggregation Report .....	39
5.12	CDCA-I049: (output) Total Demand per GSP .....	40
5.13	CDCA-I051: (output) Report Meter Technical Details .....	40
5.14	CRA-I007: (input/output) Boundary Point and System Connection Point Data .....	40
5.15	CRA-I008: (input) Interconnector Registration Details .....	40
5.16	CRA-I013: (output, common) Issue Authentication Report .....	40
5.17	CRA-I014: (output, part 1) Registration Report.....	41
5.18	CRA-I020: (output) Operations Registration Report .....	41
5.19	CRA-I028: (output) NGC Standing Data Report .....	41
5.20	SAA-I012 (input, part 1) Dispute Notification.....	41
5.21	SAA-I014 (output) Settlement Report.....	41
5.22	SAA-I017: (output, common) SAA Data Exception Report.....	45
5.23	SAA-I018 (output, part 1) Dispute Report .....	45
5.24	SAA-I026: (input) Price Adjustment Data .....	46
5.25	SAA-I033: (input) Receive Request for Data Change .....	47
5.26	BMRA-I024: (input) Large Combustion Plant Directive Spreadsheet ...	47
5.27	BMRA-I025: (input) SO-SO Prices .....	48
5.28	BMRA-I026: (input) SO-SO Standing Data .....	49
<b>6</b>	<b>Interfaces From and To FAA .....</b>	<b>50</b>
6.1	CRA-I004: (input, common) BSC Service Agent Details.....	50
6.2	CRA-I013: (output, common) Issue Authentication Report .....	50
6.3	CRA-I015: (output, common) BM Unit and Energy Account Registration Data .....	50
6.4	ECVAA-I006: (input) Credit Limit Data .....	50
6.5	ECVAA-I016: (output, common) ECVAA Data Exception Report .....	51
6.6	SAA-I011: (input) Payment Calendar Data.....	51
6.7	SAA-I013: (output, common) Credit/Debit Reports .....	51
<b>7</b>	<b>Interfaces From and To BSCCo Ltd .....</b>	<b>52</b>
7.1	BMRA-I010: (output, common) Data Exception Reports.....	52
7.2	BMRA-I011: (output) Performance Reports .....	52
7.3	BMRA-I012: (input) System Parameters .....	53
7.4	BMRA-I013: (output) BMRA BSC Section D Charging Data .....	54
7.5	CDCA-I014: (output, part 1) Estimated Data Report.....	54
7.6	BMRA-I016: (input) Receive Market Index Data Provider Thresholds .	55
7.7	BMRA-I017: (output) Report Market Index Data Provider Thresholds .	56
7.8	CDCA-I018: (output, part 1) MAR Reconciliation Report.....	57
7.9	CDCA-I019: (output, part 1) MAR Remedial Action Report .....	57
7.10	CDCA-I022: (input) Distribution Line Loss Factors .....	57
7.11	CDCA-I023: (output) Missing Line Loss Factors .....	58

7.12	CDCA-I032: (output) Data Collection and Aggregation Performance Report .....	59
7.13	CDCA-I047: (output, part 1) Correspondence Receipt Acknowledgement.....	60
7.14	CDCA-I061 (input) Receive System Parameters .....	60
7.15	CDCA-I062: (input) Receive Sample Settlement Periods .....	60
7.16	CDCA-I064: (output) MOA Proving Tests Report .....	61
7.17	CDCA-I065: (output) MOA Fault Resolution Report.....	62
7.18	CRA-I001: (input & output, part 1) BSC Party Registration Data.....	63
7.19	CRA-I003: (input, part 1) BSC Party Agent Registration Data .....	63
7.20	CRA-I004: (input, common) BSC Service Agent Details.....	63
7.21	CRA-I009: (input) Receive Manual Credit Qualifying Flag.....	63
7.22	CRA-I011: (input) CALF .....	63
7.23	CRA-I020: (output, common) Operations Registration Report .....	64
7.24	CRA-I028: (output) NGC Standing Data Report .....	64
7.25	CRA-I029: (input) Transmission Loss Factors .....	64
7.26	CRA-I032: (output) CRA Performance Reports .....	65
7.27	CRA-I034: (input) Flexible Reporting Request .....	65
7.28	CRA-I035: (output) CRA BSC Section D Charging Data .....	66
7.29	CRA-I042: (input) Receive Market Index Data Provider Registration Data .....	66
7.30	CRA-I043: (input) Receive Exempt Export Registration Data .....	67
7.31	CRA-I044: (input) Withdrawals Checklist Request.....	68
7.32	CRA-I047: (output) Withdrawals Checklist.....	68
7.33	ECVAA-I017: (output) ECVAA Performance Report.....	69
7.34	ECVAA-I021: (output) Credit Limit Warning .....	70
7.35	ECVAA-I023: (output) ECVAA BSC Section D Charging Data .....	70
7.36	ECVAA-I026: (output) Minimum Eligible Amount Request .....	71
7.37	ECVAA-I027: (input) Notification of BSC Parties in Section H Default.....	71
7.38	ECVAA-I032: (input) Credit Assessment Price.....	72
7.39	ECVAA-I040: (output) Issue Notification System Status Report.....	72
7.40	ECVAA-I041: Receive Party Credit Default Authorisation Details .....	73
7.41	SAA-I010: (input) BSCCo Ltd Cost Data (Redundant).....	73
7.42	SAA-I012: (input, part 1) Dispute Notification.....	74
7.43	SAA-I014 (output) Settlement Reports .....	74
7.44	SAA-I016: (output, part 1) Settlement Calendar.....	76
7.45	SAA-I018: (output, part 1) Dispute Report .....	76
7.46	SAA-I019: (output) BSC Party Performance Reports (Redundant).....	76
7.47	SAA-I020: (output) SAA Performance Reports.....	77
7.48	SAA-I023: (input) System Parameters .....	78
7.49	SAA-I025: (output) SAA BSC Section D Charging Data.....	78
7.50	SAA-I027: (output) Report pre-settlement run validation failure .....	79
7.51	SAA-I028: (input) Receive settlement run decision.....	79
7.52	SAA-I029: (input) Receive settlement run instructions .....	80
7.53	SAA-I031: (input) Receive Market Index Data Provider Thresholds .....	81
7.54	SAA-I032: (output) Report Market Index Data Provider Thresholds .....	82
7.55	SAA-I034: (output) Report Recommended Data Change .....	82
7.56	SAA-I035: (input) Receive Instruction for Data Change .....	83
7.57	SAA-I036: (output) Report Confirmation of Data Change .....	83
7.58	SAA-I038: (input) Receive Excluded Emergency Acceptance Pricing Information .....	84

7.59	SAA-I039: (output) Send Excluded Emergency Acceptance Dry Run Results .....	84
7.60	SAA- I040: (input) Receive Authorisation To Proceed With Full Settlement Run.....	85
7.61	ECVAA-I049: (input) Request to remove all ECVNs and MVRNs from ECVAA for a Party in Section H Default.....	85
7.62	ECVAA-I050: (output) Remove all ECVNs and MVRNs from ECVAA for a Party in Section H Default Feedback. ....	86
<b>8</b>	<b>Interfaces From and To Stage 2.....</b>	<b>87</b>
8.1	CDCA-I043: (output) GSP Group Take to SVAA.....	87
8.2	CRA-I004: Agent Details .....	88
8.3	SAA-I007: (input) BM Unit Allocated Demand Volume .....	88
8.4	SAA-I016: (output, part 1) Settlement Calendar.....	88
8.5	SAA-I017: (output, common) SAA Data Exception Report.....	88
8.6	CRA-I015: (output) BM Unit Registration Data.....	89
<b>9</b>	<b>Interfaces Within BSC Central Systems .....</b>	<b>90</b>
9.1	BMRA-I001 (input): Registration Data.....	90
9.2	BMRA-I007 (output) SAA/ECVAA Balancing Mechanism Data.....	90
9.3	BMRA-I010: (output, common) Data Exception Reports.....	91
9.4	BMRA-I018: (input) Publish Credit Default Report.....	91
9.5	CDCA-I002: (input) Registration Data .....	91
9.6	CDCA-I016: (input) Information from TAA .....	91
9.7	CDCA-I020: (input) Site Visit Inspection Report.....	92
9.8	CDCA-I027: (output) Aggregated Interconnector Meter Flow Volumes	92
9.9	CDCA-I028: (output) Aggregated BM Unit Meter Flow Volumes .....	93
9.10	CDCA-I034: Settlement Calendar.....	93
9.11	CDCA-I035: (input) Site Visit Report on Aggregation Rule Compliance	93
9.12	CDCA-I036: (output) GSP Group Take to SAA.....	94
9.13	CDCA-I039: (output) Information to TAA .....	94
9.14	CDCA-I050: (input) Data Exception Reports .....	95
9.15	CRA-I010 .....	95
9.16	CRA-I013: (output, common) Issue Authentication Report .....	95
9.17	CRA-I015: (output, common) BM Unit and Energy Account Registration Data .....	95
9.18	CRA-I017 (output): Credit Assessment Capability .....	95
9.19	CRA-I019: (output) Registration Data .....	96
9.20	CRA-I022: (output) Metering System Details.....	98
9.21	CRA-I030: (input) Data Exception Reports .....	98
9.22	CRA-I045: (input) Withdrawing Party Authorisation and Notification Details .....	98
9.23	CRA-I046: (input) Withdrawing Party Settlement Details .....	98
9.24	See SAA-I037 in this section.ECVAA-I001 (input): Registration Data .	99
9.25	ECVAA-I011: Account Bilateral Contract Volume Report.....	99
9.26	ECVAA-I012: MVRN Report.....	100
9.27	ECVAA-I016: (output, common) ECVAA Data Exception Report .....	100
9.28	ECVAA-I020: (input) Data Exception Reports.....	100
9.29	ECVAA-I036: (output) Publish Credit Default Report.....	101
9.30	ECVAA-I047: (output) Withdrawing Party Authorisation and Notification Details .....	102

9.31	ECVAA-I048 (input) Physical Notification Data .....	102
9.32	SAA-I013: (output) Credit/Debit.....	102
9.33	SAA-I001 (input): Registration Data .....	102
9.34	SAA-I002 (input): Credit Assessment Capability .....	102
9.35	SAA-I003 (input) SAA Balancing Mechanism Data .....	102
9.36	SAA-I004: (input) Period Meter Data .....	103
9.37	SAA-I008: MVRN Report.....	103
9.38	SAA-I015.....	103
9.39	SAA-I016: (output, part 1) Settlement Calendar.....	103
9.40	SAA-I017: (output, common) SAA Data Exception Report.....	103
9.41	SAA-I037: (output) Withdrawing Party Settlement Details.....	103
9.42	CRA-I036: (output) Notification Agent Termination Request.....	104
9.43	ECVAA-I031: (output) Notification Agent Termination Feedback....	104
9.44	ECVAA-I033: (input) Credit/Debit Reports .....	105
9.45	CDCA-I040: (output) BM Unit 'Credit Cover' Meter Volume Data Report	105
9.46	ECVAA-I015: (input) BM Unit 'Credit Cover' Meter Volume Data ...	105
<b>10</b>	<b>Interfaces From and To Transfer Coordinator.....</b>	<b>106</b>
10.1	CRA-I023: Issue Registration Transfer Report .....	106
10.2	CRA-I038: Transfer from SMRS information .....	106
10.3	CRA-I039: Transfer from SMRS report.....	107
10.4	CRA-I040: Transfer to SMRS information .....	107
10.5	CRA-I041: Transfer to SMRS report .....	108
10.6	CDCA-I055: (input)Transfer from SMRS information.....	108
10.7	CDCA-I056: (output)Transfer from SMRS report.....	109
10.8	CDCA-I057: (input) Transfer to SMRS information .....	109
10.9	CDCA-I058: (output) Transfer to SMRS report.....	109

# 1 Introduction

## 1.1 Purpose

### 1.1.1 Summary

This document is Part 2 of the Interface Definition and Design

The scope of the document is, for each BSC Service System provided, the definition and design of all interfaces between the BSC Service System and other Systems.

The scope of Part 2 is limited to the definition and design of all interfaces with the BSC Service System which do not involve BSC Parties and their Agents.

Note that, subsequent to the introduction of P62, any of the following terms can represent a Licensed Distribution System Operator (LDSO) or any Party which distributes electricity.

- Distribution Business
- Distribution System Operator
- Public Distribution System Operator (and abbreviation PDSO)
- Distribution Company
- Public Electricity Suppliers (PES), as operators of a distribution network
- Distributor, as operator of a distribution network.

## 1.2 Scope

### 1.2.1 The Scope of this Document

The scope of the BSC Service systems are defined in Part 1 of the Interface Definition and Design.

Interfaces between BSC Service Systems services are termed here **Internal**. They are referenced in the URS documentation as being of equal status to external interfaces but are only indicated in the Interface Definition and Design, as the precise nature of the interface is an implementation decision.

## 1.3 Summary

Part 2 of the Interface Definition and Design covers interfaces with other BSC Systems, and is organised as follows:

- Section 2 describes common interface conventions, in particular defining the approach to interfacing via file transfer.

- Section 2.1 gives a summary of the interfaces, organised by BSC agent and by corresponding party.
- Sections 4 to 8 and 10 to 11 define the interfaces to each of the corresponding parties.
- Section 9 defines interfaces between the BSC agents.

#### 1.4 Amendment History

Date	Issue	Details of Change
04/11/2010	26.0	Document rebadged and amended for November 2010 Release (P243, P244, CP1333)
03/11/2011	27.0	November 2011 Release (CP1345, P253)

#### 1.5 References

[SD]	Draft Service Descriptions for Central Data Collection, Energy Contract Volume Aggregation, Central Registration, Balancing Mechanism Reporting, Settlement Administration,
[BPM]	RETA Business Process Models:
	Top Level Processes
	Central Registration
	Aggregate and Check Contract Volume
	Balancing Mechanism Reporting
	Central Data Collection and Aggregation
	Calculate Settlement Debits and Credits
	Indicative Reporting Requirement
	Entity Relationship Model
[COMMS]	Communications Requirements Document
[NGCSPEC]	NGC Control Technology Specification: NETA BMRA & SAA Interface Specification

#### 1.6 Abbreviations

A list of abbreviations is given in Part 1 of this document.

## 2 Common Interface Conventions

### 2.1 Interface Mechanisms

This section outlines the different interface mechanisms used.

#### 2.1.1 Manual

Some interfaces employ a manual mechanism. This means that the information is delivered by mail, by a telephone call, by email, or by fax from one person to another. (Perhaps in an electronic file attached to an email or written to a floppy disc)

All incoming manual flows are required to have been initiated by an Authorised Signatory. The flow will contain the Authorised Signatory Name and Password plus:

- for flows submitted by post or fax, the signatory's signature is required;
- for those flows which are submitted by email, the sending email address must be that registered for the signatory.

Where applicable, the sender will have read the information from a computer screen or printed it out before sending it. Similarly, where applicable, the recipient enters the information into a computer system, probably via a data entry screen-based interface.

More details of the manual mechanism are given where appropriate for a particular flow.

#### 2.1.2 Electronic Data File Transfer

The majority of non-manual interfaces use electronic file transfer. A data file is created on the source system, and is then copied to a predetermined directory on the destination system. The mechanism for the network copy is described in [COMMS].

##### 2.1.2.1 Common File Format

A common format will be used as far as is possible for data files transferred to and from BSC Central Services. This is specified in Section 2.2 of Part 1 of the Interface Definition and Design.

##### 2.1.2.2 NGC File Format

Data received from the System Operator (described in this document as flows BMRA-I002 and BMRA-I003) will be formatted according to the SO's specification for the flows, given in [NGCSPEC]. For the avoidance of doubt, this format is amplified as follows:

1. The first line of the file will contain an asterisk and the file name.

2. The second through fifth lines of the file will start with an asterisk and will be ignored.
3. The last line of the file will begin with the characters '<EOF>'.
4. Lines not beginning with an asterisk or '<EOF>' will contain data records. A data record consists of fields separated by commas as illustrated in Section 14 of [NGCSPEC].
5. A checksum is not included in these files.

The files use the ASCII character set.

In addition, receipt of these files will not be acknowledged by the BSC Central Systems in any way. Files contain sequence numbers - each file type has its own sequence, and duplicate or missing file detection is the same as described in section 2.2 of Part 1, except that instead of sending an out of sequence message, a warning is logged so that the operator can instigate manual processed to resolve the problem.

[NGCSPEC] defines one file which has a different format: the System Warning file, file name SYS\_WARN\_<CREATION DATE>.bmr. This is a free format text file with no special formats for the first five lines or the last line.

The other exception is the SO-SO Price interface (BMRA-I025). This data is provided as an XML file, in a format defined by the XML Schema for Merit Order List documents (published in the ENTSO-E Reserve Resource Planning [EDI library](#)).

All other interfaces with the System Operators will use the common conventions specified in Section 2.2 of Part 1 of the Interface Definition and Design.

NOTE: following implementation of the new Electricity Balancing System (currently scheduled for 2013), we plan to begin migrating all interfaces with the System Operator from CSV to XML. Our intention (subject to confirmation when assessing the relevant Modification Proposals or Change Proposals) is that all new or amended files provided by the System Operator, whether in relation to BMRA-I002, BMRA-I003 or any other relevant interface requirement, will make use of an XML format. The details of this format will be agreed with the System Operator closer to the time, and will then be defined in [NGCSPEC].

### 2.1.2.3 Pool Transfer File Format

The interfaces with Stage 2 (described in section 8 of this document as flows CDCA-I043, SAA-I007 and CRA-I015) will use Pool Transfer File Format (PTFF) as defined in the SVA Data Catalogue.

The files use the ASCII character set.

The PTFF header and footer records are described in the SVA Data Catalogue. The specific information needed to populate the header record for each flow is given in section 8.

Response messages are sent in response to these flows. These response messages are P0183001 PTFE files as specified in the SVA Data Catalogue.

### 2.1.3 Internal Interfaces

Interfaces between BSC Agent services are only indicated in the Interface Definition and Design, as the precise nature of the interface is an implementation decision. As part of the current architecture these internal interfaces are of two kinds:

- via shared database – between CRA, SAA and CDCA
- electronic data file transfer – between these and ECVAA and BMRA.

### 2.1.4 Repeating Structure

The structure of records and their nesting rules are specified using tables. The tables are defined in a spreadsheet attached to the end of the document.. The meaning of data in those tables is explained in section 2.2.4 of Part I.

#### 2.1.4.1 The Tabs of the Spreadsheet

There is one tab corresponding to the each of the sections of this document: *Multiple*, *SO*, *BSCCo Ltd*, *FAA*, *Stage 2*, *Internal*. The *NGC* tab shows the structure of the files sent from the System Operator to BMRA and SAA (this information is mastered in [NGCSPEC]). The *Items* tab is the master definition of each item; the item definitions in the *CRA*, *ECVAA*, *CDCA* and *SAA* tabs are copied from there. Note that the *NGC* tab uses different data types: standard Oracle types are used, except for datetime which is defined as “YYYYMMDDHHMM”.

### 2.1.5 File names

The names of the files received from the System Operator are given in [NGCSPEC]. The names of the files received from and sent to SVAA follow the following convention:

character 1: Sender role code (Pool format)

characters 2-5: Sender participant Id (Pool format)

characters 6-14: Unique identifier.

The names of all other files follow the convention given in section 2.2.5 of Part 1.

### 2.1.6 Unstructured File Format

With the exception of files from the System Operator and files to and from SVAA, the unstructured file format defined in section 2.2.6 of Part I is available.

### 2.1.7 Acknowledgement Messages and Sequence Numbers

Section 2.2.7, Acknowledgement Messages, of Part I applies to all files except those from the System Operator.

With the exception of files from the System Operator and files to and from Stage 2, section 2.2.8, Use Of Sequence Numbers, of Part 1, applies. Sequence numbers within NGC files are described in 2.1.2.2, NGC File Format.

#### 2.1.8 Time

All times contained in files will be in GMT; however note that the Settlement Calendar uses local time, and hence Settlement Periods are numbered starting at midnight local time.

#### 2.1.9 Valid Sets

This section defines the domains referred to in the repeating structure tables.

##### 2.1.9.1 Activity

See Part 1, section 2.2.11.1

##### 2.1.9.2 BMRA Exception Type

One of the values:

‘B’ (Balancing Mechanism Data Incomplete)

‘T’ (Termination or general input file validation error)

##### 2.1.9.3 BM Unit Type

See Part 1, section 2.2.11.2

##### 2.1.9.4 Charge Type

One of the values:

‘A’ (Administration Charge)

‘E’ (Energy Imbalance Cashflows)

‘I’ (Information Imbalance Charges)

‘N’ (Non-delivery Charge)

‘R’ (Residual Cashflow Reallocations)

‘B’ (BM Payments)

‘S’ (System Operator Charges)

##### 2.1.9.5 Organisation Type

See Part 1, section 2.2.11.9

2.1.9.6 Run Type

See Part 1, section 2.2.11.13

### 3 External Interface Summary

This section provides convenient summary lists of the interfaces by system / party. Note that this section defines the default rules for distribution of reports: copies of other reports may be requested through BSCCo Ltd. using the Flexible Reporting procedure.

#### 3.1 Interfaces by BSC Agent

The interfaces to each Agent are listed in the following tables. Interfaces which are defined in Part 1 are not included in these tables.

##### 3.1.1 BMRA Interfaces

Agent-id	Name	Dir'n	User	Type
BMRA-I002	Balancing Mechanism Data	from	SO	Electronic data file transfer, NGC File Format
BMRA-I003	System Related Data	from	SO	Electronic data file transfer, NGC File Format
BMRA-I007	SAA/ECVAA Balancing Mechanism Data	to	SAA (I003) ECVAA (I048)	Electronic data file transfer
BMRA-I011	Performance Reports	to	BSCCo Ltd	Manual
BMRA-I012	System Parameters	from	BSCCo Ltd	Manual
BMRA-I013	BMRA BSC Section D Charging Data	to	BSCCo Ltd	Manual
BMRA-I014	Price Adjustment Data	from	SO	Automatic
BMRA-I016	Receive Market Index Data Provider Thresholds	from	BSCCo Ltd	Manual
BMRA-I017	Report Market Index Data Provider Thresholds	To	BSCCo Ltd	Manual
BMRA-I018	Publish Credit Default Notices	from	ECVAA (I036)	Electronic data file transfer
BMRA-I020	BM Unit Fuel Type List	from	SO	Manual
BMRA-I021	Temperature Reference Data	from	SO	Manual
BMRA-I022	Daily Energy Volume Reference Data	from	SO	Manual
BMRA-I023	Wind Generation Registered Capacities	from	SO	Manual
BMRA-I024 <sup>1</sup>	Large Combustion Plant Directive Spreadsheet	from	BSCCo Ltd	Manual
BMRA-I025	SO-SO Prices	from	SO	Automatic
BMRA-I026	SO-SO Standing Data	from	SO	Manual

##### 3.1.2 CDCA Interfaces

Agent-id	Name	Dir'n	User	Type
CDCA-I016	Metering System Details Request	from	TAA	Manual
CDCA-I020	Site Visit Inspection Report	from	CDCA Site Visit Agent	Manual
CDCA-I022	Distribution Line Loss Factors	From	BSCCo Ltd	Electronic data file transfer
CDCA-I023	Missing Line Loss Factors	To	BSCCo Ltd	Manual

<sup>1</sup> p226

Agent-id	Name	Dir'n	User	Type
CDCA-I027	Aggregated Interconnector Meter Flow Volumes	to	SAA (I004)	via shared database
CDCA-I028	Aggregated BM Unit Metered Volumes	to	SAA (I004)	via shared database
CDCA-I032	Data Collection and Aggregation Performance Report	to	BSCCo Ltd	Manual
CDCA-I035	Site Visit Report on Aggregation Rule compliance	from	CDCA Site Visit Agent	Manual
CDCA-I036	GSP Group Take to SAA	to	SAA (I004)	via shared database
CDCA-I039	Exchange of information with TAA	to	TAA	Manual
CDCA-I040 <sup>2</sup>	BM Unit 'Credit Cover' Meter Volume Data Report	To	ECVAA (I015)	Electronic data file transfer
CDCA-I043	GSP Group Take to SVAA	to	SVAA	Electronic data file transfer, Pool Transfer File Format
CDCA-I049	Total Demand per GSP	to	SO	Electronic data file transfer
CDCA-I051	Report Meter Technical Details	to	SO	Manual
CDCA-I055	Transfer from SMRS information	from	Transfer Coordinator	Manual
CDCA-I056	Transfer from SMRS report	to	Transfer Coordinator	Manual
CDCA-I057	Transfer to SMRS information	from	Transfer Coordinator	Manual
CDCA-I058	Transfer to SMRS report	to	Transfer Coordinator	Manual
CDCA-I061	Receive System Parameters	From	BSCCo Ltd	Manual
CDCA-I062 <sup>3</sup>	Receive Sample Settlement Periods	from	BSCCo Ltd	Manual
CDCA-I064	MOA Proving Tests Report	To	BSCCo Ltd	Manual
CDCA-I065	MOA Fault Resolution Report	To	BSCCo Ltd	Manual

### 3.1.3 CRA Interfaces

Agent-id	Name	Dir'n	User	Type
CRA-I001	BSC Party Registration Data	From	BSCCo Ltd	Manual
CRA-I004	BSC Service Agent Details	from	BSCCo Ltd	Manual
CRA-I004	BSC Service Agent Details	from	BSC Service Agents	Manual
CRA-I004	BSC Service Agent Details	from	FAA	Manual
CRA-I004	BSC Service Agent Details	from	SVAA	Manual
CRA-I007	Boundary Point and System Connection Point Registration Data	from	SO	Manual
CRA-I007	Boundary Point and System Connection Point Registration Data	To	BSCCo Ltd	Manual
CRA-I011	CALF	from	BSCCo Ltd	Manual
CRA-I013	Issue Authentication Report	to	BMRA (I001)	Electronic data file transfer
CRA-I013	Issue Authentication Report	to	ECVAA (I001)	Electronic data file transfer
CRA-I013	Issue Authentication Report	to	SAA (I001)	Via shared database
CRA-I013	Issue Authentication Report	to	FAA	Electronic data file transfer
CRA-I013	Issue Authentication Report	to	SO	Electronic data file transfer
CRA-I013	Issue Authentication Report	to	BSCCo Ltd	Electronic data file

<sup>2</sup> P215

<sup>3</sup> This flow was added for the Introduction of Zonal Transmission Losses on an Average Basis (P82), but will not be used.

Agent-id	Name	Dir'n	User	Type
				transfer
CRA-I014	Registration Report	to	BSCCo Ltd	Manual
CRA-I015	BM Unit and Energy Account Registration Data	to	BMRA (I001)	Electronic data file transfer
CRA-I015	BM Unit and Energy Account Registration Data	to	ECVAA (I001)	Electronic data file transfer
CRA-I015	BM Unit and Energy Account Registration Data	to	SAA (I001)	Via shared database
CRA-I015	BM Unit and Energy Account Registration Data	to	SVAA	Electronic data file transfer
CRA-I015	BM Unit and Energy Account Registration Data	to	FAA	Electronic data file transfer
CRA-I017	Credit Assessment Export Capability	to	ECVAA (I001)	Electronic data file transfer
CRA-I017	Credit Assessment Export Capability	to	SAA (I002)	Via shared database
CRA-I019	Registration Data	to	CDCA (I002)	Via shared database
CRA-I020	Operations Registration Report	to	BSCCo Ltd	Electronic data file transfer
CRA-I020	Operations Registration Report	to	SO	Electronic data file transfer
CRA-I022	Metering System Details	to	TAA (I015)	Manual
CRA-I023	Issue Registration Transfer Report	to	Transfer Coordinator	Manual
CRA-I028	NGC Standing Data Report	to	BSCCo Ltd	Electronic data file transfer
CRA-I028	NGC Standing Data Report	to	SO	Electronic data file transfer
CRA-I029	Transmission Loss Factors	from	BSCCo Ltd	Manual
CRA-I032	CRA Performance Reports	to	BSCCo Ltd	Manual
CRA-I034	Flexible Reporting Request	from	BSCCo Ltd	Manual
CRA-I034	Flexible Reporting Request	from	BSC Service Agent	Manual
CRA-I034	Flexible Reporting Request	from	SO	Manual
CRA-I035	CRA BSC Section D Charging Data	to	BSCCo Ltd	Electronic data file transfer
CRA-I036	Notification Agent Termination Request	To	ECVAA (I030)	Manual
CRA-I037	Notification Agent Termination Feedback	From	ECVAA (I031)	Manual
CRA-I038	Transfer from SMRS information	from	Transfer Coordinator	Manual
CRA-I039	Transfer from SMRS report	to	Transfer Coordinator	Manual
CRA-I040	Transfer to SMRS information	from	Transfer Coordinator	Manual
CRA-I041	Transfer to SMRS report	to	Transfer Coordinator	Manual
CRA-I042	Receive Market Index Data Provider Registration Data	From	BSCCo Ltd	Manual
CRA-I043	Receive Exempt Export Registration Data	From	BSCCo Ltd	Manual
CRA-I044	Withdrawals Checklist Request	from	BSCCo Ltd	Manual
CRA-I045	Withdrawing Party Authorisation and Notification Details	from	ECVAA (I047)	Manual
CRA-I046	Withdrawing Party Settlement Details	from	SAA (I037)	Via shared database
CRA-I047	Withdrawals Checklist	to	BSCCo Ltd	Manual

## 3.1.4 ECVAA Interfaces

Agent-id	Name	Dir'n	User	Type
ECVAA-I006	Credit Limit Data	from	FAA	Electronic data file transfer
ECVAA-I011	Account bilateral Contract Volume Report	to	SAA (I008)	Electronic data file transfer
ECVAA-I012	MVR Notification Report	to	SAA (I008)	Electronic data file transfer
ECVAA-I015 <sup>4</sup>	Receive BM Unit Credit Cover Meter Volume Data	From	CDCA (I040)	Electronic data file transfer
ECVAA-I016	ECVAA Data Exception Report	to	CRA (I030)	Electronic data file transfer
ECVAA-I016	ECVAA Data Exception Report	to	FAA	Electronic data file transfer
ECVAA-I017	ECVAA Performance Report	to	BSCCo Ltd	Manual
ECVAA-I021	Credit Limit Warning	to	BSCCo Ltd	Manual
ECVAA-I023	ECVAA BSC Section D Charging Data	to	BSCCo Ltd	Electronic data file transfer
ECVAA-I025	Credit Cover Minimum Eligible Amount Report	to	BSCCo Ltd	Manual
ECVAA-I025	Credit Cover Minimum Eligible Amount Report	to	FAA	Manual
ECVAA-I026	Minimum Eligible Amount Request	to	BSCCo Ltd	Manual
ECVAA-I027	Notification of BSC Parties in Section H Default	from	BSCCo Ltd	Manual
ECVAA-I030	Notification Agent Termination Request	from	CRA (I036)	Manual
ECVAA-I031	Notification Agent Termination Feedback	To	CRA (I037)	Manual
ECVAA-I032	Credit Assessment Price	from	BSCCo Ltd	Manual
ECVAA-I033	Credit/Debit Reports	from	SAA (I013)	Electronic data file transfer
ECVAA-I036	Publish Credit Default Notices	to	BMRA (I018)	Electronic data file transfer
ECVAA-I040	Issue Notification System Status Report	to	BSCCo Ltd	Manual
ECVAA-I041	Party Credit Default Authorisation Details	from	BSCCo Ltd	Manual
ECVAA-I047	Withdrawing Party Authorisation and Notification Details	to	CRA (I045)	Manual
ECVAA-I048	Physical Notification Data	from	BMRA (I007)	Electronic data file transfer
ECVAA-I049	Request to remove all ECVNs and MVRNs from ECVAA for a Party in Section H Default	from	BSCCo Ltd	Manual
ECVAA-I050	Remove all ECVNs and MVRNs from ECVAA for a Party in Section H Default Feedback	to	BSCCo Ltd	Manual

## 3.1.5 SAA Interfaces

Agent-id	Name	Dir'n	User	Type
SAA-I003	Balancing Mechanism Data	from	BMRA	Electronic data file transfer
SAA-I007	BM Unit Allocated Demand Volume	from	SVAA	Electronic data file transfer, Pool Transfer File Format
SAA-I010	BSCCo Ltd Costs (Redundant)	from	BSCCo Ltd	Electronic

<sup>4</sup> P215

Agent-id	Name	Dir'n	User	Type
				data file transfer
SAA-I011	Payment Calendar Data	from	FAA	Manual
SAA-I013	Credit/Debit Reports	to	FAA	Electronic data file transfer
SAA-I013	Credit/Debit Reports	to	ECVAA (I033)	Electronic data file transfer
SAA-I014	Settlement Report	to	SO	Electronic data file transfer
SAA-I014	Settlement Report	to	BSCCo Ltd	Electronic data file transfer
SAA-I016	Settlement Calendar	to	CDCA (I016)	Via shared database
SAA-I019	BSC Party Performance Reports (Redundant)	to	BSCCo Ltd	Electronic data file transfer
SAA-I020	SAA Performance Reports	to	BSCCo Ltd	Manual
SAA-I023	System Parameters	from	BSCCo Ltd	Manual
SAA-I025	SAA BSC Section D Charging Data	to	BSCCo Ltd	Electronic data file transfer
SAA-I026	Price Adjustment Data	from	SO	Automatic
SAA-I027	Report pre-settlement run validation failure	to	BCCC Ltd	Manual
SAA-I028	Receive settlement run decision	from	BSCCo Ltd	Manual
SAA-I029	Receive settlement run instructions	from	BSCCo Ltd	Manual
SAA-I031	Receive Market Index Data Provider Thresholds	From	BSCCo Ltd	Manual
SAA-I032	Report Market Index Data Provider Thresholds	to	BSCCo Ltd	Manual
SAA-I033	Receive Request for Data Change	from	SO	Manual
SAA-I034	Report Recommended Data Change	to	BSCCo Ltd	Manual
SAA-I035	Receive Instruction for Data Change	from	BSCCo Ltd	Manual
SAA-I036	Report Confirmation of Data Change	to	BSCCo Ltd	Manual
SAA-I037	Withdrawing Party Settlement Details	to	CRA (I046)	Manual
SAA-I038	Excluded Emergency Acceptance Pricing Information	from	BSCCo Ltd	Manual
SAA-I039	Send Excluded Emergency Acceptance Dry Run Results	to	BSCCo Ltd	Manual
SAA-I040	Receive Authorisation To Proceed With Full Settlement Run	from	BSCCo Ltd	Manual

### 3.2 Interfaces by Corresponding Party

The interfaces to each corresponding party are listed in the following tables. Interfaces which are defined in Part 1 **are** included in these tables, in italic font.

## 3.2.1 BSCCo Ltd Interfaces

Dir'n	User	Agent-id	Name	Type
To	SO	BMRA-I010	Data Exception Reports	Electronic data file transfer
To	BSCCo Ltd	BMRA-I011	Performance Reports	Manual
from	BSCCo Ltd	BMRA-I012	System Parameters	Manual
to	BSCCo Ltd	BMRA-I013	BMRA BSC Section D Charging Data	Manual
to	BSCCo Ltd	CDCA-I014	Estimated Data Report (Part 1)	Electronic data file transfer
from	BSCCo Ltd	BMRA-I016	Receive Market Index Data Provider Thresholds	Manual
To	BSCCo Ltd	BMRA-I017	Report Market Index Data Provider Thresholds	Manual
from	BSCCo Ltd	BMRA-I024	Large Combustion Plant Directive Spreadsheet <sup>5</sup>	Manual
to	BSCCo Ltd	CDCA-I018	MAR Reconciliation Report (Part 1)	Manual
to	BSCCo Ltd	CDCA-I019	MAR Remedial Action Report (Part 1)	Manual
from	BSCCo Ltd	CDCA-I022	Distribution Line Loss Factors	Electronic data file transfer
To	BSCCo Ltd	CDCA-I023	Missing Line Loss Factors	Manual
To	BSCCo Ltd	CDCA-I032	Data Collection and Aggregation Performance Report	Manual
from	BSCCo Ltd	CDCA-I043	Receive Exempt Export Registration Data	Manual
To	BSCCo Ltd	CDCA-I047	Correspondence Receipt Acknowledgement (Part 1)	Manual
from	BSCCo Ltd	CDCA-I061	Receive System Parameters	Manual
From	BSCCo Ltd	CDCA-I062	Receive Sample Settlement Periods <sup>6</sup>	Manual
from	BSCCo Ltd	CRA-I001	BSC Party Registration Data (Part 1)	Manual
to	BSCCo Ltd	CDCA-I064	MOA Proving Tests Report	Manual
to	BSCCo Ltd	CDCA-I065	MOA Fault Resolution Report	Manual
to	BSCCo Ltd	CRA-I001	BSC Party Registration Data (Part 1)	Manual
from	BSCCo Ltd	CRA-I003	BSC Party Agent Registration Data (Part 1)	Manual
from	BSCCo Ltd	CRA-I004	BSC Service Agent Details	Manual
To	BSCCo Ltd	CRA-I007	Boundary Point and System Connection Point Registration Data (Part 1)	Manual
from	BSCCo Ltd	CRA-I011	CALF	Manual
to	BSCCo Ltd	CRA-I013	Issue Authentication Report	Electronic data file transfer
to	BSCCo Ltd	CRA-I014	Registration Report	Manual
to	BSCCo Ltd	CRA-I020	Operations Registration Report	Electronic data file transfer
to	BSCCo Ltd	CRA-I028	NGC Standing Data Report	Electronic data file transfer
from	BSCCo Ltd	CRA-I029	Transmission Loss Factors	Manual
to	BSCCo Ltd	CRA-I032	CRA Performance Reports	Manual
from	BSCCo Ltd	CRA-I034	Flexible Reporting Request	Manual
to	BSCCo Ltd	CRA-I035	CRA BSC Section D Charging Data	Electronic data file transfer
from	BSCCo Ltd	CRA-I042	Market Index Data Provider Registration Data	Manual
from	BSCCo Ltd	CRA-I044	Withdrawals Checklist Request	Manual
to	BSCCo Ltd	CRA-I047	Withdrawals Checklist	Manual
to	BSCCo Ltd	ECVAA-I017	ECVAA Performance Report	Manual
to	BSCCo Ltd	ECVAA-I021	Credit Limit Warning	Manual
to	BSCCo Ltd	ECVAA-I023	ECVAA BSC Section D Charging Data	Electronic data file transfer
to	BSCCo Ltd	ECVAA-I025	Credit Cover Minimum Eligible Amount Report	Manual
to	BSCCo Ltd	ECVAA-I026	Minimum Eligible Amount Request	Manual
from	BSCCo Ltd	ECVAA-I027	Notification of BSC Parties in Section H Default	Manual
from	BSCCo Ltd	ECVAA-I032	Credit Assessment Price	Manual
to	BSCCo Ltd	ECVAA-I040	Issue Notification System Status Report	Manual
from	BSCCo Ltd	ECVAA-I041	Party Credit Default Authorisation Details	Manual
from	BSCCo Ltd	ECVAA-I049	Request to remove all ECVNs and MVRNs from ECVAA for a Party in Section H Default	Manual
to	BSCCo Ltd	ECVAA-I050	Remove all ECVNs and MVRNs from ECVAA for a Party in Section H Default Feedback	Manual
from	BSCCo Ltd	SAA-I010	BSCCo Ltd Costs (Redundant)	Electronic data file transfer

<sup>5</sup> P226<sup>6</sup> This flow was added for the Introduction of Zonal Transmission Losses on an Average Basis (P82), but will not be used.

Dir'n	User	Agent-id	Name	Type
from	BSCCo Ltd	SAA-i012	Dispute Notification (Part 1)	Manual
to	BSCCo Ltd	SAA-i014	Settlement Report	Electronic data file transfer
To	BSCCo Ltd	SAA-I016	Settlement Calendar (Part 1)	Manual
to	BSCCo Ltd	SAA-I018	Dispute Report (Part 1)	Manual
to	BSCCo Ltd	SAA-I019	BSC Party Performance Reports (Redundant)	Electronic data file transfer
to	BSCCo Ltd	SAA-I020	SAA Performance Reports	Manual
from	BSCCo Ltd	SAA-I023	System Parameters	Manual
To	BSCCo Ltd	SAA-I025	SAA BSC Section D Charging Data	Electronic data file transfer
To	BSCCo Ltd	SAA-I02	Report pre-settlement run validation failure	Manual
From	BSCCo Ltd	SAA-I028	Receive settlement run decision	Manual
From	BSCCo Ltd	SAA-I029	Receive settlement run instructions	Manual
from	BSCCo Ltd	SAA-I031	Receive Market Index Data Provider Thresholds	Manual
to	BSCCo Ltd	SAA-I032	Report Market Index Data Provider Thresholds	Manual
to	BSCCo Ltd	SAA-I034	Report Recommended Data Change	Manual
from	BSCCo Ltd	SAA-I035	Receive Instruction for Data Change	Manual
to	BSCCo Ltd	SAA-I036	Report Confirmation of Data Change	Manual
from	BSCCo Ltd	SAA-I038	Excluded Emergency Acceptance Pricing Information	Manual
to	BSCCo Ltd	SAA-I039	Send Excluded Emergency Acceptance Dry Run Results	Manual
from	BSCCo Ltd	SAA-I040	Receive Authorisation To Proceed With Full Settlement Run	Manual

## 3.2.2 FAA Interfaces

Dir'n	User	Agent-id	Name	Type
from	FAA	CRA-I004	BSC Service Agent Details	Manual
to	FAA	CRA-I013	Issue Authentication Report	Electronic data file transfer
to	FAA	CRA-I015	BM Unit and Energy Account Registration Data	Electronic data file transfer
from	FAA	CRA-I034	Flexible Reporting Request	Manual
from	FAA	ECVAA-I006	Credit Limit Data	Electronic data file transfer
to	FAA	ECVAA-I016	ECVAA Data Exception Report	Electronic data file transfer
to	FAA	ECVAA-I025	Credit Cover Minimum Eligible Amount Report	Manual
from	FAA	SAA-I011	Payment Calendar Data	Manual
to	FAA	SAA-I013	Credit/Debit Reports	Electronic data file transfer

## 3.2.3 System Operator Interfaces

Dir'n	User	Agent-id	Name	Type
from	SO	BMRA-I002	Balancing Mechanism Data	Electronic data file transfer, NGC File Format
from	SO	BMRA-I003	System Related Data	Electronic data file transfer, NGC File Format
to	SO	BMRA-I010	Data Exception Reports	Electronic data file transfer
from	SO	BMRA-I014	Price Adjustment Data	Automatic
from	SO	BMRA-I020	BM Unit Fuel Type List	Manual
from	SO	BMRA-I021	Temperature Reference Data	Manual
from	SO	BMRA-I022	Daily Energy Volume Reference Data	Manual
from	SO	BMRA-I023	Wind Generation Registered Capacities	Manual
from	SO	BMRA-I025	SO-SO Prices	Automatic
from	SO	BMRA-I026	SO-SO Standing Data	Manual
to	SO	CDCA-I012	Report Raw Meter Data (Part 1)	Electronic Data File Transfer
to	SO	CDCA-I014	Estimated Data Report (Part 1)	Electronic data file transfer
to	SO	CDCA-I029	Aggregated GSP Group Take Volumes (Part 1)	Electronic Data File Transfer
to	SO	CDCA-I042	BM Unit Aggregation Report (Part 1)	Electronic Data File Transfer
to	SO	CDCA-I049	Total Demand Per GSP	Electronic data file transfer
to	SO	CDCA-I051	Report Meter Technical Details	Manual
from	SO	CRA-I007	Boundary Point and System Connection Point Registration Data	Manual
from	SO	CRA-I008	Interconnector Registration Details	Manual
to	SO	CRA-I013	Issue Authentication Report	Electronic data file

Dir'n	User	Agent-id	Name	Type
				transfer
to	SO	CRA-I014	Registration Report (Part 1)	Electronic Data File Transfer
to	SO	CRA-I020	Operations Registration Report	Electronic data file transfer
to	SO	CRA-I028	NGC Standing Data Report	Electronic data file transfer
from	SO	CRA-I034	Flexible Reporting Request	Manual
from	SO	SAA-I012	Dispute Notification (Part 1)	Manual
to	SO	SAA-I014	Settlement Report	Electronic data file transfer
to	SO	SAA-I017	SAA Data Exception Report (Part 1)	Electronic data file transfer
to	SO	SAA-I018	Dispute Report (Part 1)	Manual
from	SO	SAA-I026	Price Adjustment Data	Automatic
from	SO	SAA-I033	Receive Request for Data Change	Manual
to	SO	SAA-I036	Report Confirmation of Data Change	Manual

### 3.2.4 Stage 2 Interfaces

Dir'n	User	Agent-id	Name	Type
to	SVAA	CDCA-I043	GSP Group Take to SVAA	Electronic data file transfer, Pool Transfer File Format
from	SVAA	CRA-I004	Agent Details	Manual
from	SVAA	CRA-I034	Flexible Reporting Request	Manual
to	MDDA	CRA-I015	BM Unit Registration Details	Electronic data file transfer, Pool Transfer File Format
from	SVAA	SAA-I007	BM Unit Allocated Demand Volume	Electronic data file transfer, Pool Transfer File Format
to	SVAA	SAA-I016	Settlement Calendar (Part 1)	Manual
to	SVAA	SAA-I017	SAA Data Exception Report (Part 1)	Manual

### 3.2.5 Transfer Coordinator Interfaces

Dir'n	User	Agent-id	Name	Type
To	Transfer Coordinator	CRA-I023	Issue Registration Transfer Report	Manual
from	Transfer Coordinator	CRA-I038	Transfer from SMRS information	Manual
to	Transfer Coordinator	CRA-I039	Transfer from SMRS report	Manual
from	Transfer Coordinator	CRA-I040	Transfer to SMRS information	Manual
to	Transfer Coordinator	CRA-I041	Transfer to SMRS report	Manual
from	Transfer Coordinator	CDCA-I055	Transfer from SMRS information	Manual
to	Transfer Coordinator	CDCA-I056	Transfer from SMRS report	Manual
from	Transfer Coordinator	CDCA-I057	Transfer to SMRS information	Manual
to	Transfer Coordinator	CDCA-I058	Transfer to SMRS report	Manual

## 3.2.6 Internal Interfaces

From	To	Name	Type
BMRA-I007	SAA-I003	SAA Balancing Mechanism Data	Electronic data file transfer
BMRA-I007	ECVAA-I048	SAA/ECVAA Balancing Mechanism Data	Electronic data file transfer
<i>BMRA-I010</i>	<i>CRA-I030</i>	<i>Data Exception Reports</i>	<i>Electronic data file transfer</i>
CDCA-I027	SAA-I004	Aggregated Interconnector Meter Flow Volumes	via shared database
CDCA-I028	SAA-I004	Aggregated BM Unit Metered Volumes	via shared database
CDCA-I036	SAA-I004	GSP Group Take to SAA	via shared database
CDCA-I040 <sup>7</sup>	ECVAA-I015	BM Unit 'Credit Cover' Meter Volume Data	Electronic data file transfer
CDCA Site Visit Agent	CDCA-I020	Site Visit Inspection Report	Manual
CDCA Site Visit Agent	CDCA-I035	Site Visit Report on Aggregation Rule compliance	Manual
CRA-I013	ECVAA-I001	Issue Authentication Report	Electronic data file transfer
CRA-I013	SAA-I001	Issue Authentication Report	Via shared database
CRA-I015	BMRA-I001	BM Unit and Energy Account Registration Data	Electronic data file transfer
CRA-I013	BMRA-I001	Issue Authentication Report	Electronic data file transfer
CRA-I015	ECVAA-I001	BM Unit and Energy Account Registration Data	Electronic data file transfer
CRA-I015	SAA-I001	BM Unit and Energy Account Registration Data	Via shared database
CRA-I017	ECVAA-I001	Credit Assessment Export Capability	Electronic data file transfer
CRA-I017	SAA-I002	Credit Assessment Export Capability	Via shared database
CRA-I019	CDCA-I002	Registration Data	Via shared database
CRA-I036	ECVAA-I030	Notification Agent Termination Request	Manual
ECVAA-I011	SAA-I008	Account bilateral Contract Volume Report	Electronic data file transfer
ECVAA-I012	SAA-I008	MVR Notification Report	Electronic data file transfer
ECVAA-I016	CRA-I030	ECVAA Data Exception Report	Electronic data file transfer
ECVAA-I031	CRA-I037	Notification Agent Termination Feedback	Manual
ECVAA-I036	BMRA-I018	Publish Credit Default Notices	Electronic data file transfer
ECVAA-I047	CRA-I045	Withdrawing Party Authorisation and Notification Details	Manual
SAA-I013	ECVAA-I033	Credit/Debit Reports	Electronic data file transfer
<i>SAA-I016</i>	<i>CDCA-I034</i>	<i>Settlement Calendar (Part 1)</i>	<i>Manual</i>
<i>SAA-I017</i>	<i>CDCA-I050</i>	<i>Data Exception Reports (Part 1)</i>	<i>Via shared</i>

<sup>7</sup> P215

---

<b>From</b>	<b>To</b>	<b>Name</b>	<b>Type</b>
			<i>database</i>
SAA-i017	CRA-I030	<i>Data Exception Reports (Part 1)</i>	<i>Via shared database</i>
SAA-i017	ECVAA-I020	<i>Data Exception Reports (Part 1)</i>	<i>Electronic data file transfer</i>
SAA-I037	CRA-I046	Withdrawing Party Settlement Details	Via shared database

## 4 Interfaces From and To Multiple Parties

This section covers a number of interfaces which are common to more than one party.

### 4.1 CRA-I004: (input) BSC Service Agent Details

<b>Interface ID:</b> CRA-I004 (EPFAL ref FAA-I033)	<b>Source:</b> BSCCo Ltd, BSC Service Agents, FAA, SVAA	<b>Title:</b> BSC Service Agent Details	<b>BSC Reference:</b> CRA SD 4.3, CRA BPM 3.1, ERM, CP756, P82
<b>Mechanism:</b> Manual, by email, letter or fax, or can be sent as an electronic data file over the network	<b>Frequency:</b> As Necessary	<b>Volumes:</b> Low	
<p>The CRA shall receive the registration details for BSC Service Agents, including FAA and SVAA. The details will come from BSCCo Ltd in the first place. Updates will come from the agents themselves.</p> <p>Action Description</p> <p><u>Authentication Details</u> Name Password</p> <p><u>BSC Service Agent Details</u> Agent Name Agent Identifier</p> <p><u>Service Agent Role Details</u> Agent Type Effective From Date Effective To Date</p> <p><u>Role Address Details</u> Address Telephone No Fax No e-mail Address</p>			
<p><b>Physical Interface Details:</b> A physical structure is defined for this manual interface because the registrant can send this information as an electronic data file over the network; the CRA operator enters the information via a screen-based interface however it is sent.</p>			

4.2 CRA-I013: (output) Issue Authentication Report

<b>Interface ID:</b> From: CRA-I013 To: BMRA-I001 To: ECVAA-I001 To: SAA-I001 EPFAL Ref: FAA-I025	<b>User:</b> FAA ECVAA SAA SO BSCCO	<b>Title:</b> Issue Authentication Report	<b>BSC Reference:</b> CRA SD App B, Serial 4, CRA BPM 4.11, CRA SD 4.1.1.e, CR12, P78, CP918, CP975 CP1193
<b>Mechanism:</b> Electronic data file transfer (except via Shared Database to SAA)	<b>Frequency:</b> Daily or additionally as necessary	<b>Volumes:</b> Low	
<p>The CRA system shall issue a report containing the authentication details for a BSC Party or Party Agent. The Authentication details shall consist of:</p> <p><u>Authentication Details</u></p> <p style="padding-left: 20px;"><u>BSC Party Details</u></p> <p style="padding-left: 40px;">Action Code BSC Party Name BSC Party ID</p> <p style="padding-left: 20px;"><u>Party Role Details</u></p> <p style="padding-left: 40px;">Action Code Party Type Registration Effective From Date Registration Effective To Date</p> <p style="padding-left: 20px;"><u>Role Address Details</u></p> <p style="padding-left: 40px;">Action Code Address Telephone No Fax No e-mail Address</p> <p style="padding-left: 20px;"><u>Settlement Report Details</u></p> <p style="padding-left: 40px;">Action Code Report Type Distribution Method</p> <p style="padding-left: 20px;"><u>Authorised Signatories</u></p> <p style="padding-left: 40px;">Action Code Name Password Contact Phone No e-mail Address</p> <p style="padding-left: 20px;"><u>Authorisation Levels</u></p> <p style="padding-left: 40px;">Action Code Activity Effective From Date Effective To Date</p> <p style="padding-left: 20px;"><u>BSC Party Agent Details</u></p> <p style="padding-left: 40px;">Action Code Agent Name BSC Party Agent ID</p> <p style="padding-left: 20px;"><u>Agent Role Details</u></p> <p style="padding-left: 40px;">Action Code BSC Party Agent Type Registration Effective From Date Registration Effective To Date</p>			

<p><u>Role Address Details</u>                  Action Code                  Address                  Telephone No                  Fax No                  e-mail Address</p>
<p><u>Authorised Signatories</u>                  Action Code                  Name                  Password                  Contact Phone No                  e-mail Address</p>
<p><u>Authorisation Levels</u>                  Action Code                  Activity                  Effective From Date                  Effective To Date</p>
<p><u>Market Index Data Provider Details</u>                  Action Code                  Market Index Data Provider Name                  Market Index Data Provider ID</p>
<p><u>Market Index Data Provider Effective Dates</u>                  Action Code                  Provider Effective From Settlement Date                  Provider Effective To Settlement Date</p>
<p>The first field of each record of the report is an Action Code, indicating whether the record has a) been added or changed; b) been deleted or c) not changed.                  On request the CRA will provide the FAA with copies of sample signatures for Authorised Signatories.</p>
<p><b>Physical Interface Details:</b></p>

### 4.3 CRA-I015: (output) BM Unit, Interconnector and GSP Group Data

<p><b>Interface ID:</b>                  From: CRA-I015                  To: SAA-I001                  To: BMRA-I001                  To: ECVAA-I001                  EPFAL Ref: FAA-I026</p>	<p><b>User:</b>                  SAA,                  BMRA,                  ECVAA                  FAA,                  Stage 2 MDDA</p>	<p><b>Title:</b>                  BM Unit,                  Interconnector and                  GSP Group Data</p>	<p><b>BSC Reference:</b>                  CRA BPM 3.8, SCH: 4, B, 2.5.2                  RETA SCH: 4, B, 2.6.1 SAA SD:                  2.7, 5.3.1, A1 SAA BPM: 3.1,                  4.26, 4.6, CRA BPM 4.14,                  CP551, P100, P215</p>
<p><b>Mechanism:</b>                  Shared database to                  SAA; Electronic Data                  File transfer to BMRA,                  ECVAA, FAA, SVAA                  (Pool Transfer File                  Format to Stage 2                  MDDA)</p>	<p><b>Frequency:</b>                  Daily</p>	<p><b>Volumes:</b></p>	
<p><b>Interface Requirement:</b></p> <p>The CRA Service shall issue Registration data once a day or more frequently if multiple changes occur to the SAA service via the shared database.</p> <p>The CRA Service shall issue Registration data once a day to the BMRA, ECVAA and FAA services. In this case, the information is transferred via file transfer</p> <p>The Registration data shall include:</p>			

BM Unit, Interconnector and GSP Group DetailsProportion of Losses Details

Action Code  
 Proportion of Losses (alpha)  
 Effective From Date

Trading Unit Registration

Action Code  
 Trading Unit Name

BM Unit Details

Action Code  
 BM Unit ID  
 Effective From Date  
 Effective To Date

BM Unit Registration

Action Code  
 BM Unit Name  
 BM Unit ID  
 BM Unit Type  
 Lead Party ID  
 NGC BM Unit Name  
   GSP Group ID (optional)  
   GSP Group Name (optional)  
 Generation Capacity (MW)  
 Demand Capacity (MW)  
   Production / Consumption Flag<sup>8</sup>  
   Transmission Loss Factor (TLF<sub>ij</sub>)  
 FPN Flag  
 Credit Qualifying Status  
 Demand in Production Flag  
 Interconnector ID  
 Credit Assessment Import Capability(MW)  
 Credit Assessment Export Capability(MW)  
 Effective From Date  
 Effective To Date

Joint BM Unit Details

Action Code  
 Joint BM Unit ID  
 Effective From Date  
 Effective To Date

Joint BM Unit Details

Action Code  
 BM Unit ID

Interconnector Registration Details

Action Code  
 Interconnector ID  
 Interconnector Administrator ID  
 Interconnector Error Administrator ID  
 Effective From Date  
 Effective To Date

GSP Group Registration

Action Code  
 GSP Group ID  
 GSP Group Name  
 Distributor BSC Party ID  
 Effective From Date  
 Effective To Date

<sup>8</sup> For the interface to ECVAA and BMRA, the Production / Consumption Flag data item actually refers to Production / Consumption Status which is dynamically derived if the Production / Consumption Flag is set to null, or the Production / Consumption Status can be fixed by setting the Production / Consumption Flag for Exempt Export BM Units only.

<p>The first field of each record of the report is an Action Code, indicating whether the record has a) been added or changed; b) been deleted or c) not changed.</p> <p>Details of the registration of Stage 2 BM Units are sent to the Stage 2 MDDA; this is shown as CRA-I015 sub-flow 2 in the physical flow definition (Stage 2 section). The flow to Stage 2 will always consist of the complete set of BM Unit / GSP Group / Supplier relationships from the CRA database, and will be sent whenever there is a change. A Change is determined to have happened if the flow generated is not the same as the previously generated flow (generally the flow generated on the previous day).</p> <p>Sub-flow 2 will summarise contiguous BM Unit effective date ranges as a single record in the flow with an Effective From Date equal that of the earliest record in the contiguous block, and an Effective To Date equal to that of the latest (this may be null for open ended records).</p> <p>Sub-flow 2 will report historic data for a BM Unit in addition to current and future data.</p>
<p><b>Physical Interface Details:</b></p>

#### 4.4 CRA-I020: (output) Operations Registration Report

<p><b>Interface ID:</b> CRA-I020</p>	<p><b>User:</b> BSCCo Ltd, SO</p>	<p><b>Title:</b> Operations Registration Report</p>	<p><b>BSC Reference:</b> CRA SD A-2, CRA BPM 3.8, CRA BPM 4.10, LDM, RETA SCH 4,B, 2.2.2, P100, CP962, CP642, P215</p>
<p><b>Mechanism:</b> Electronic data file transfer</p>	<p><b>Frequency:</b> Daily</p>	<p><b>Volumes:</b> Low</p>	

The CRA system shall issue a report detailing centrally registered data to the BSCCo Ltd.

The report is used to ensure that data held between the BSCCo Ltd and CRA are consistent. The report also goes to the SO and shall contain the following information:

Operations Registration Details

Proportion of Losses Details

- Action Code
- Proportion of Losses (alpha)
- Effective From Date

Trading Unit Registration

- Action Code
- Trading Unit Name

BM Unit Registration

- Action Code
- BM Unit ID
- BM Unit Type
- Lead Party ID
- NGC BM Unit Name
- BM Unit Name
- GSP Group ID
- GSP Group Name
- Trading Unit Name
- Generation Capacity (MW)
- Demand Capacity (MW)
- CALF
- BMCAIC
- BMCAEC

Production/Consumption Flag  
 Production / Consumption Status  
 Exempt Export Flag  
 Base TU Flag  
 Transmission Loss Factor  
 FPN Flag  
 Manual Credit Qualifying Flag  
 Credit Qualifying Status  
 Interconnector ID  
 Effective From Date  
 Effective To Date

BM Unit Group Details

Action Code  
 Joint BM Unit ID  
 Effective From Date  
 Effective To Date

Joint BM Unit Details

Action Code  
 BM Unit Id

Interconnector Registration Details

Action Code  
 Interconnector ID  
 Interconnector Administrator ID  
 Interconnector Error Administrator ID  
 Effective From Date  
 Effective To Date

The first field of each record of the report is an Action Code, indicating whether the record has a) been added or changed; b) been deleted or c) not changed.

**Physical Interface Details:**

This report can be issued either as an incremental report, containing only changes since the last report, or as a full refresh. The CRA system will issue a full refresh report detailing centrally registered data to the BSCCo Ltd on a weekly basis.

For Incremental reports, changed and deleted records are included (with Action Codes (a) and (b) respectively), but for full report all records are reported, including those that have not changed (Action Code (c)).

Where a BM Unit's association with Trading Units changes on a date where no other BM Unit attributes change, the BM Unit information will be reported as separate date ranges in order to accurately report the association.

Where a BM Unit's Production / Consumption Status changes on a date where no other BM Unit attributes change (for example as a result of another BM Unit being added or removed from the Trading Unit to which the BM Unit belongs), the BM Unit information will be reported as separate date ranges in order to accurately report the changing status.

#### 4.5 CRA-I028: (output) NGC Standing Data Report

<b>Interface ID:</b> CRA-I028	<b>User:</b> System Operator, BSCCo Ltd	<b>Title:</b> NGC Standing Data Report	<b>BSC Reference:</b> CR_991027_06a
<b>Mechanism:</b> Electronic data file transfer	<b>Frequency:</b> As required	<b>Volumes:</b> Very low volume	
<p>The CRA system, shall, on a change of details for BM Unit Names, GSP ID, Boundary Point ID, and Party ID's, issue a report on the change to the SO containing the following.</p> <p>BSC Party Details            BSC Party ID            BSC Party Name</p> <p>BM Unit Details            BM Unit ID            BM Unit Name            NGC BM Unit Name</p> <p>GSP Group Details            GSP Group ID            GSP Group Name</p> <p>GSP Details            GSP ID</p> <p>Inter-GSP-Connection Details            Inter-GSP-Connection ID</p> <p>Boundary Point Details            Boundary Point ID</p> <p>Metering System Details            Metering System ID</p>			
<b>Physical Interface Details:</b>			

**4.6 ECVAA-I016: (output) ECVAA Data Exception Report**

<b>Interface ID:</b> From: ECVAA-I016 To: CRA-I030 <i>EPFAL Ref: FAA-I024</i>	<b>User:</b> FAA, CRA	<b>Title:</b> ECVAA Data Exception Report	<b>BSC Reference:</b> ECVAA SD: 4.2, 5.2
<b>Mechanism:</b> Electronic data file transfer	<b>Frequency:</b> As required.	<b>Volumes:</b> Low	
<b>Interface Requirement:</b>			
The ECVAA Service shall issue Exception Reports once a day to the CRA to report registration data validation failures.			
The ECVAA Service shall issue Exception Reports as required to the FAA, to report credit limit data validation failures.			
The Exception Reports shall include:			
File Header of file being processed Exception Type Exception Description			

**4.7 ECVAA-I025: (output) Credit Cover Minimum Eligible Amount Report**

This interface is defined Part 1 of the Interface Definition and Design.

**4.8 SAA-I013: (output) Credit/Debit Reports**

<b>Interface ID:</b> SAA-I013 ECVAA-I033 <i>EPFAL Ref:</i> FAA-I022, FAA-I023	<b>User:</b> FAA ECVAA	<b>Title:</b> Credit/Debit Reports	<b>BSC Reference:</b> RETA SCH: 4, B, 2.1.1 SAA SD: 3.53.2, 3.54, 4.1, 4.2, A2 SAA BPM: 3.17, 4.14, 4.15 SAA IRR: SAA5, SAA7, SAA8, SAA9, CP527, P2, CP632
<b>Mechanism:</b> Electronic data file transfer	<b>Frequency:</b> Daily	<b>Volumes:</b> One per Settlement Run	
<p style="text-align: center;"><b>Interface Requirement:</b></p> <p>The SAA Service shall issue Credit/Debit Reports to the ECVAA Service for all Interim Initial Settlement Runs, and to the FAA Service for all other Settlement Runs.</p>			
<p>The Credit/Debit Reports shall include:</p>			
Settlement Date Settlement Run Type BSC Party ID  Charge Type Indicator (may be one of): Administration Charge Energy Imbalance Cashflows Information Imbalance Charges Non-delivery Charge Residual Cashflow Reallocations Daily Party BM Unit Cashflow System Operator BM Cashflow Charge  (Charge Type Indicator and Charge repeated for each charge type and for each BSC Party Id, including parties which have no charges in this run)			
<p><b>Physical Interface Details:</b></p>			

## 5 Interfaces From and To System Operators

### 5.1 BMRA-I002: (input) Balancing Mechanism Data

<b>Interface ID:</b> BMRA-I002	<b>Source:</b> System Operators	<b>Title:</b> Balancing Mechanism Data	<b>BSC Reference:</b> See verification table, P71, CP921, Variation 60, CP1223, P217
<b>Mechanism:</b> Electronic data file transfer, NGC File Format	<b>Frequency:</b> Continuous (as made available from SO)	<b>Volumes:</b>	
<p>The Balancing Mechanism data consists of the following files, as defined in the NGC tab of the IDD Part 2 Spreadsheet</p> <p>Gate Closure Data:</p> <ul style="list-style-type: none"> <li>Physical Notification File (PN)</li> <li>Quiescent Physical Notification File (QPN)</li> <li>Bid-Offer Data File (BOD)</li> </ul> <p>Declaration Data</p> <ul style="list-style-type: none"> <li>Maximum Export Limit File (MELS)</li> <li>Maximum Import Limit File (MILS)</li> <li>Run Up Rate Export File (RURE)</li> <li>Run Up Rate Import File (RURI)</li> <li>Run Down Rate Export File (RDRE)</li> <li>Run Down Rate Input File (RDRI)</li> <li>Notice to Deviate From Zero File (NDZ)</li> <li>Notice to Deliver Offers File (NTO)</li> <li>Notice to Deliver Bids File (NTB)</li> <li>Minimum Zero Time File (MZT)</li> <li>Minimum Non-Zero Time File (MNZT)</li> <li>Stable Export Limit File (SEL)</li> <li>Stable Import Limit File (SIL)</li> <li>Maximum Delivery Volume File (MDV)</li> <li>Maximum Delivery Period File (MDP)</li> </ul> <p>For Settlement Dates prior to the P217 effective date this flow shall also include:</p> <ul style="list-style-type: none"> <li>Acceptance and Balancing Services Data</li> <li>Bid-Offer Acceptance Level File (BOAL)</li> <li>BM Unit Applicable Balancing Services Volume (QAS)</li> </ul> <p>For Settlement Dates after and including the P217 effective date this flow shall also include:</p> <ul style="list-style-type: none"> <li>Acceptance and Balancing Services Data</li> <li>Bid-Offer Acceptance Level Flagged File (BOALF)</li> <li>BM Unit Applicable Balancing Services Volume (QAS)</li> </ul>			
<p><b>Physical Interface Details:</b></p> <p>Further clarification of the content of the input data from the SO is given below:</p> <p>FPN (&amp; QPN) data will arrive as pairs of points, each pair will have a from &amp; to level and a from &amp; to time.</p> <p>There will ALWAYS be a pair starting at the beginning of a settlement period</p> <p>There will ALWAYS be a pair ending at the end of a settlement period</p> <p>pairs will not overlap</p> <p>If there is more than one pair for a settlement period, the end time of one pair will be the start time of another (but with possibly different levels to indicate a step function)</p> <p>Bid-Offer values will arrive as pairs of points, each pair will have a from &amp; to level and a from &amp; to time</p>			

For day 1, the from & to level will be the same  
 the level is relative - i.e. it is the width of the current band, so for BO set 1 the level is the increase from FPN; for set 2 the level is the increase from FPN + level 1

Bid-Offer acceptances are absolute.

The records will be ordered by BM Unit and within this by date / time. For Bid-Offer Acceptances (BOA), the SO initially intends to send each BOA in a separate file. The BOAL records within the file will be ordered according to date / time. Note that the SO reserves the right to include multiple BOAs per file; in this case, the records will be ordered by BM Unit, acceptance time and BOAL date / time.

QAS can be positive or negative and is normally only provided where there is a non-zero volume.

Maximum Import and Export Limit Files can be one of two possible formats: MIL /MEL or MILS/MELS. The MILS and MELS files contain additional information, in the form of a timestamp and a sequence number, which is used to ensure that the data stored and published to parties is correct irrespective of the order in which the data is received. Note: the MEL/MIL format files were operationally discontinued since CP921

## 5.2 BMRA-I003: (input) System Related Data

<b>Interface ID:</b> BMRA-I003	<b>Source:</b> System Operators	<b>Title:</b> System Related Data	<b>BSC Reference:</b> See verification table, P172, P243
<b>Mechanism:</b> Electronic data file transfer, NGC File Format	<b>Frequency:</b> Continuous (as made available from SO)	<b>Volumes:</b>	
<p>Logical:</p> <p>The System Related data consists of the following files, as defined in the NGC tab of the IDD Part 2 Spreadsheet:</p> <ul style="list-style-type: none"> <li>Indicated Generation File (INDGEN)</li> <li>Indicated Demand File (INDDEM)</li> <li>National Demand Forecast File (NDF)</li> <li>Transmission System Demand Forecast File (TSDF)</li> <li>Initial Demand Out-Turn File (INDO)</li> <li>Initial Transmission System Demand Out-Turn File (ITSDO)</li> <li>National Demand Forecast Day File (NDFD)</li> <li>Transmission System Demand Forecast Day File (TSDFD)</li> <li>National Demand Forecast Week File (NDFW)</li> <li>Transmission System Demand Forecast Week File (TSDFW)</li> <li>Forecast national Surplus Data for 2-14 days File (OCNMFD)<sup>9</sup></li> <li>Forecast national Surplus Data for 2-52 weeks File (OCNMFW)<sup>10</sup></li> <li>National Generating Plant Demand Margin, 2-14 Day (OCNMF2)</li> <li>National Generating Plant Demand Margin, 2-52 Week (OCNMF2)</li> <li>National Output Usable, 2-14 Day (NOU2T14D)</li> <li>National Output Usable by Fuel Type, 2-14 Day (FOU2T14D)</li> <li>National Output Usable by Fuel Type and BM Unit, 2-14 day (UOU2T14D)</li> <li>National Output Usable, 2-49 Day (NOU2T49D)</li> <li>National Output Usable, 2-52 Week (NOU2T52W)</li> <li>National Output Usable by Fuel Type, 2-52 Week (FOU2T52W)</li> <li>National Output Usable by Fuel Type and BM Unit, 2-52 Week (UOU2T52W)</li> <li>National Output Usable, 1 year (NOUY1)</li> <li>National Output Usable, 2 year (NOUY2)</li> </ul>			

<sup>9</sup> Where OCNMFD is referred to it should be interpreted as being equivalent to SPLD.

<sup>10</sup> Where OCNMF2 is referred to it should be interpreted as being equivalent to SPLW.

National Output Usable, 3 year (NOUY3)  
 National Output Usable, 4 year (NOUY4)  
 National Output Usable, 5 year (NOUY5)  
 Zonal Output Usable, 2-14 Day (ZOU2T14D)  
 Zonal Output Usable, 2-49 Day (ZOU2T49D)  
 Zonal Output Usable, 2-52 Week (ZOU2T52W)  
 Zonal Output Usable, 1 year (ZOUY1)  
 Zonal Output Usable, 2 year (ZOUY2)  
 Zonal Output Usable, 3 year (ZOUY3)  
 Zonal Output Usable, 4 year (ZOUY4)  
 Zonal Output Usable, 5 year (ZOUY5)  
 Indicated Margin File (MELNGC)  
 Indicated Imbalance File (IMBALNGC)  
 System Warnings (SYS\_WARN)  
 Temperature Outturn (TEMP)  
 Wind Forecast (WINDFOR)  
 Instantaneous Generation by Fuel Type (FUELINST)  
 Half Hourly Generation by Fuel Type (FUELHH)  
 Daily Energy Volume (INDOD)  
 Non-BM STOR Instructed Volumes (NONBM)  
 Transmission System Frequency (FREQ)

System warnings will be received as a "text block" rather than a boolean flag.

Note that the System Warnings functionality will be utilised, within existing constraints, to report the issuing of all Emergency Instructions, and to notify whether or not each instruction should be treated as an Excluded Emergency Acceptance.

In addition to the files above, from time to time the System Operator provides a System Zone Map (in pdf) and a spreadsheet detailing the mapping between NGC and BM Units, for download from the BMRS.

#### **Physical Interface Details:**

In cases where Fuel Type data is unavailable, the affected Fuel Types are omitted from any relevant files submitted to the BMRA by the System Operator.

The System Zone Map and BM Unit mapping spreadsheets are submitted to the BMRA as email attachments sent to the BSC Service Desk.

### **5.3 BMRA-I010: (output, common) Data Exception Reports**

This interface is defined in Part 1 of the Interface Definition and Design.

Sub-flow 2 of BMRA-I010 is used when the exception report relates to adjustment data (NGC030). If enabled by a system parameter, a BMRA-I010 report will also be sent to confirm successful receipt of the adjustment data.

**5.4 BMRA-I014: (input) Price Adjustment Data**

<b>Interface ID:</b> BMRA-I014	<b>Source:</b> SO	<b>Title:</b> Price Adjustment Data	<b>BSC Reference:</b> P8, P78, CP1223, P217
<b>Mechanism:</b> Automatic	<b>Frequency:</b> continuous	<b>Volumes:</b> Each file will typically contain the data for one Settlement Date (a file may contain data for a single period, or covering multiple dates). Data for each Settlement Period will normally appear in 2-4 files.	
<b>Interface Requirement:</b> The BMRA Service shall receive the following data from the SO via an automatic interface. <u>Balancing Services Adjustment Data</u> Settlement Date Settlement Period (1-50) EBCA <sub>j</sub> (Net Buy-Price Cost Adjustment)(Energy) EBVA <sub>j</sub> (Net Buy-Price Volume Adjustment)(Energy) SBVA <sub>j</sub> (Net Buy-Price Volume Adjustment)(System) BPA <sub>j</sub> (Buy-Price Price Adjustment) ESCA <sub>j</sub> (Net Sell-Price Cost Adjustment)(Energy) ESVA <sub>j</sub> (Net Sell-Price Volume Adjustment)(Energy) SSVA <sub>j</sub> (Net Sell-Price Volume Adjustment)(System) SPA <sub>j</sub> (Sell-Price Price Adjustment)  For Settlement Dates after, and including the P217 effective date, this flow shall also include: <u>Disaggregated Balancing Services Adjustment Data</u> Settlement Date Settlement Period Balancing Services Adjustment Action ID (unique for Settlement Period) Balancing Services Adjustment Action Cost (£) Balancing Services Adjustment Action Volume (MWh) Balancing Services Adjustment Action SO-Flag (True/False)			
Balancing Services Adjustment Data for Settlement Dates after, and including the P217 effective date will always have a value of zero for the following data items:  Net Energy Buy Price Cost Adjustment (EBCA) (£) Net Energy Buy Price Volume Adjustment (EBVA) (MWh) Net System Buy Price Volume Adjustment (SBVA) (MWh) Net Energy Sell Price Cost Adjustment (ESCA) (£) Net Energy Sell Price Volume Adjustment (ESVA) (MWh) Net System Sell Price Volume Adjustment (SSVA) (MWh)  The BMRA will validate these values and, where they are found to be non-zero, set the values to zero and pass the details of the validation failure to BSCCo.			
<b>Physical Interface Details:</b>			
This file is in NGC File Format, using Group Definitions NGC32 and NGC36 respectively in the NGC tab of the spreadsheet			
<b>Issues:</b>			

### 5.5 BMRA-I020: (input) BM Unit Fuel Type List

<b>Interface ID:</b> BMRA-I020	<b>Source:</b> SO	<b>Title:</b> BM Unit Fuel Type List	<b>BSC Reference:</b> P220
<b>Mechanism:</b> Manual, MS Excel Spreadsheet, by email.	<b>Frequency:</b> As Necessary	<b>Volumes:</b> Infrequent, generally when new BM Units are added	
<p>The BMRA shall receive the BM Unit Fuel Type List containing the following data:</p> <p><u>BM Unit Details</u></p> <ul style="list-style-type: none"> <li>NGC BM Unit Name</li> <li>BM Unit Identifier</li> <li>Primary Fuel Type</li> <li>Effective From Date</li> <li>Effective To Date</li> </ul> <p><u>Registered Wind Generation Capacity Details</u></p> <ul style="list-style-type: none"> <li>Total Registered Capacity</li> <li>Effective From Date</li> </ul>			
<p><b>Physical Interface Details:</b> The details described above shall be provided to the BMRA as an MS Excel Spreadsheet.</p>			

### 5.6 BMRA-I021: (input) Temperature Reference Data

<b>Interface ID:</b> BMRA-I021	<b>Source:</b> SO	<b>Title:</b> Temperature Reference Data	<b>BSC Reference:</b> P220
<b>Mechanism:</b> Manual, CSV, by email.	<b>Frequency:</b> Annually	<b>Volumes:</b> One record per day in a calendar year	
<p>The BMRA shall receive the Temperature Reference containing the following data:</p> <p><u>Temperature Details</u></p> <ul style="list-style-type: none"> <li>Calendar Date</li> <li>Normal Reference Temperature</li> <li>Low Reference Temperature</li> <li>High Reference Temperature</li> </ul>			
<p><b>Physical Interface Details:</b> The details described above shall be provided to the BMRA as a CSV text file.</p>			

### 5.7 BMRA-I022: (input) Daily Energy Volume Reference Data

<b>Interface ID:</b> BMRA-I022	<b>Source:</b> SO	<b>Title:</b> Daily Energy Volume Reference Data	<b>BSC Reference:</b> P220
<b>Mechanism:</b> Manual, CSV, by email.	<b>Frequency:</b> Annually	<b>Volumes:</b> One record per day in a calendar year	
The BMRA shall receive the Daily Energy Volume Reference containing the following data:  <u>Volume Details</u> Calendar Date Normal Reference Volume Low Reference Volume High Reference Volume			
<b>Physical Interface Details:</b> The details described above shall be provided to the BMRA as a CSV text file.			

### 5.8 BMRA-I023: (input) Wind Generation Registered Capacities

<b>Interface ID:</b> BMRA-I023	<b>Source:</b> SO	<b>Title:</b> Wind Generation Registered Capacities	<b>BSC Reference:</b> P220
<b>Mechanism:</b> Manual, MS Excel Spreadsheet, by email.	<b>Frequency:</b> As Necessary	<b>Volumes:</b> Infrequent, generally when new Power Park Modules are added	
The BMRA shall receive the Wind Generation Registered Capacities containing the following data:  <u>Power Park Module Details</u> Power Park Module Identifier Power Park Module Name Registered Capacity (MW) <u>Total Registered Capacity of all Power Park Modules (MW)</u>			
<b>Physical Interface Details:</b> The details described above shall be provided to the BMRA as an MS Excel Spreadsheet. The effective-from date of the Total Registered Capacity shall be included in the body of the email.			

### 5.9 CDCA-I012: (output, part 1) Report Raw Meter Data

This interface is defined in Part 1 of the Interface Definition and Design.

### 5.10 CDCA-I029: (output, part 1) Aggregated GSP Group Take Volumes

This interface is defined in Part 1 of the Interface Definition and Design.

### 5.11 CDCA-I042: (output, part 1) BM Unit Aggregation Report

This interface is defined in Part 1 of the Interface Definition and Design.

**5.12 CDCA-I049: (output) Total Demand per GSP**

<b>Interface ID:</b> CDCA-I049	<b>User:</b> System Operator	<b>Title:</b> Total Demand per GSP	<b>BSC Reference:</b> CDCA SD 19.5  BPM IRR CDCA8, Clarification CR_991027_06a, CP527, CP559
<b>Mechanism:</b> Electronic data file transfer	<b>Frequency:</b> Daily, per aggregation run	<b>Volumes:</b> Of the order of hundreds of GSPs	
<b>Interface Requirement:</b>			
Reports on aggregated meter flow volumes for each GSP in each GSP Group are sent to the System Operator, as follows for each GSP Group:			
GSP Group Id Settlement Date Settlement Run Type CDCA Run Number Date of aggregation GSP Id Settlement Period Import/Export indicator (I/E) Estimate Indicator Meter Volume			
Note that, where one GSP feeds multiple GSP Groups, the data for that GSP will be repeated in the section for each of those GSP Groups, and in each case the total Meter Volume for the GSP will be shown; it will not be apportioned between the GSP Groups.			
The Import/Export indicator indicates the direction of the energy flow: the Meter Volume is therefore unsigned.			
<b>Physical Interface Details:</b>			

**5.13 CDCA-I051: (output) Report Meter Technical Details**

This interface is defined in Part 1 of the Interface Definition and Design.

**5.14 CRA-I007: (input/output) Boundary Point and System Connection Point Data**

This interface is defined in Part 1 of the Interface Definition and Design.

**5.15 CRA-I008: (input) Interconnector Registration Details**

This interface is defined in Part 1 of the Interface Definition and Design.

**5.16 CRA-I013: (output, common) Issue Authentication Report**

This interface is defined in Section 4.

**5.17 CRA-I014: (output, part 1) Registration Report**

This interface is defined in Part 1 of the Interface Definition and Design. Registration reports for Interconnector registrations will be sent to the System Operators.

**5.18 CRA-I020: (output) Operations Registration Report**

This interface is defined in Section 4.

**5.19 CRA-I028: (output) NGC Standing Data Report**

This interface is defined in Section 4.

**5.20 SAA-I012 (input, part 1) Dispute Notification**

This interface is defined in Part 1 of the Interface Definition and Design.

**5.21 SAA-I014 (output) Settlement Report**

There are three variants of the Settlement Report. The first variant is sent to BSC Parties and is defined in Part 1 of the IDD. The second variant is sent to the System Operator and is defined here. The third variant is sent to BSCCo Ltd and is defined in section 7 of this document.

<b>Interface ID:</b> SAA-I014	<b>User:</b> System Operator, BSCCo Ltd	<b>Title:</b> Settlement Report	<b>BSC Reference:</b> CR_991027_06a, CP527, P8, P18A, CP597, CP610, CP754, CP797, P71, P78, P194, P217
<b>Mechanism:</b> Electronic data file transfer	<b>Frequency:</b> Daily per settlement run	<b>Volumes:</b>	
<p>The first part of the report contains general information:</p> <p><u>Settlement Day Information</u>  Settlement Date  Settlement Run Type  SAA Run Number  SAA CDCA Settlement Run Number  SVAA CDCA Settlement Date  SVAA CDCA Settlement Run Number  SVAA SSR Run Number  BSC Party Id</p> <p><u>Settlement Period Information (for all Settlement Dates)</u>  Settlement Period (1-50) (j)  System Buy Price SBP<sub>j</sub> £/MWh  System Sell Price SSP<sub>j</sub> £/MWh  Total Demand (sum of all negative QM<sub>ij</sub>)  Total Generation (sum of all positive QM<sub>ij</sub>)  Information Imbalance Price 1 (£/MWh)  Information Imbalance Price 2 (£/MWh)  Arbitrage Flag  CADL<sub>d</sub> Continuous Acceptance Duration Limit  DMAT<sub>d</sub> De Minimis Acceptance Threshold  BPA<sub>j</sub> (Buy Price Price Adjustment) (£/MWh)  SPA<sub>j</sub> (Sell Price Price Adjustment) (£/MWh)  Total Period Applicable Balancing Services Volume (TQAS<sub>j</sub>) (MWh)</p>			

Price Derivation Code (PDC<sub>i</sub>)  
Total NIV Tagged Volume (MWh)

Settlement Period Information (for Settlement Dates prior to the P217 effective date)

EBCA<sub>i</sub> (Net Energy Buy Price Cost Adjustment) (£)  
EBVA<sub>i</sub> (Net Energy Buy Price Volume Adjustment) (MWh)  
SBVA<sub>i</sub> (Net System Buy Price Volume Adjustment) (MWh)  
ESCA<sub>i</sub> (Net Energy Sell Price Cost Adjustment) (£)  
ESVA<sub>i</sub> (Net Energy Sell Price Volume Adjustment) (MWh)  
SSVA<sub>i</sub> (Net System Sell Price Volume Adjustment) (MWh)

Settlement Period Information (for post P217 Settlement Dates):

Total System Accepted Bid Volume  
Total System Accepted Offer Volume  
Total System Tagged Accepted Bid Volume  
Total System Tagged Accepted Offer Volume  
Total System Repriced Accepted Bid Volume  
Total System Repriced Accepted Offer Volume  
Total System Originally-priced Accepted Bid Volume  
Total System Originally-priced Accepted Offer Volume  
Total System Adjustment Sell Volume  
Total System Adjustment Buy Volume  
Total System Tagged Adjustment Sell Volume  
Total System Tagged Adjustment Buy Volume  
Total System Repriced Adjustment Sell Volume  
Total System Repriced Adjustment Buy Volume  
Total System Originally-priced Adjustment Sell Volume  
Total System Originally-priced Adjustment Buy Volume  
Replacement Price  
Replacement Price Calculation Volume

Market Index Information:

Market Index Data Provider  
Individual Liquidity Threshold  
Market Index Price  
Market Index Volume

Balancing Services Adjustment Action Data (post P217 only):

Balancing Services Adjustment Action Id  
Balancing Services Adjustment Action Cost (£)  
Balancing Services Adjustment Action Volume  
Tagged Balancing Services Adjustment Action Volume  
Repriced Balancing Services Adjustment Action Volume  
Originally-Priced Balancing Services Adjustment Action Volume  
Balancing Services Adjustment Action SO-Flag

Trading Unit Period Information:

Trading Unit Name  
Total Trading Unit Metered Volume (MWh)

BM Unit Period Information:

BM Unit ID (i)  
Trading Unit Name  
Period FPN (FPN<sub>ij</sub>) (MWh)  
BM Unit Metered Volume (QM<sub>ij</sub>) (MWh)  
Transmission Loss Multiplier (TLM<sub>ij</sub>)  
BM Unit Applicable Balancing Services Volume (QAS<sub>i</sub>) (MWh)

Maximum Export Limit Information:

Time From  
Level From (MW)  
Time to  
Level To (MW)

Maximum Import Limit Information:

Time From  
Level From (MW)

Time to  
Level To (MW)

The second part of the report is split into a section for each BSC Party. Each such section contains the information sent to the individual party in the "first variant" of the Settlement Report as defined in IDD Part 1:

BSC Party Settlement Date information:

Settlement Date  
Settlement Run Type  
SAA Run Number  
SAA CDCA Settlement Run Number  
SVAA CDCA Settlement Date  
SVAA CDCA Settlement Run Number  
SVAA SSR Run Number  
BSC Party Id  
Aggregate Party Day Charges (defined in IDD Part 1 section 8.4.1)

Settlement Period Information:

Settlement Period (1-50) (j)  
Aggregate Party Period Charges (defined in IDD Part 1 section 8.4.2)  
System Period Data (defined in IDD Part 1 section 8.4.3)

Account Period Information:

Production/Consumption Flag (a)  
Account Period Data (defined in IDD Part 1 section 8.4.4)

Account Period BMU Information:

BM Unit ID (i)  
Account Period BMU Data (defined in IDD Part 1 section 8.4.5)

BM Unit Period Information:

BM Unit ID  
BM Unit Period Data (defined in IDD Part 1 section 8.4.6)  
Trading Unit Name  
Total Trading Unit Metered Volume (MWh)

BM Unit Period FPN Spot Points ( ${}^i\text{FPN}_{it}$ ):

Time from  
FPN Value from  
Time to  
FPN Value to

BM Unit Period Bid-Offer Information:

Bid-Offer pair number (n)  
Bid-Offer Data (defined in IDD Part 1 section 8.4.7)

BM Unit Period Bid-Offer Spot Points ( ${}^i\text{QBO}^n_{ij}$ ):

Time from  
Bid-Offer Value from  
Time to  
Bid-Offer Value to

BM Unit Period Bid-Offer Acceptance (for all Settlement Dates):

Bid-Offer Acceptance number  
CADL Flag

BM Unit Period Bid-Offer Acceptance (for post P217 Settlement Dates):

Acceptance SO-Flag

BM Unit Period Bid-Offer Acceptance Spot Points ( $qA^k_{it}$ ):

Time from  
Bid-Offer Acceptance Level from  
Time to  
Bid-Offer Acceptance Level to

BM Unit Bid-Offer Pair Acceptance Volume Data (post P217 only):  
 Bid-Offer Pair Number  
 Bid-Offer Pair Acceptance Bid Volume  
 Bid-Offer Pair Acceptance Offer Volume

BM Unit MVR Information:  
 Subsidiary Party ID and Production/Consumption Flag (a)  
 MVR Data (defined in IDD Part 1 section 8.4.8)

### Physical Interface Details:

This is sub-flow 2 of the Settlement Report, file id S0142.

For the Interim Initial and Final Reconciliation Settlement Runs, the full set of data is included in the file.

For all other Settlement Runs, certain information is only included if it has been changed: this applies to the

- Maximum Export Limit Information, (MEL),
- Maximum Import Limit Information (MIL),
- BM Unit Period FPN Spot Points (FP2),
- BM Unit Period Bid-Offer Spot Points (BO2), and
- BM Unit Period Bid-Offer Acceptance Spot Points (BO6).
- BM Unit Period Bid-Offer Information (BO4) which is only included where
  - a) there are changes to prices or
  - b) there are changes to underlying BM Unit Period Bid-Offer Spot Points (BO2)) or
  - c) accepted bid or offer volume has been flagged as non-zero (i.e.  $NZ^i$  is set) in a previous Settlement Run that occurred on or after 11/3/03 or
  - d) where accepted bid or offer volumes are non-zero.
- BM Unit Bid-Offer Pair Acceptance Volume Data (BO7)

A 'change', as referred to above, is any new data generated since the last full run. For runs SF, R1, R2, and R3, this will be changes since the I run. For the DF run, this will be changes since the RF run. For example: if for an I run of the report the version of a particular data item reported was N, and it had a value of 10, then if for a subsequent R3 run's report the latest version of same item was now higher (version M, where  $M > N$ ), then this newer version of the data item would be reported, no matter what the value was (i.e. even if it was now 10 again)

For FP2, BO2 and BO6, it is possible that the change being reported is that the record has been deleted; this is indicated by reporting nulls, e.g.

where there had been a record

BO2|10|123456.789|20|123456.789|

deletion of this record would be shown by

BO2|10||20||

Where an acceptance has been deleted, the BO3 record will be present but the Short Continuous Acceptance Flag will be null, e.g.

Acceptance 123 has been deleted:

BO3|123||  
 BO6|10||20||

Note:

**SAA CDCA Settlement Run Number**

Identifies the CDCA run which generated volumes used directly by SAA in the settlement calculations

*For all settlement runs, other than Interim Initial for Settlement Dates prior to the P253 effective date:*

SVAA CDCA Settlement Date

SVAA CDCA Settlement Run Number

Identify the CDCA run for Settlement Date which generated the GSP Group Take volumes which were allocated by the SVAA

SVAA SSR Run Number

Identifies the SVAA Run for Settlement Date which generated the SVA BM Unit volumes

*For Interim Initial Settlement Runs for Settlement Dates prior to the P253 effective date:*

SVAA CDCA Settlement Date

SVAA SSR Run Number

Identify the Settlement Date and Initial Settlement (SF) SVAA Run from which SVA volumes are derived

SVAA CDCA Run Number

Will be zero

## **5.22 SAA-I017: (output, common) SAA Data Exception Report**

This interface is defined in Part 1 of the Interface Definition and Design.

Sub-flow 2 of SAA-I017 is used when the exception report relates to adjustment data (NGC030). If enabled by a system parameter, an SAA-I017 report will also be sent to confirm successful receipt of the adjustment data.

## **5.23 SAA-I018 (output, part 1) Dispute Report**

This interface is defined in Part 1 of the Interface Definition and Design.

**5.24 SAA-I026: (input) Price Adjustment Data**

<b>Interface ID:</b> SAA-I026	<b>Source:</b> SO	<b>Title:</b> Price Adjustment Data	<b>BSC Reference:</b> P8, P78, P217
<b>Mechanism:</b> Automatic	<b>Frequency:</b> continuous	<b>Volumes:</b> Each file will typically contain the data for one Settlement Date (a file may contain data for a single period, or covering multiple dates). Data for each Settlement Period will normally appear in 2-4 files.	
<p><b>Interface Requirement:</b> The SAA Service shall receive the following data from the SO via an automatic interface.</p> <p><u>Balancing Services Adjustment Data</u> Settlement Date Settlement Period (1-50) EBCA<sub>j</sub> (Net Buy-Price Cost Adjustment)(Energy) EBVA<sub>j</sub> (Net Buy-Price Volume Adjustment)(Energy) SBVA<sub>j</sub> (Net Buy-Price Volume Adjustment)(System) BPA<sub>j</sub> (Buy-Price Price Adjustment) ESCA<sub>j</sub> (Net Sell-Price Cost Adjustment)(Energy) ESVA<sub>j</sub> (Net Sell-Price Volume Adjustment)(Energy) SSVA<sub>j</sub> (Net Sell-Price Volume Adjustment)(System) SPA<sub>j</sub> (Sell-Price Price Adjustment)</p> <p>For Settlement Dates after, and including the P217 effective date, this flow shall also include:</p> <p><u>Disaggregated Balancing Services Adjustment Data</u> Settlement Date Settlement Period Balancing Services Adjustment Action ID (unique for Settlement Period) Balancing Services Adjustment Action Cost (£) Balancing Services Adjustment Action Volume (MWh) Balancing Services Adjustment Action System Flag (True/False)</p>			
<p>Balancing Services Adjustment Data for Settlement Dates after, and including the P217 effective date will always have a value of zero for the following data items:</p> <p>EBCA<sub>j</sub> (Net Buy-Price Cost Adjustment)(Energy) EBVA<sub>j</sub> (Net Buy-Price Volume Adjustment)(Energy) SBVA<sub>j</sub> (Net Buy-Price Volume Adjustment)(System) ESCA<sub>j</sub> (Net Sell-Price Cost Adjustment)(Energy) ESVA<sub>j</sub> (Net Sell-Price Volume Adjustment)(Energy) SSVA<sub>j</sub> (Net Sell-Price Volume Adjustment)(System)</p> <p>The SAA will validate these values and, where they are found to be non-zero, set the values to zero and pass the details of the validation failure to BSCCo.</p>			
<b>Physical Interface Details:</b>			
<p>Note that this file is in NGC File Format, and uses Group Definitions NGC32 and NGC36 respectively in the NGC tab of the spreadsheet</p>			
<b>Issues:</b>			

### 5.25 SAA-I033: (input) Receive Request for Data Change

<b>Interface ID:</b> SAA-I033	<b>Source:</b> System Operator	<b>Title:</b> Receive Request for Data Change	<b>BSC Reference:</b> CP995, P172
<b>Mechanism:</b> Manual	<b>Frequency:</b> Ad-hoc	<b>Volumes:</b> Low	
<b>Interface Requirement:</b>  The System Operator shall send to the SAA and BSCCo requests for data change where it is found that the data originally submitted was incorrect or incomplete.  Where such a request relates to Emergency Instructions, the first line of the instruction should contain the words 'EMERGENCY INSTRUCTION'. In addition, where the Emergency Instruction is to be treated as an 'Excluded Emergency Acceptance', the request will also include the words 'EXCLUDED EMERGENCY ACCEPTANCE'. Where it is not to be treated as an 'Excluded Emergency Acceptance' the words 'EMERGENCY ACCEPTANCE' will be included in the request.			
<b>Non Functional Requirement:</b>  Data changes are only applicable to the data types: BOAL, BOD, FPN, and QPN.			
<b>Issues:</b>			

### 5.26 BMRA-I024: (input) Large Combustion Plant Directive Spreadsheet<sup>11</sup>

<b>Interface ID:</b> BMRA-I024	<b>Source:</b> BSCCo	<b>Title:</b> Large Combustion Plant Directive Spreadsheet	<b>BSC Reference:</b> P226
<b>Mechanism:</b> Manual, MS Excel Spreadsheet, by email.	<b>Frequency:</b> As Necessary	<b>Volumes:</b> Adhoc	
<p>The BMRA shall receive the Large Combustion Plant Directive Spreadsheet containing data (in a single spreadsheet ) including:</p> <p>LCP Unit</p> <ul style="list-style-type: none"> <li>A register of BM Units that are part of a LCP Unit under the terms of the Directive</li> <li>The status of each LCP Unit:</li> <li>The cumulative operational hours from 1 January 2008 to date for each LCP Unit,</li> <li>The remaining operational hours for each LCP Unit for Opted Out Plant,</li> <li>NERP and ELV 'B Specific Limits' traded since 1 January 2008 and over the last month,</li> <li>Derogation applications details for each Opted In LCP Unit applied for, awaiting a decision</li> <li>Derogation applications details for each Opted In LCP Unit that have been granted,</li> <li>Emission limits for each Opted In LCP Unit.</li> <li>Details of notification of breakdown or malfunction of abatement equipment.</li> </ul> <p>The spreadsheet is only to be used within the BMRS as a downloadable file.</p> <p>Previous versions of the spreadsheet will also be available for download</p>			

<sup>11</sup> P226

**Physical Interface Details:**

The details described above shall be provided to the BMRA as an MS Excel Spreadsheet for download from the BMRS website.

**5.27 BMRA-I025: (input) SO-SO Prices**

<b>Interface ID:</b> BMRA-I025	<b>Source:</b> System Operator	<b>Title:</b> System Related Data	<b>BSC reference:</b> CP1333
<b>Mechanism:</b> Electronic data file transfer, XML	<b>Frequency:</b> Continuous (as made available from SO)	<b>Volumes:</b> Up to 20 prices per Interconnector per hour (received as one file per Interconnector per hour) plus occasional resends and corrections of data (up to an extra 10% volume)	
<p>Logical:</p> <p>The BMRA shall receive SO-SO prices in an XML file and will include:</p> <ul style="list-style-type: none"> <li>• The Resource Provider i.e. the System Operator who is offering the price.</li> <li>• The Acquiring Area and Connecting Area. These codes identify the TSO areas involved in a trade, and are used by the BMRA to identify the Interconnector to which the data relates.</li> <li>• The Resolution. This code identifies the length of the period of time to which the price relates (e.g. 60 minutes).</li> <li>• The Time Interval i.e. the start date and time of the period of time to which the price relates.</li> <li>• The Contract Identification, i.e. a code assigned by the System Operators that identifies a particular offer to increase or reduce flows on the Interconnector.</li> <li>• The Direction (up or down) in which the MW level would change.</li> <li>• The Currency (e.g. EUR or GBP).</li> <li>• The MW level and price.</li> </ul>			
<p><b>Physical Interface Details:</b></p> <p>This file will be received in a format defined by the XML Schema for Merit Order List documents (published in the ENTSO-E Reserve Resource Planning EDI library). The data items will be as defined in the XML Schema,</p>			

## 5.28 BMRA-I026: (input) SO-SO Standing Data

<b>Interface ID:</b> BMRA-I026	<b>Source:</b> System Operator	<b>Title:</b> SO-SO Standing Data	<b>BSC Reference:</b> CP1333
<b>Mechanism:</b> Manual, MS Excel Spreadsheet, by email	<b>Frequency:</b> As necessary	<b>Volumes:</b> Infrequent, generally when new trading products are added	
<p>Logical:</p> <p>For reporting purposes, the BMRS associates SO-SO prices with a code (the SO-SO Trade Type) that identifies which Interconnector the price relates to, the Party offering the price, and the length of the time period to which it applies (e.g. 60 minutes).</p> <p>An appropriate SO-SO Trade Type is automatically allocated to each price received via the SO-SO Prices interface (BMRA-I025), based on the Resource Provider, Acquiring Area, Connecting Area and Resolution associated with that price.</p> <p>In order to support this process, the BMRA shall receive standing data defining the attributes associated with each SO-SO Trade Type:</p> <ul style="list-style-type: none"> <li>• SO-SO Trade Type</li> <li>• Resource Provider Code</li> <li>• Connecting Area Code</li> <li>• Resolution Code</li> <li>• Currency</li> <li>• Effective From Date</li> <li>• Effective To Date</li> </ul>			
<p><b>Physical Interface Details:</b></p> <p>The details described above shall be provided to the BMRA as an MS Excel Spreadsheet.</p>			

**6 Interfaces From and To FAA**

**6.1 CRA-I004: (input, common) BSC Service Agent Details**

This interface is defined in Section 4.

**6.2 CRA-I013: (output, common) Issue Authentication Report**

This interface is defined in Section 4.

**6.3 CRA-I015: (output, common) BM Unit and Energy Account Registration Data**

This interface is defined in Section 4.

**6.4 ECVAA-I006: (input) Credit Limit Data**

<b>Interface ID:</b> ECVAA-I006 <i>EPFAL Ref: FAA-I019</i>	<b>Source:</b> FAA	<b>Title:</b> Credit Limit Data	<b>BSC Reference:</b> ECVAA SD: 5, A ECVAA BPM: 3.3, 4.17 RETA SCH: 4, B, 3.3, CR12
<b>Mechanism:</b> Electronic data file transfer	<b>Frequency:</b> Continuous, when credit limit data changes	<b>Volumes:</b> 1 file sent per BSC Party initially. 1 file sent per BSC Party upon change to Credit Limit	
<b>Interface Requirement:</b>			
The ECVAA Service shall receive Credit Limit data from the FAA Service as and when a BSC Party's credit limit changes.			
Note: Currently the FAA service only operates during normal working hours and therefore Credit Limit data will only be expected during these hours.			
The Credit Limit data shall include:			
<u>Party Credit Limit Details</u> BSC Party ID Effective From Settlement Date Credit Limit (MWh)			

**6.5 ECVAA-I016: (output, common) ECVAA Data Exception Report**

This interface is defined in Section 4.

**6.6 SAA-I011: (input) Payment Calendar Data**

<b>Interface ID:</b> SAA-I011	<b>Source:</b> BSCCo	<b>Title:</b> Payment Calendar Data	<b>BSC Reference:</b> RETA SCH: 4, B, 2.3.1 SAA SD: 2.8, A1 SAA BPM: 3.2, 4.27, CP527 CP1223
<b>Mechanism:</b> Manual (CSV file delivered as an email attachment, plus hard copy)	<b>Frequency:</b> Annual	<b>Volumes:</b> Draft: 1 file per year, CSV file. Agreed 1 file per year, data file plus hard copy.	
<b>Interface Requirement:</b>			
The SAA Service shall receive Payment Calendar data annually from the BSCCo.			
The Payment Calendar data shall include:			
<ul style="list-style-type: none"> <li>Settlement Date</li> <li>Settlement Run Type</li> <li>Notification Date (the date by which SAA must provide the settlement data to the FAA)</li> <li>Payment Date</li> <li>Notification Period</li> <li>Payment Period</li> </ul>			

**6.7 SAA-I013: (output, common) Credit/Debit Reports**

This interface is defined in Section 4.

## 7 Interfaces From and To BSCCo Ltd

### 7.1 BMRA-I010: (output, common) Data Exception Reports

This interface is defined in Part 1 of the Interface Definition and Design.

### 7.2 BMRA-I011: (output) Performance Reports

<b>Interface ID:</b> BMRA-I011	<b>User:</b> BSCCo Ltd	<b>Title:</b> Performance Reports	<b>BSC Reference:</b> BMRA SD B1, B2, B3, B4, B5, B6, B7, P78
<b>Mechanism:</b> Manual, probably in whole or in part produced using a report-formatting tool.	<b>Frequency:</b> Monthly	<b>Volumes:</b> As required.	
<b>Interface Requirement:</b>			
<p>The BMRA Service shall issue Performance Reports to the BSCCo Ltd on a monthly basis.</p> <p>Performance reports shall include the following:</p> <ol style="list-style-type: none"> <li>1. All occurrences of BMRA outages exceeding 30 minutes;</li> <li>2. All occurrences of valid registration data not incorporated in BMRA systems within 1 hour of receipt;</li> <li>3. All occurrences of valid new or updated system related data not published within 5 minutes of receipt;</li> <li>4. All occurrences of valid new balancing mechanism data not published within 5 minutes of receipt;</li> <li>5. All occurrences of derived data not published within 15 minutes of settlement period end;</li> <li>6. All tested occurrences of high grade BMR service user main screen not loaded within 10 seconds;</li> <li>7. All tested occurrences of high grade BMR service user switch screen operations that exceed 1 second;</li> <li>8. All tested occurrences of high grade BMR service user data downloads that do not begin within 1 minute of request.</li> </ol> <p>BMRA will report on the performance of the Market Index Data Providers. This performance data will include the following information:</p> <p>Month Ending Date  Market Index Data Provider Identifier  Number of Settlement Periods for which Market Index Data was not provided  Number of Settlement Periods where Individual Liquidity Threshold required default by BMRA  Number of Settlement Periods where zeroes were used in Indicative Calculations</p>			
<b>Physical Interface Details:</b>			

### 7.3 BMRA-I012: (input) System Parameters

<b>Interface ID::</b>	<b>Status:</b>	<b>Title:</b>	<b>BSC Reference:</b>
BMRA-I012	Mandatory	System Parameters	CR 003, P10, P18A, P194, P217
<b>Mechanism:</b>	<b>Frequency:</b>	<b>Volumes:</b>	
Manual	Ad-hoc	Low – typically one or two per month	
<b>Interface Requirement:</b>			
<p>The BMRA Service shall receive the following system parameters from the BSCCo Ltd via a manual interface, expected to be either a fax or telephone call:</p> <ul style="list-style-type: none"> <li>Effective from Settlement Date</li> <li>Effective from Settlement Period (1-50)</li> <li>Effective to Settlement Date</li> <li>Effective to Settlement Period (1-50)</li> <li>ETLMO+</li> <li>ETLMO-</li> <li>Arbitrage Flag</li> <li>NRL<sub>j</sub> (Notional Reserve Limit) (MW)</li> <li>DMAT<sub>d</sub> (De Minimis Acceptance Threshold) (MWh)</li> <li>CADL<sub>d</sub> (Continuous Acceptance Duration Limit (minutes)</li> <li>PAR<sub>d</sub> (Price Average Reference Volume) (MWh) (0-9,999,999,999)</li> <li>RPAR<sub>d</sub> (Replacement Price Average Reference Volume) (MWh)</li> </ul>			
<b>Physical Interface Details:</b>			
<p>The BSCCo Ltd system parameter values shall continue to apply to all settlement periods, until a change to a parameter is made.</p>			
<b>Issues:</b>			

#### 7.4 BMRA-I013: (output) BMRA BSC Section D Charging Data

<b>Interface ID:</b> BMRA-I013	<b>User:</b> BSCCo Ltd	<b>Title:</b> BMRA BSC Section D Charging Data	<b>BSC Reference:</b> CR 65, CN160
<b>Mechanism:</b> Manual	<b>Frequency:</b> Monthly	<b>Volumes:</b>	
<p><b>Interface Requirement:</b></p> <p>The system shall, on the 15<sup>th</sup> working day of each month, collect information required for charging BSC parties under Section D of the Code and send this to BSCCo Ltd.</p> <p>The information included shall be:</p> <p>Month</p> <ul style="list-style-type: none"> <li>Participant Id</li> <li>Participant Name</li> <li>Count of Physical lines installed</li> <li>Count of Comms Base Software (up to 5 users)</li> <li>Count of Comms additional Software (each additional user)</li> </ul> <p>Each month the information will be produced for both the previous calendar month and the month before that. Data used shall be the latest available data from Interim Run and Initial Run only</p>			
<b>Physical Interface Details:</b>			

#### 7.5 CDCA-I014: (output, part 1) Estimated Data Report

This interface is defined in Part 1 of the Interface Definition and Design.

**7.6 BMRA-I016: (input) Receive Market Index Data Provider Thresholds**

<b>Interface ID:</b> BMRA-I016	<b>Source:</b> BSCCo	<b>Title:</b> Receive Market Index Data Provider Thresholds	<b>BSC Reference:</b> P78
<b>Mechanism:</b> Manual	<b>Frequency:</b> Ad-hoc	<b>Volumes:</b> This manual flow is expected to handle a maximum of 6 date ranges to be defined, for each MIDP, for each year. Each date range to have a maximum of 4 different Liquidity Thresholds.	
<b>Interface Requirement:</b>			
<p>The BMRA shall receive Market Index Data Provider Liquidity Threshold data from BSCCo. The processing rules for this flow are described in BMRA-F008.</p> <p>The flow shall include:</p> <ul style="list-style-type: none"> <li>Market Index Data Provider Identifier</li> <li>    <u>MIDP Date Range</u></li> <li>    Action Type</li> <li>    Effective From Settlement Date</li> <li>    Effective To Settlement Date</li> <li>    <u>MIDP Period Data</u></li> <li>    Effective From Settlement Period (1-50)</li> <li>    Effective To Settlement Period (1-50)</li> <li>    Liquidity Threshold</li> </ul> <p>Action Type describes the type of operation to be performed in relation to the data supplied in the other fields. It can be one of:</p> <ul style="list-style-type: none"> <li>• Insert;</li> <li>• Update;</li> <li>• Delete.</li> </ul>			
<b>Physical Interface Details:</b>			
<b>Issues:</b>			

**7.7 BMRA-I017: (output) Report Market Index Data Provider Thresholds**

<b>Interface ID:</b> BMRA-I017	<b>User:</b> BSCCo	<b>Title:</b> Report Market Index Data Provider Thresholds	<b>BSC Reference:</b> P78
<b>Mechanism:</b> Manual	<b>Frequency:</b> In response to BMRA-I016, as described in BMRA-F008	<b>Volumes:</b> This manual flow is expected to handle a maximum of 6 date ranges to be defined, for each DP, for each year. Each date range to have a maximum of 4 different Liquidity Thresholds.	
<b>Interface Requirement:</b>			
<p>The BMRA shall report Market Index Data Provider Liquidity Threshold to BSCCo.</p> <p>The flow shall include:</p> <ul style="list-style-type: none"> <li>Market Index Data Provider Identifier</li> <li><u>MIDP Date Range</u></li> <li>Effective From Settlement Date</li> <li>Effective To Settlement Date</li> <li><u>MIDP Period Data</u></li> <li>Effective From Settlement Period (1-50)</li> <li>Effective To Settlement Period (1-50)</li> <li>Liquidity Threshold</li> </ul>			
<b>Physical Interface Details:</b>			
<b>Issues:</b>			

**7.8 CDCA-I018: (output, part 1) MAR Reconciliation Report**

This interface is defined in Part 1 of the Interface Definition and Design.

**7.9 CDCA-I019: (output, part 1) MAR Remedial Action Report**

This interface is defined in Part 1 of the Interface Definition and Design.

**7.10 CDCA-I022: (input) Distribution Line Loss Factors**

The BSC Parties send the Distribution Line Loss Factors to the BSCCo Ltd for validation, then the BSCCo Ltd sends them on to CDCA via this interface:

<b>Interface ID:</b> CDCA-I022	<b>Source:</b> BSCCo Ltd	<b>Title:</b> Distribution Line Loss Factors	<b>BSC Reference:</b> CDCA SD 15.1 CDCA BPM 4.5 (?), CP548
<b>Mechanism:</b> Electronic data file transfer	<b>Frequency:</b> Annually	<b>Volumes:</b> 17568000 factors (1000 metering systems * 366 * 48)	
<b>Interface Requirement:</b>			
<p>The CDCA receives Line Loss Factors relating to a Metering System from BSCCo Ltd.</p> <p style="padding-left: 40px;">Metering System Identifier Settlement Date Settlement Period Line loss Factor</p> <p>Note that each instance of the flow may contain up to 200000 records, and that it is legal for replacement data to be provided where necessary.</p>			
<b>Physical Interface Details:</b>			

**7.11 CDCA-I023: (output) Missing Line Loss Factors**

<b>Interface ID:</b> CDCA-I023	<b>User:</b> BSCCo Ltd	<b>Title:</b> Missing Line Loss Factors	<b>BSC Reference:</b> CDCA SD 15.2, CP527
<b>Mechanism:</b> Manual	<b>Frequency:</b> Monthly, covering a period of four months from the run date	<b>Volumes:</b> 17520000 factors (1000 metering systems * 365 * 48)	
<b>Interface Requirement:</b>			
<p>The CDCA shall validate such Line Loss Factors received from the BSCCo Ltd. Any missing or invalid factor values will be reported back to the BSCCo Ltd.</p> <p>Attributes are likely to include:</p> <p>File Reference for Line Loss Factors  Date LLF File Received  File Acceptance Status (all accepted, partially accepted, file rejected)  Date of Acceptance Status  File Rejection Reason (if File Acceptance Status = file rejected)</p> <p>Details of any individual exceptions:  Metering System Identifier (for site specific Line Losses)  Settlement Date  Time Period  Line Loss Factor  Reason for rejection</p>			
<b>Physical Interface Details:</b>			

## 7.12 CDCA-I032: (output) Data Collection and Aggregation Performance Report

<b>Interface ID:</b> CDCA-I032	<b>User:</b> BSCCo Ltd (Customer)	<b>Title:</b> Data Collection and Aggregation Performance Report	<b>BSC Reference:</b> CDCA SD 19.6 CP1153
<b>Mechanism:</b> Manual, probably in whole or in part produced using a report-formatting tool.	<b>Frequency:</b> As below	<b>Volumes:</b>	
<b>Interface Requirement:</b>			
CDCA shall provide performance reports on the data collection and data aggregation functions to the BSCCo Ltd.			
These shall include:			
<i>Monthly, or immediately if service level falls below agreed level for each item:</i>			
Percentage of total number of Outstation Channels interrogated;			
Percentage of total number of Outstation Channels successfully read by agreed time [eg 09:00 at Day+1];			
Percentage of data needing to be estimated that was created in time for Interim Initial Settlement;			
Percentage of data needing to be estimated that was agreed with BSC Party in time for Initial Settlement;			
Percentage of raw meter data sent to relevant BSC Party by agreed time [eg 13:00 on Day+1];			
Percentage of aggregated meter data which included estimates sent to SAA for Interim Initial Settlement;			
Percentage of aggregated meter data which included estimates sent to SAA for Initial Settlement;			
<i>Monthly:</i>			
Percentage of changed metered data reported to SAA in time for next Settlement Run for relevant Settlement Day;			
Percentage of occasions where Site appointments were kept on agreed date and time;			
Percentage of occasions where help desk queries were registered to agreed timescales;			
Percentage of occasions where help desk queries were responded to within agreed timescales according to severity level;			
Percentage of occasions where help desk queries were resolved to agreed timescales.			
<i>Quarterly:</i>			
Percentage of responses to MOA for Proving Test requests given by agreed time [eg 5 working days] for remote tests;			
Percentage of responses to MOA for Proving Test requests given by agreed time [eg 1 working day] for local tests;			
Percentage of suspected metering system faults notified to MOA within agreed time [eg 1 working day];			
Percentage of MAR data and reports issued to BSC Party within agreed timescales [eg three, six or twelve months for a given metering system; refer to CDCA-F013 for details];			
Percentage of reports issued in complete, accurate and correct format to BSC Parties and SAA over the period;			
<i>Quarterly, or immediately if service level falls below agreed level for each item:</i>			
Percentage of Proving Test results sent to MOA within agreed time [eg 1 working day] of completion;			
<i>By exception and confirmed monthly:</i>			
Percentage of cases where receipt of information from a BSC Party is confirmed back to Party within agreed timescales [eg 15 minutes for data received electronically];			
Percentage of cases where information received from CRA or a BSC Party is processed within agreed timescales;			
<b>Physical Interface Details:</b>			

**7.13 CDCA-I047: (output, part 1) Correspondence Receipt Acknowledgement**

This interface is defined in Part 1 of the Interface Definition and Design

**7.14 CDCA-I061 (input) Receive System Parameters**

<b>Interface ID::</b> CDAA-I061	<b>Status:</b> Mandatory	<b>Title:</b> System Parameters	<b>BSC Reference:</b> CP751
<b>Interface Requirement:</b>			
The CDCA Service shall receive the following system parameters from the BSCCo Ltd via a manual interface, expected to be either a fax or telephone call:			
Primary/Secondary Time-Shift Factor			
<b>Physical Interface Details:</b>			
The BSCCo Ltd system parameter values shall continue to apply to all settlement periods, until a change to a parameter is made.			
<b>Issues:</b>			

**7.15 CDCA-I062: (input) Receive Sample Settlement Periods<sup>12</sup>**

<b>Interface ID:</b> CDCA-I062	<b>Source:</b> BSCCo Ltd	<b>Title:</b> Receive Sample Settlement Periods	<b>BSC Reference:</b> P82
<b>Mechanism:</b> Manual	<b>Frequency:</b> Annually	<b>Volumes:</b> 600 periods	
<b>Interface Requirement:</b>			
CDCA shall receive the specification of all Load Periods and Sample Settlement Periods for the latest Reference Year from BSCCo Ltd, via a manual interface.			
CDCA shall receive the data for the latest Reference Year, no later than 5 October in the current BSC Year.			
The following information shall be included in the interface:			
Reference Year			
Load Period Name			
Settlement Date			
Sample Settlement Period			
Total Number of Sample Settlement Periods in Load Period			
Total Number of Settlement Periods in Load Period			
<b>Physical Interface Details:</b>			
A physical structure is defined for this manual interface because it will be processed automatically.			

<sup>12</sup> This functionality was added for the Introduction of Zonal Transmission Losses on an Average Basis (P82), but will not be used.

7.16 **CDCA-I064: (output) MOA Proving Tests Report**

<b>Interface ID:</b> CDCA-I064	<b>User:</b> BSCCo Ltd	<b>Title:</b> MOA Proving Tests Report	<b>BSC Reference:</b> P99
<b>Mechanism:</b> Manual	<b>Frequency:</b> Monthly	<b>Volumes:</b> Low	
<b>Interface Requirement:</b>			
<p>CDCA shall report the following information to the BSCCo, after the end of every month:</p> <p><u>Participant Header</u>                  Market Sector                  Market Participant Role Code                  Meter Operator Agent Id                  Period End Date                  Periodicity</p> <p><u>CVA MOA Serial 1 Data</u>                  GSP Group ID                  Number of MSIDs for which Proving Test outstanding                  Average number of business days for which Proving Test is outstanding after scheduled date of Proving Test, at time of report                  Count of faults outstanding after scheduled date of Proving Test</p> <p>The report shall be produced in POOL file format, and sent to the BSCCo (as an email attachment) no later than 7 Business Days after the end of the month to which the data pertains.</p>			
<b>Physical Interface Details:</b>			
<p>The filename shall be CDCA133&lt;last digit of the year number&gt;.&lt;MON&gt;, where &lt;MON&gt; is the reporting month (e.g. JAN, FEB, etc.).</p> <p>See the physical flow for details, in the BSCCo Ltd tab of the IDD Part 2 spreadsheet.</p> <p>ZHD Header information:</p>			
File Type	='P0133001'		
From Role Code	='Z'		
From Participant Id	='CDCA'		
To Role Code	='Z'		
To Participant Id	='POOL'		
Creation Time	date and time (local) of file generation YYYYMMDDHHMISS		

7.17 **CDCA-I065: (output) MOA Fault Resolution Report**

<b>Interface ID:</b> CDCA-I065	<b>User:</b> BSCCo Ltd	<b>Title:</b> MOA Fault Resolution Report	<b>BSC Reference:</b> P99
<b>Mechanism:</b> Manual	<b>Frequency:</b> Monthly	<b>Volumes:</b> Low	
<b>Interface Requirement:</b>			
<p>CDCA shall report the following information to BSCCo Ltd, after the end of every month:</p> <p><u>Participant Header</u>                  Market Sector                  Market Participant Role Code                  Meter Operator Agent Id                  Period End Date                  Periodicity</p> <p><u>CVA MOA Serial 2 Data</u>                  GSP Group ID                  Number of MSIDs with fault                  Count of faults identified                  Average number of business days faults outstanding                  Average number of business days taken to resolve fault</p> <p>The report shall be produced in POOL file format, and sent to BSCCo Ltd (as an email attachment) no later than 7 Business Days after the end of the month to which the data pertains.</p>			
<b>Physical Interface Details:</b>			
<p>The filename shall be CDCA134&lt;last digit of the year number&gt;.&lt;MON&gt;, where &lt;MON&gt; is the reporting month (e.g. JAN, FEB, etc.).</p> <p>See the physical flow for details, in the BSCCo Ltd tab of the IDD Part 2 spreadsheet.</p>			
ZHD Header information:			
File Type	='P0134001'		
From Role Code	='Z'		
From Participant Id	='CDCA'		
To Role Code	='Z'		
To Participant Id	='POOL'		
Creation Time	date and time (local) of file generation YYYYMMDDHHMISS		

**7.18 CRA-I001: (input & output, part 1) BSC Party Registration Data**

This interface is defined in Part 1 of the Interface Definition and Design.

**7.19 CRA-I003: (input, part 1) BSC Party Agent Registration Data**

This interface is defined in Part 1 of the Interface Definition and Design.

**7.20 CRA-I004: (input, common) BSC Service Agent Details**

This interface is defined in Section 4.

**7.21 CRA-I009: (input) Receive Manual Credit Qualifying Flag**

<b>Interface ID:</b> CRA-I009	<b>Source:</b> BSCCo Ltd	<b>Title:</b> Manual Credit Qualifying Flag	<b>BSC Reference:</b> P215
<b>Mechanism:</b> Manual, by email, letter or fax	<b>Frequency:</b> As necessary	<b>Volumes:</b>	
<p>The CRA shall receive, from time to time the Manual Credit Qualifying Flag for a BM Unit from BSCCo Ltd. The information shall contain:</p> <p><u>Credit Qualifying Details</u>                      BM Unit Id                      Manual Credit Qualifying Flag (True/False)                      Effective From Date                      Effective To Date (can be undefined)</p>			
<b>Physical Interface Details:</b>			

**7.22 CRA-I011: (input) CALF**

<b>Interface ID:</b> CRA-I011	<b>Source:</b> BSCCo Ltd	<b>Title:</b> CALF	<b>BSC Reference:</b> CRA SD 5.0, CRA BPM 3.5, CRA 4.5, ERM, RETA SCH 4,B, 2.4.2, CR 12, CP756
<b>Mechanism:</b> Manual, by email, letter or fax	<b>Frequency:</b> As necessary	<b>Volumes:</b> approximately 4 times per year	
<p>The CRA shall receive, from time to time the Credit assessment Load factor from the BSCCo Ltd. The information shall contain:</p> <p>Action Description</p> <p><u>Authentication Details</u>                      Name                      Password</p> <p><u>BM Unit Credit Assessment Load Factor Details</u>                      BM Unit Id                      Credit Assessment Load Factor (CALF)                      Effective From Date</p>			
<b>Physical Interface Details:</b>			

**7.23 CRA-I020: (output, common) Operations Registration Report**

This interface is defined in Section 4.

**7.24 CRA-I028: (output) NGC Standing Data Report**

This interface is defined in Section 4.

**7.25 CRA-I029: (input) Transmission Loss Factors**

<b>Interface ID:</b> CRA-I029	<b>Source:</b> BSCCo Ltd	<b>Title:</b> Transmission Loss Factors	<b>BSC Reference:</b> SAA SD: 2.6, A1 SAA BPM: 3.6, CP756
<b>Mechanism:</b> Manual, by email, letter or fax	<b>Frequency:</b> As required	<b>Volumes:</b> Very low volume	
<b>Interface Requirement:</b>			
The CRA Service shall receive Transmission Loss data from BSCCo Ltd from time to time.			
The Transmission Loss data shall contain the following details:			
<u>Authentication Details</u>			
Name			
Password			
<u>Transmission Loss Details</u>			
Proportion of Losses (alpha)			
Effective From Date			
<u>BM Unit Transmission Loss Details</u>			
BM Unit ID			
Transmission Loss Factor			
Effective from Date			
Effective to Date			

**7.26 CRA-I032: (output) CRA Performance Reports**

This interface is defined in the CRA URS as a functional requirement rather than an interface requirement. The reference in the CRA URS is CRA-F027.

**7.27 CRA-I034: (input) Flexible Reporting Request**

<b>Interface ID:</b> CRA-I034	<b>Source:</b> BSCCo Ltd	<b>Title:</b> Flexible Reporting Request	<b>BSC Reference:</b> CR 53, CP756
<b>Mechanism:</b> Manual, by email, letter or fax	<b>Frequency:</b>	<b>Volumes:</b>	
<b>Interface Requirement:</b>			
The CRA shall receive authorisations from BSCCo Ltd. to start or stop sending copies of a BSC Party report to another BSC Party.			
<u>Requesting BSC Party Details</u>			
BSC Party Id BSC Party type			
<u>Report Details</u>			
Report Type BSC Party Id BSC Party type Start/Stop Flag			
<b>Physical Interface Details:</b>			
The flow may contain requests from one or more BSC Parties, and each request may cover a number of report types/BSC Parties.			

**7.28 CRA-I035: (output) CRA BSC Section D Charging Data**

<b>Interface ID:</b> CRA-I035	<b>User:</b> BSCCo Ltd	<b>Title:</b> CRA BSC Section D Charging Data	<b>BSC Reference:</b> CR 65, CN160, P100
<b>Mechanism:</b> Electronic data file transfer	<b>Frequency:</b> Monthly	<b>Volumes:</b>	
<b>Interface Requirement:</b>			
<p>The system shall, on the 15<sup>th</sup> working day of each month, collect information required for charging BSC parties under Section D of the Code and send this to BSCCo Ltd.</p> <p>The information included shall be:</p> <p>Month</p> <ul style="list-style-type: none"> <li>Participant Id</li> <li>Participant Name</li> <li>Count of CVA Metering Systems</li> <li>Count of CVA BM Units</li> <li>Count of CVA Exempt Export BM Units</li> <li>Count of SVA Base BM Units</li> <li>Count of SVA additional BM Units</li> <li>Count of SVA Replacement Base BM Units</li> <li>Count of SVA Replacement additional BM Units</li> <li>Count of SVA Exempt Export BM Units</li> </ul> <p>Each month the information will be produced for both the previous calendar month and the month before that. Data used shall be the latest available data from Interim Run and Initial Run only.</p>			
<b>Physical Interface Details:</b>			

**7.29 CRA-I042: (input) Receive Market Index Data Provider Registration Data**

<b>Interface ID:</b> CRA-I042	<b>Source:</b> MIDP	<b>Title:</b> Receive Market Index Data Provider Registration Data	<b>BSC Reference:</b> P78
<b>Mechanism:</b> Manual	<b>Frequency:</b> As Necessary	<b>Volumes:</b> Low	
<b>Interface Requirement:</b>			
<p>Both initial registration, and updates to details, of a Market Index Data Provider, will be done by BSCCo Ltd.</p> <p>The CRA shall receive Market Index Data Provider Details including the following:</p> <p>Action Description</p> <p><u>Market Index Data Provider Details</u></p> <ul style="list-style-type: none"> <li>Market Index Data Provider Name</li> <li>Market Index Data Provider Identifier</li> <li>Provider Effective From Settlement Date</li> </ul>			

<b>Interface ID:</b> CRA-I042	<b>Source:</b> MIDP	<b>Title:</b> Receive Market Index Data Provider Registration Data	<b>BSC Reference:</b> P78
<b>Mechanism:</b> Manual	<b>Frequency:</b> As Necessary	<b>Volumes:</b> Low	
Provider Effective To Settlement Date  <u>Contact Details</u> Name Address Telephone No Fax No e-mail Address			
<b>Physical Interface Details:</b>			

**7.30 CRA-I043: (input) Receive Exempt Export Registration Data**

<b>Interface ID:</b> CRA-I043	<b>Source:</b> BSCCo Ltd	<b>Title:</b> Receive Exempt Export Registration Data	<b>BSC Reference:</b> P100
<b>Mechanism:</b> Manual, by email, letter or fax	<b>Frequency:</b> As necessary	<b>Volumes:</b> Low	
CRA shall receive the Exempt Export registration details for a BM Unit from BSCCo Ltd via a manual interface.  The flow shall include the following:  <u>BM Unit Details</u> BSC Party Id BM Unit Id  <u>Exempt Export Registration</u> Effective From Settlement Date  Or, <u>Exempt Export De-Registration</u> Effective To Settlement Date			
<b>Physical Interface Details:</b>			

**7.31 CRA-I044: (input) Withdrawals Checklist Request**

<b>Interface ID:</b> CRA-I044	<b>Source:</b> BSCCo Ltd	<b>Title:</b> Withdrawals Checklist Request	<b>BSC Reference:</b> CP974
<b>Mechanism:</b> Manual, by email or fax	<b>Frequency:</b> Ad hoc	<b>Volumes:</b> Low	
<p>The CRA shall receive a request for the Withdrawals Checklist from BSCCo Ltd on an ad-hoc basis. The request shall contain the following information:</p> <p style="padding-left: 40px;">BSC Party / BSC Party Agent Name, and / or BSC Party / BSC Party Agent Id Reason for request Withdrawal Date (optional)</p> <p>Notes:</p> <ol style="list-style-type: none"> <li>1. Valid reasons for requesting the Withdrawals Checklist shall be defined as (not exclusively): <ul style="list-style-type: none"> <li>• Information</li> <li>• Final Compliance</li> </ul> </li> <li>2. The Withdrawal Date shall optionally be included in a request, as an indication of when the 'Final Compliance' report should be run. If included, the CRA shall run the 'Final Compliance' report at 5pm, two Working Days prior to the Withdrawal Date. In this case, there is no need for the BSCCo to submit a specific request for the 'Final Compliance' report, but on the morning of the day that the report is due, the BSCCo shall confirm that the report is required.</li> </ol>			
<b>Physical Interface Details:</b>			

**7.32 CRA-I047: (output) Withdrawals Checklist**

<b>Interface ID:</b> CRA-I047	<b>User:</b> BSCCo Ltd	<b>Title:</b> Withdrawals Checklist	<b>BSC Reference:</b> CP974
<b>Mechanism:</b> Manual, by email or fax	<b>Frequency:</b> On request	<b>Volumes:</b> Low	
<p>The CRA shall issue a Withdrawals Checklist on receipt of a request from BSCCo Ltd (via Interface Requirement CRA-I044). The report shall contain the following data:</p> <p>Report Date Reason for Request</p> <p><u>Registration Details</u></p> <p style="padding-left: 20px;"><u>Participation capacities registered</u> BSC Party / BSC Party Agent Name BSC Party / BSC Party Agent Id Market Role Code(s) Effective From Date Effective To Date</p> <p style="padding-left: 20px;"><u>BM Units registered</u> BM Unit ID Effective From Date Final Effective To Date</p> <p style="padding-left: 20px;"><u>Metering Systems registered</u> MSID Effective From Date Final Effective To Date</p> <p style="padding-left: 20px;"><u>Communication Lines</u> High-grade or low-grade line Own or shared line</p>			

<p><u>FTP accounts/ Encryption keys to be terminated.</u>                  Access to BSC Central Systems terminated effective from  <u>Report non deliveries set up for BSC Party/ BSC Party Agent</u>                  Flow Type                  Effective From Date                  Effective To Date</p> <p><u>Trading Details</u>                  Last Day of Trading                  Payment date of the RF run for the Last Day of Trading (if known)  <u>Settlement Details</u>                  As received via Interface Requirement CRA-I046</p> <p><u>Authorisation and Notification Details</u>                  As received via Interface Requirement CRA-I045</p>
<b>Physical Interface Details:</b>

**7.33 ECVAA-I017: (output) ECVAA Performance Report**

<b>Interface ID:</b> ECVAA-I017	<b>User:</b> BSCCo Ltd	<b>Title:</b> ECVAA Performance Report	<b>BSC Reference:</b> ECVAA SD: B ECVAA IRR: E6 CR 12, CP519
<b>Mechanism:</b> Manual, probably in whole or in part produced using a report-formatting tool.	<b>Frequency:</b> Monthly	<b>Volumes:</b>	
<p><b>Interface Requirement:</b></p> <p>The ECVAA Service shall issue ECVAA Performance Reports once a month to BSCCo Ltd.</p> <ul style="list-style-type: none"> <li>• Percentage of valid new or updated registration data incorporated in ECVAA systems within 1 day of receipt</li> <li>• Percentage of valid new or updated credit limit data incorporated in ECVAA systems within 1 day of receipt</li> <li>• Percentage of Energy Contract Volume Authorisation requests processed within 1 day of receipt</li> <li>• Percentage of Energy Contract Volume Authorisation termination requests processed within 1 day of receipt</li> <li>• Percentage of Metered Volume Reallocation Authorisation requests processed within 1 day of receipt</li> <li>• Percentage of requests to add additional BM Unit Subsidiaries to an existing Metered Volume Reallocation Authorisation processed within 1 day of receipt</li> <li>• Percentage of Metered Volume Reallocation Authorisation termination requests processed within 1 day of receipt</li> <li>• Percentage of Energy Contract Volume Notifications processed within 15 minutes of receipt</li> <li>• Percentage of valid Energy Contract Volume Notifications aggregated for Settlement Day (SD) and Total Energy Contract Volumes calculated and transmitted to SAA by 12:00 on SD + 2</li> <li>• Percentage of Metered Volume Reallocation Notifications processed within 15 minutes of receipt</li> <li>• Percentage of Metered Volume Reallocation Notifications for SD transmitted to SAA by 12:00 on SD + 2.</li> <li>• Percentage of Half Hourly Credit Check Processes completed within 15 minutes of gate closure.</li> <li>• Percentage of Credit Cover Minimum Eligible Amount Requests processed by the first Working Day after the expiry of the Waiting Period or the date of receipt of the Minimum Eligible Amount Rule Confirmation from BSCCo Ltd, whichever is the later (see ECVAA-F011: Process Credit Cover Minimum Eligible Amount Request).</li> </ul>			

**7.34 ECVAA-I021: (output) Credit Limit Warning**

This interface is defined in Part 1 of the Interface Definition and Design.

**7.35 ECVAA-I023: (output) ECVAA BSC Section D Charging Data**

<b>Interface ID:</b> ECVAA-I023	<b>User:</b> BSCCo Ltd	<b>Title:</b> ECVAA BSC Section D Charging Data	<b>BSC Reference:</b> CR 65, CN160
<b>Mechanism:</b> Electronic data file transfer	<b>Frequency:</b> Monthly	<b>Volumes:</b>	
<p><b>Interface Requirement:</b></p> <p>The system shall, on the 21<sup>st</sup> calendar day of each month, collect information required for charging BSC parties under Section D of the Code and send this to BSCCo Ltd.</p> <p>The information included shall be:</p> <p>Month              Participant Id              Participant Name              Gross Contract Volume</p> <p>where Gross Contract Volume is</p> $\sum_{zabj}   ECQ_{zabj}   + \sum_{zabj}   ECQ_{zbaj}   + \sum_{zaij}   QMFR_{zaij}   + \sum_{zbij}   QMFR_{zbij}  $ <p>Each month the information will be produced for both the previous calendar month and the month before that. Data used shall be the latest available data from Interim Run and Initial Run only.</p>			
<p><b>Physical Interface Details:</b></p>			

**7.36 ECVAA-I026: (output) Minimum Eligible Amount Request**

<b>Interface ID::</b> ECVAA-I026	<b>User:</b> BSCCo Ltd	<b>Title:</b> Minimum Eligible Amount Request	<b>BSC Reference:</b> CP519, CP1313
<b>Mechanism:</b> Manual	<b>Frequency:</b> Ad hoc, as a result of receipt of Credit Cover Minimum Eligible Amount Requests	<b>Volumes:</b> Low	
<b>Interface Requirement:</b>			
<p>The ECVAA shall issue Minimum Eligible Amount Requests to BSCCo Ltd as a result of the receipt of Credit Cover Minimum Eligible Amount Requests from a BSC Party which is in Section H Default.</p> <p>The Minimum Eligible Amount Request data shall comprise:</p> <p style="padding-left: 40px;">BSC Party ID Minimum Eligible Amount Request Date</p> <p>Note: the Minimum Eligible Amount Request Date is the date of receipt of the Credit Cover Minimum Eligible Amount Request by the ECVAA.</p>			

**7.37 ECVAA-I027: (input) Notification of BSC Parties in Section H Default**

<b>Interface ID::</b> ECVAA-I027	<b>Source:</b> BSCCo Ltd	<b>Title:</b> Notification of BSC Parties in Section H Default	<b>BSC Reference:</b> CP1313
<b>Mechanism:</b> Manual	<b>Frequency:</b> Ad hoc, in response to a change in the list	<b>Volumes:</b> Low	
<b>Interface Requirement:</b>			
<p>The ECVAA shall receive from BSCCo Ltd a list of all BSC Party Ids that are currently in Section H Default.</p>			

**7.38 ECVAA-I032: (input) Credit Assessment Price**

<b>Interface ID:</b> ECVAA-I032	<b>Source:</b> BSCCo Ltd	<b>Title:</b> Credit Assessment Price	<b>BSC Reference:</b> P2
<b>Mechanism:</b> Manual	<b>Frequency:</b> As required	<b>Volumes:</b> Low	
<b>Interface Requirement:</b>			
The ECVAA Service shall receive the Credit Assessment Price from BSCCo from time to time.			
The Credit Assessment Price shall comprise:			
<u>Credit Assessment Price:</u>			
Credit Assessment Price (£/MWh) Effective from date			
Notes:			
The effective from date shall be the settlement date upon which the price is to take effect, and shall be no earlier than the day after the price is received by ECVAA.			
The Credit Assessment Price shall be in the range 0.00 to 999.99, and shall be held to two decimal places.			
<b>Physical Interface Details:</b>			

**7.39 ECVAA-I040: (output) Issue Notification System Status Report**

<b>Interface ID:</b> ECVAA-I040	<b>Source:</b> BSCCo Ltd	<b>Title:</b> Issue Notification System Status Report	<b>BSC Reference:</b> CP739
<b>Mechanism:</b> Manual, by email, fax or telephone call.	<b>Frequency:</b> As required	<b>Volumes:</b> Low	
<b>Interface Requirement:</b>			
The ECVAA Service shall issue a status report to BSCCo Ltd. as soon as possible after:			
<ul style="list-style-type: none"> <li>▪ The start of an ECVAA System Failure or ECVAA System Withdrawal;</li> <li>▪ A change in the Notification Agents affected by an existing ECVAA System Failure or ECVAA System Withdrawal; or</li> <li>▪ The end of an ECVAA System Failure or ECVAA System Withdrawal.</li> </ul>			
The notification shall contain			
Incident Type (ECVAA System Failure or ECVAA System Withdrawal). Incident Status (Start, End or Change) Date and Time (GMT) of Incident Status Affected Agents (list of affected Notification Agents or ALL).			
<b>Physical Interface Details:</b>			

**7.40 ECVAA-I041: Receive Party Credit Default Authorisation Details**

<b>Interface ID:</b> ECVAA-I041	<b>Source:</b> BSCCo Ltd	<b>Title:</b> Receive Party Credit Default Authorisation Details	<b>BSC Reference:</b> CP975
<b>Mechanism:</b> Manual, by email, letter or fax	<b>Frequency:</b> As necessary	<b>Volumes:</b> approximately 10 times per year	
<p>The ECVAA shall receive, from time to time the BSC Party Credit Default Authorisation Flag from the BSCCo Ltd. The information shall contain:</p> <p><u>Authentication Details</u> Name Password</p> <p><u>BSC Party Credit Default Authorisation Details</u> BSC Party Id Credit Default Authorisation Flag Effective From Date</p>			
<b>Physical Interface Details:</b>			

**7.41 SAA-I010: (input) BSCCo Ltd Cost Data (Redundant)**

<b>Interface ID:</b> SAA-I010	<b>Source:</b> BSCCo Ltd	<b>Title:</b> BSCCo Ltd Cost Data	<b>BSC Reference:</b> SAA SD: 2.6 SAA BPM: 3.16, 4.12, CP527, CP1223
<b>Mechanism:</b> Electronic data file transfer	<b>Frequency:</b> Monthly/ Annual	<b>Volumes:</b>	
<p style="text-align: center;"><b>Interface Requirement:</b></p> <p>The SAA Service shall receive forecast BSCCo Ltd Costs monthly and actual BSCCo Ltd Costs annually from BSCCo Ltd.</p> <p>The BSCCo Ltd Cost data shall include:</p> <p><u>Forecast Costs:</u> Settlement Date BSCCo Ltd Forecast Cost (£)</p> <p><u>Total Actual Costs:</u> Year BSCCo Ltd Actual Cost (£)</p> <p>This interface is not in use.</p>			

**7.42 SAA-I012: (input, part 1) Dispute Notification**

This interface is defined in Part 1 of the Interface Definition and Design.

**7.43 SAA-I014 (output) Settlement Reports**

There are three variants of the Settlement Report. The first variant is sent to BSC Parties and is defined in Part 1 of the IDD. The second variant is sent to the System Operator and is defined in section 5 of this document. The third variant is sent to BSCCo Ltd and is defined here:

<b>Interface ID:</b> SAA-I014	<b>User:</b> BSCCo Ltd	<b>Title:</b> Settlement Report	<b>BSC Reference:</b> CR_991027_06a, CP527, P8, P18A, CP597, CP610, P71, P78, P194, P217
<b>Mechanism:</b> Electronic data file transfer	<b>Frequency:</b> Daily per settlement run	<b>Volumes:</b>	
<p>The following information is provided:</p> <p><u>Settlement Day Information</u>  Settlement Date  Settlement Run Type  SAA Run Number  SAA CDCA Settlement Run Number  SVAA CDCA Settlement Date  SVAA CDCA Settlement Run Number  SVAA SSR Run Number  BSC Party Id</p> <p>For each BSC Party:</p> <p><u>BSC Party Information</u>  BSC Party Id  Aggregate Party Day Charges (defined in IDD Part 1 section 8.4.1)</p> <p>For each Settlement Period:</p> <p><u>Settlement Period Information</u>  Settlement Period (1-50) (j)  Total Demand (sum of all negative <math>QM_{ij}</math>)  Notional Reserve Limit (MW) (only for Settlement Dates prior to the P78 effective date)  Arbitrage Flag  <math>CADL_d</math> Continuous Acceptance Duration Limit  <math>DMAT_d</math> De Minimis Acceptance Threshold  System Period Data (defined in IDD Part 1 section 8.4.3)</p> <p><u>Trading Unit Period Information:</u>  Trading Unit Name  Total Trading Unit Metered Volume (MWh)</p> <p><u>BM Unit Period Information:</u>  BM Unit ID (i)  Trading Unit Name  Period FPN (<math>FPN_{ij}</math>) (MWh)  BM Unit Metered Volume (<math>QM_{ij}</math>) (MWh)  Transmission Loss Multiplier (<math>TLM_{ij}</math>)  BM Unit Applicable Balancing Services Volume (<math>QAS_i</math>) (MWh)</p>			

<p><u>BM Unit Period Bid-Offer Information:</u>  Bid-Offer Pair Number (n)  Bid Price (PB<sup>n</sup><sub>ij</sub>) (£)  Offer Price (Po<sup>n</sup><sub>ij</sub>) (£)</p> <p><u>BM Unit Period Bid-Offer Spot Points (QBO<sup>n</sup><sub>ij</sub>):</u>  Time from  Bid-Offer Value from  Time to  Bid-Offer Value to</p> <p><u>Maximum Export Limit Information:</u>  Time From  Level From (MW)  Time to  Level To (MW)</p> <p><u>Maximum Import Limit Information:</u>  Time From  Level From (MW)  Time to  Level To (MW)</p>
<p><b>Physical Interface Details:</b></p> <p>This is sub-flow 3 of the Settlement Report, file id S0143.</p> <p>For the Interim Initial Settlement Run, the full set of data is included in the file.</p> <p>For subsequent Settlement Runs, certain information is only included if it has been changed: this applies to the Maximum Export Limit Information, (MEL), Minimum Export Limit Information (MIL), and BM Unit Period Bid-Offer Spot Points (BO2). BM Unit Period Bid-Offer Information (BBO) is only included where there are changes (to prices or to underlying BM Unit Period Bid-Offer Spot Points (BO2)).</p> <p>For BO2 it is possible that the change being reported is that the record has been deleted; this is indicated by reporting nulls, e.g.</p> <p>where there had been a record</p> <p>BO2 10 123456.789 20 123456.789 </p> <p>deletion of this record would be shown by</p> <p>BO2 10  20  </p>

Note:

**SAA CDCA Settlement Run Number**

Identifies the CDCA run which generated volumes used directly by SAA in the settlement calculations

*For all settlement runs, other than Interim Initial for Settlement Dates prior to the P253 effective date:*

**SVAA CDCA Settlement Date**

**SVAA CDCA Settlement Run Number**

Identify the CDCA run for Settlement Date which generated the GSP Group Take volumes which were allocated by the SVAA

**SVAA SSR Run Number**

Identifies the SVAA Run for Settlement Date which generated the SVA BM Unit volumes

*For Interim Initial Settlement Runs for Settlement Dates prior to the P253 effective date:*

**SVAA CDCA Settlement Date**

**SVAA SSR Run Number**

Identify the Settlement Date and Initial Settlement (SF) SVAA Run from which SVA volumes are derived

**SVAA CDCA Run Number**

Will be zero

**7.44 SAA-I016: (output, part 1) Settlement Calendar**

This interface is defined in Part 1 of the Interface Definition and Design.

**7.45 SAA-I018: (output, part 1) Dispute Report**

This interface is defined in Part 1 of the Interface Definition and Design.

**7.46 SAA-I019: (output) BSC Party Performance Reports (Redundant)**

<b>Interface ID:</b> SAA-I019	<b>User:</b> BSCCo Ltd	<b>Title:</b> BSC Party Performance Reports	<b>BSC Reference:</b> SAA IRR: SAA6, CP1222
<b>Mechanism:</b> Electronic data file transfer	<b>Frequency:</b> Monthly	<b>Volumes:</b>	
<b>Interface Requirement:</b>			
<p>The SAA Service shall issue BSC Party Performance Reports once a month to BSCCo Ltd.</p> <p>The BSC Party Performance Reports shall include:</p> <ul style="list-style-type: none"> <li>BSC Party rankings by number/volume of trades</li> <li>BSC Party rankings by imbalance volumes</li> </ul> <p>Ranking will be as follows:</p> <p>Ranking by Number of Trades, then by Volume (ie if two parties have the same number of trades, then their relative ranking will be established using volume of trades).</p> <p>Ranking by Energy Imbalance, then by Information Imbalance (ie if two parties have the same energy imbalance, then their relative ranking will be established using information imbalance). Note that the Imbalance Volumes flow for this report contains only a single value for imbalance volume.</p> <p>This interface is not in use.</p>			

**7.47 SAA-I020: (output) SAA Performance Reports**

<b>Interface ID:</b> SAA-I020	<b>User:</b> BSCCo Ltd	<b>Title:</b> SAA Performance Reports	<b>BSC Reference:</b> SAA SD: B, CP527, P78
<b>Mechanism:</b> Manual, probably in whole or in part produced using a report-formatting tool.	<b>Frequency:</b> Monthly	<b>Volumes:</b>	
<b>Interface Requirement:</b>			
<p>The SAA Service shall issue SAA Performance Reports once a month to BSCCo Ltd.</p> <p>The SAA Performance Reports shall include:</p> <p><u>Settlement Run Reporting:</u></p> <ul style="list-style-type: none"> <li>Month Ending Date</li> <li>Settlement Date</li> <li>Report Run Type</li> <li>Report Recipient</li> <li>Expected Settlement Report Date</li> <li>Settlement Run Date/Time</li> <li>Actual Settlement Report Date/Time</li> </ul> <p><u>Settlement Calendar Publishing:</u></p> <ul style="list-style-type: none"> <li>Settlement Calendar Year</li> <li>Expected Publish Date</li> <li>Actual Publish Date</li> </ul> <p><u>BM Unit Credit Assessment Import Capability Reporting:</u></p> <ul style="list-style-type: none"> <li>Month Ending Date</li> <li>Reason (Month End/CALF Change)</li> <li>Report Recipient</li> <li>Expected Report Date</li> <li>Actual Report Date</li> </ul> <p><u>Help Desk Reporting:</u></p> <ul style="list-style-type: none"> <li>Call Severity Level</li> <li>Response Time</li> </ul> <p>Market Index Data Provider Performance:</p> <ul style="list-style-type: none"> <li>Month Ending Date</li> <li>Market Index Data Provider Identifier</li> <li>Number of Settlement Days for which Market Index Data was not provided in time for the Initial Interim Settlement Run</li> <li>Number of Settlement Periods where individual Liquidity Threshold required default by SAA</li> <li>Number of Settlement Periods where zeroes were used in the Initial Interim Settlement Calculation</li> </ul>			

**7.48 SAA-I023: (input) System Parameters**

<b>Interface ID::</b> SAA-I023	<b>Status:</b> Mandatory	<b>Title:</b> System Parameters	<b>BSC Reference:</b> CR 003, P10, P18A, CP632, P194, P217
<b>Mechanism:</b> Manual	<b>Frequency:</b> Ad-hoc	<b>Volumes:</b> Low – typically one or two per month	
<b>Interface Requirement:</b>  The SAA Service shall receive the following system parameters from the BSCCo Ltd via a manual interface, expected to be either a fax or telephone call:  Effective from Settlement Date Effective from Settlement Period (1-50) Effective to Settlement Date Effective to Settlement Period (1-50) Information Imbalance Price 1 Information Imbalance Price 2 Arbitrage Flag NRL <sub>j</sub> (Notional Reserve Limit) (MW) DMAT <sub>d</sub> (De Minimis Acceptance Threshold) (MWh) CADL <sub>d</sub> (Continuous Acceptance Duration Limit (minutes) PAR <sub>d</sub> (Price Average Reference Volume) (MWh) (0-9,999,999,999) RPAR <sub>d</sub> (Replacement Price Average Reference Volume) (MWh)			
<b>Physical Interface Details:</b>			
The BSCCo Ltd system parameter values shall continue to apply to all settlement periods, until a change to a parameter is made.			
<b>Issues:</b>			

**7.49 SAA-I025: (output) SAA BSC Section D Charging Data**

<b>Interface ID:</b> SAA-I025	<b>User:</b> BSCCo Ltd	<b>Title:</b> SAA BSC Section D Charging Data	<b>BSC Reference:</b> CR 65, CN160
<b>Mechanism:</b> Electronic data file transfer	<b>Frequency:</b> Monthly	<b>Volumes:</b>	
<b>Interface Requirement:</b>  The system shall, on the 15 <sup>th</sup> working day of each month, collect information required for charging BSC parties under Section D of the Code and send this to BSCCo Ltd.  The information included shall be:  Month Participant Id Participant Name Production/Consumption Flag Volume			

<p>where Volume is Credited Energy Volume for the Production/Consumption Energy Account belonging to the BSC Party.</p> <p>Each month the information will be produced for both the previous calendar month and the month before that. Data used shall be the latest available data from Interim Run and Initial Run only.</p>
<p><b>Physical Interface Details:</b></p>

**7.50 SAA-I027: (output) Report pre-settlement run validation failure**

<b>Interface ID:</b> SAA-I027	<b>Source:</b> SAA	<b>Title:</b> Report pre-settlement run validation failure	<b>BSC Reference:</b> CP639, CP1222
<b>Mechanism:</b> Manual	<b>Frequency:</b> Ad-hoc	<b>Volumes:</b> As required.	
<p><b>Interface Requirement:</b> The SAA shall send to BSCCo details of pre-settlement run validation failures. The content of the report shall include</p> <p style="padding-left: 40px;">Settlement Date Settlement Run Type Failure Reasons</p>			
<p><b>Physical Interface Details:</b></p> <p>This interface is likely to take the form of a fax or an e-mail or a telephone call. Failure Reasons will be various.</p>			
<p><b>Issues:</b></p>			

**7.51 SAA-I028: (input) Receive settlement run decision**

<b>Interface ID:</b> SAA-I028	<b>Source:</b> BSCCo	<b>Title:</b> Receive settlement run decision	<b>BSC Reference:</b> CP639
<b>Mechanism:</b> Manual	<b>Frequency:</b> In response to SAA-I027	<b>Volumes:</b> Low – typically one or two per month	
<p><b>Interface Requirement:</b> BSCCo shall send to the SAA a decision on whether a settlement run should continue if the SAA has reported pre-settlement run validation run failures (SAA-I027) for this run.</p> <p style="padding-left: 40px;">Settlement Date Settlement Run Type Decision</p>			

<b>Interface ID:</b> SAA-I028	<b>Source:</b> BSCCo	<b>Title:</b> Receive settlement run decision	<b>BSC Reference:</b> CP639
<b>Physical Interface Details:</b>			
This interface is likely to take the form of a fax or an e-mail or a telephone call. Failure Reasons will be various.			
<b>Issues:</b>			

**7.52 SAA-I029: (input) Receive settlement run instructions**

<b>Interface ID:</b> SAA-I029	<b>Source:</b> BSCCo	<b>Title:</b> Receive settlement run instructions	<b>BSC Reference:</b> CP639
<b>Mechanism:</b> Manual	<b>Frequency:</b> In response to SAA-I027	<b>Volumes:</b> Low – typically one or two per month	
<b>Interface Requirement:</b> BSCCo shall send to the SAA instructions on how to progress a settlement run that the SAA has reported pre-settlement run validation run failures (SAA-I027) for.  Settlement Date Settlement Run Type Instructions			
<b>Physical Interface Details:</b>			
This interface is likely to take the form of a fax or an e-mail or a telephone call. Failure Reasons will be various.			
<b>Issues:</b>			

**7.53 SAA-I031: (input) Receive Market Index Data Provider Thresholds**

<b>Interface ID:</b> SAA-I031	<b>Source:</b> BSCCo	<b>Title:</b> Receive Market Index Data Provider Thresholds	<b>BSC Reference:</b> P78
<b>Mechanism:</b> Manual	<b>Frequency:</b> Ad-hoc	<b>Volumes:</b> This manual flow is expected to handle a maximum of 6 date ranges to be defined, for each DP, for each year. Each date range to have a maximum of 4 different Liquidity Thresholds.	
<b>Interface Requirement:</b>			
<p>The SAA shall receive Market Index Data Provider Liquidity Threshold data from BSCCo. The processing rules for this flow are described in SAA-F023.</p> <p>The flow shall include:</p> <ul style="list-style-type: none"> <li>Market Index Data Provider Identifier</li> <li>    <u>MIDP Date Range</u></li> <li>    Action Type</li> <li>    Effective From Settlement Date</li> <li>    Effective To Settlement Date</li> <li>    <u>MIDP Period Data</u></li> <li>    Effective From Settlement Period (1-50)</li> <li>    Effective To Settlement Period (1-50)</li> <li>    Liquidity Threshold</li> </ul> <p>Action Type describes the type of operation to be performed in relation to the data supplied in the other fields. It can be one of:</p> <ul style="list-style-type: none"> <li>• Insert;</li> <li>• Update;</li> <li>• Delete.</li> </ul>			
<b>Physical Interface Details:</b>			
Issues:			

**7.54 SAA-I032: (output) Report Market Index Data Provider Thresholds**

<b>Interface ID:</b> SAA-I032	<b>User:</b> BSCCo	<b>Title:</b> Report Market Index Data Provider Thresholds	<b>BSC Reference:</b> P78
<b>Mechanism:</b> Manual	<b>Frequency:</b> In response to SAA-I031, as described in SAA-F023	<b>Volumes:</b> This manual flow is expected to handle a maximum of 6 date ranges to be defined, for each DP, for each year. Each date range to have a maximum of 4 different Liquidity Thresholds.	
<b>Interface Requirement:</b>			
<p>The SAA shall report Market Index Data Provider Liquidity Threshold to BSCCo.</p> <p>The flow shall include:</p> <ul style="list-style-type: none"> <li>Market Index Data Provider Identifier</li> <li>MIDP Date Range</li> <li>Effective From Settlement Date</li> <li>Effective To Settlement Date</li> <li>MIDP Period Data</li> <li>Effective From Settlement Period (1-50)</li> <li>Effective To Settlement Period (1-50)</li> <li>Liquidity Threshold</li> </ul>			
<b>Physical Interface Details:</b>			
Issues:			

**7.55 SAA-I034: (output) Report Recommended Data Change**

<b>Interface ID:</b> SAA-I034	<b>User:</b> BSCCo	<b>Title:</b> Report Recommended Data Change	<b>BSC Reference:</b> CP995, CP1283
<b>Mechanism:</b> Manual	<b>Frequency:</b> In response to SAA-I033 for an Emergency Instruction	<b>Volumes:</b> Low	
<b>Interface Requirement:</b>			
<p>The SAA will report to the BSCCo and recommend a course of action with regards to a request for data change received from the System Operator (via SAA-I033) where the request is marked as an Emergency Instruction.</p>			
<b>Non Functional Requirement:</b>			
Issues:			

**7.56 SAA-I035: (input) Receive Instruction for Data Change**

<b>Interface ID:</b> SAA-I035	<b>Source:</b> BSCCo	<b>Title:</b> Receive Instruction for Data Change	<b>BSC Reference:</b> CP995, CP1283
<b>Mechanism:</b> Manual	<b>Frequency:</b> In response to SAA-I034	<b>Volumes:</b> Low	
<b>Interface Requirement:</b> In response to SAA-I034 for an Emergency Instruction, BSCCo shall send to the SAA instructions for a data change.			
<b>Non Functional Requirement:</b>			
<b>Issues:</b>			

**7.57 SAA-I036: (output) Report Confirmation of Data Change**

<b>Interface ID:</b> SAA-I036	<b>User:</b> BSCCo, System Operator	<b>Title:</b> Report Confirmation of Data Change	<b>BSC Reference:</b> CP995, CP1283
<b>Mechanism:</b> Manual	<b>Frequency:</b> In response to SAA- I035 for an Emergency Instruction  or  In response to SAA- I033 for a non- Emergency Instruction	<b>Volumes:</b> Low	
<b>Interface Requirement:</b> The SAA shall report to BSCCo and the System Operator confirmation of the completion of an instructed data change (received via SAA-I035) for an Emergency Instruction or via SAA-I033 for a non-Emergency Instruction).			
<b>Non Functional Requirement:</b>			
<b>Issues:</b>			

### 7.58 SAA- I038: (input) Receive Excluded Emergency Acceptance Pricing Information

<b>Interface ID:</b> SAA-I038	<b>Source:</b> BSCCo	<b>Title:</b> Receive Excluded Emergency Acceptance Pricing Information	<b>BSC Reference:</b> P172
<b>Mechanism:</b> Manual	<b>Frequency:</b> Ad-hoc	<b>Volumes:</b> Low	
<b>Interface Requirement:</b>  The BSCCo shall send to the SAA recalculated Energy Imbalance Prices resulting from Excluded Emergency Acceptances prior to each subsequent Settlement Run.  The following data items will be included in the communication:  Settlement Day Settlement Period Buy Price Sell Price Settlement Run Type that was used to calculate the new Energy Imbalance Prices.			
<b>Non Functional Requirement:</b>			
<b>Issues:</b>			

### 7.59 SAA-I039: (output) Send Excluded Emergency Acceptance Dry Run Results

<b>Interface ID:</b> SAA-I039	<b>User:</b> SAA	<b>Title:</b> Send Excluded Emergency Acceptance Dry Run Results	<b>BSC Reference:</b> P172
<b>Mechanism:</b> Manual	<b>Frequency:</b> Ad-hoc	<b>Volumes:</b> Low	
<b>Interface Requirement:</b>  The SAA shall, as a result of any additional 'dry run' carried out in response to Excluded Emergency Acceptances received, send to the BSCCo confirmation of whether SAA has matched the prices within the defined threshold. The confirmation will be in the form of a Y/N flag.			
<b>Non Functional Requirement:</b>			
<b>Issues:</b>			

### 7.60 SAA- I040: (input) Receive Authorisation To Proceed With Full Settlement Run

<b>Interface ID:</b> SAA-I040	<b>Source:</b> BSCCo	<b>Title:</b> Receive Authorisation To Proceed With Full Settlement Run	<b>BSC Reference:</b> P172
<b>Mechanism:</b> Manual	<b>Frequency:</b> Ad-hoc	<b>Volumes:</b> Low	
<b>Interface Requirement:</b> The BSCCo shall send to the SAA authorisation to proceed with the full Settlement Run.			
<b>Non Functional Requirement:</b>			
<b>Issues:</b>			

### 7.61 ECVAA-I049: (input) Request to remove all ECVNs and MVRNs from ECVAA for a Party in Section H Default

<b>Interface ID:</b> ECVAA-I049	<b>Source:</b> BSCCo Ltd	<b>Title:</b> Request to remove all ECVNs and MVRNs from ECVAA for a Party in Section H Default	<b>BSC Reference:</b> CP1140 CP1169
<b>Mechanism:</b> Manual, by email.	<b>Frequency:</b> As required	<b>Volumes:</b> Low	
<b>Interface Requirement:</b> The ECVAA shall receive, from time to time request to remove all ECVNs and MVRNs from ECVAA for a Party in Section H Default, which shall contain:			
<ol style="list-style-type: none"> <li>1. Party ID</li> <li>2. Removal effective from Date</li> <li>3. Removal effective from Period</li> <li>4. Copy of the BSC Panel resolution</li> <li>5. Any notes pertinent to this removal</li> </ol>			
<b>Physical Interface Details:</b>			

## 7.62 ECVAA-I050: (output) Remove all ECVNs and MVRNs from ECVAA for a Party in Section H Default Feedback.

<b>Interface ID::</b> ECVAA-I050	<b>User:</b> BSCCo Ltd	<b>Title:</b> Remove all ECVNs and MVRNs from ECVAA for a Party in Section H Default feedback	<b>BSC Reference:</b> CP1140 CP1169
<b>Mechanism:</b> Manual, by email.	<b>Frequency:</b> As required	<b>Volumes:</b> Low	
<b>Interface Requirement:</b>  The ECVAA shall issue feedback to BSCCo Ltd following the <u>receipt of a request to remove all ECVNs and MVRNs for a Party in Section H default</u> , which shall contain:  <ol style="list-style-type: none"> <li>1. Party ID</li> <li>2. Removal effective from Date</li> <li>3. Removal effective from Period</li> <li>4. Any notes pertinent to this removal</li> </ol>			
<b>Physical Interface Details:</b>  The ECVAA-I050 shall be used on the following occasions:  Where the dis-application is to commence from Period 1:  <ol style="list-style-type: none"> <li>1. To confirm receipt of the ECVAA-I049.</li> <li>2. To confirm that all Notifications have been removed and all Authorisations terminated for the defaulting Party,</li> <li>3. To confirm that the Credit Check has been restarted.</li> <li>4. To confirm that the final check has been completed.</li> </ol> Where the dis-application is to commence from any period other than Period 1:  <ol style="list-style-type: none"> <li>1. To confirm receipt of the ECVAA-I049.</li> <li>2. To confirm that all Notifications have been removed from the next settlement day and all Authorisations terminated for the defaulting Party,</li> <li>3. To confirm that the Credit Check has been restarted.</li> <li>4. To confirm that the Volume Nullification process is completed. An update on the progress of each Volume Notification Nullification will be sent every working day if this process takes more than one working day.</li> <li>5. To confirm that the final check has been completed.</li> </ol> Note: additional informal communications may occur between the ECVAA and BSCCo by email and/or telephone as individual circumstances dictate.			

## 8 Interfaces From and To Stage 2

The physical formats of these files are defined in the SVA Data Catalogue and in the spreadsheet attached to this document. The definition in the SVA Data Catalogue is the master.

### 8.1 CDCA-I043: (output) GSP Group Take to SVAA

<b>Interface ID:</b> CDCA-I043	<b>User:</b> SVAA	<b>Title:</b> GSP Group Take to SVAA	<b>BSC Reference:</b> CDCA SD 22, 23.1, A, B CDCA BPM 4.13, CP593
<b>Mechanism:</b> Electronic data file transfer, Pool Transfer File Format	<b>Frequency:</b> Daily, for those Settlement Dates for which a CDCA run (excluding any Interim Initial runs for Settlement Dates prior to the P253 effective date) has taken place that day.	<b>Volumes:</b>	
<b>Interface Requirement:</b>			
<p>CDCA provides aggregated meter flow volumes for the GSP Groups to SVAA.</p> <p>The physical form of this interface is the existing GSP Group Take file sent from the SSA system to ISRA.</p> <p>One file per GSP Group, containing GSP Group Take Volumes produced by a CDCA Run (excluding any Interim Initial runs for Settlement Dates prior to the P253 effective date) for each Settlement Period of a Settlement Date.</p> <p>There are fields in the existing flow which are meaningless under the BSC, for which dummy or null values are provided. These fields are called Fillers in the physical flow.</p>			
<b>Physical Interface Details:</b>			
See the physical flow for details, in the Stage 2 tab of the IDD Part 2 spreadsheet.			
ZHD Header information:			
File Identifier	same as unique Id part of file name		
File Type	='P0012001'		
From Stage2 Role Code	='S'		
From Stage2 Participant Id	= Id allocated to CDCA by Stage 2		
To Stage2 Role Code	='G'		
To Stage2 Participant Id	='CAPG'		
Creation Time			
Sending Application Id	=NULL		
Receiving Application Id	=NULL		
Broadcast	=NULL		
Test Data Flag	indicates whether this is live data or test data		

## 8.2 CRA-I004: Agent Details

This interface is defined in Section 4. (SVAA registers itself with CRA.)

## 8.3 SAA-I007: (input) BM Unit Allocated Demand Volume

<b>Interface ID:</b> SAA-I007	<b>Source:</b> SVAA	<b>Title:</b> Allocated Supplier Volumes	<b>BSC Reference:</b> RETA SCH: 4, B, 2.4.1 SAA SD: 2.5, A1 SAA BPM: 3.4, 4.42, CP632
<b>Mechanism:</b> Electronic data file transfer, Pool Transfer File Format	<b>Frequency:</b> Daily, for each run the SVAA has done that day.	<b>Volumes:</b>	
<b>Interface Requirement:</b>			
The SAA Service shall receive BM Unit Allocated Demand Volume once a day from the SVAA.			
The BM Unit Allocated Demand Volume data shall include:			
<ul style="list-style-type: none"> <li>Supplier ID</li> <li>GSP Group ID</li> <li>BM Unit ID</li> <li>CDCA Settlement Date</li> <li>CDCA Run Number</li> <li>SVAA SSR Settlement Date</li> <li>SVAA SSR Run Number</li> <li>Settlement Period (1-50)</li> <li>Energy Volume Reading (MWh) (signed, consumption positive)</li> </ul>			
<b>Physical Interface Details:</b>			
See the physical flow for details, in the Stage 2 tab of the IDD Part 2 spreadsheet.			
ZHD Header information:			
File Identifier	same as unique Id part of file name		
File Type	='P0182001'		
From Stage2 Role Code	='G'		
From Stage2 Participant Id	='CAPG'		
To Stage2 Role Code	='F'		
To Stage2 Participant Id	= Id allocated to CDCA by Stage 2		
Creation Time			
Sending Application Id	=NULL		
Receiving Application Id	=NULL		
Broadcast	=NULL		
Test Data Flag	indicates whether this is live data or test data		

## 8.4 SAA-I016: (output, part 1) Settlement Calendar

This interface is defined in Part 1 of the Interface Definition and Design.

## 8.5 SAA-I017: (output, common) SAA Data Exception Report

This interface is defined in Part 1 of the Interface Definition and Design.

## 8.6 CRA-I015: (output) BM Unit Registration Data

This interface is defined in Section 4 (sub-flow 2 in the physical flow definition is specifically for the Stage 2 MDDA).

<b>Physical Interface Details:</b>	
See the physical flow for details, in the Stage 2 tab of the IDD Part 2 spreadsheet.	
ZHD Header information:	
File Identifier	same as unique Id part of file name
File Type	= 'P0181001'
From Stage2 Role Code	= 'Z'
From Stage2 Participant Id	= Id allocated to CDCA by Stage 2
To Stage2 Role Code	= 'U'
To Stage2 Participant Id	= 'CAPG'
Creation Time	
Sending Application Id	= NULL
Receiving Application Id	= NULL
Broadcast	= NULL
Test Data Flag	indicates whether this is live data or test data

## 9 Interfaces Within BSC Central Systems

### 9.1 BMRA-I001 (input): Registration Data

See CRA-I013 and CRA-I015 in section 4.

### 9.2 BMRA-I007 (output) SAA/ECVAA Balancing Mechanism Data

<b>Interface IDs:</b> From: BMRA-I007 To: SAA-I003 To: ECVAA-I048	<b>User:</b> SAA, ECVAA	<b>SAA/ECVAA</b> Balancing Mechanism Data	<b>BSC Reference:</b> RETA SCH: 4, B, 2.4.1 SAA SD: 2.1, A1, ITT Query Response Ref R-031 SAA BPM: 3.3, 4.3, 4.4, 4.17, 4.18, P71, P140, P217
<b>Mechanism:</b> BMRA stores the files it receives from the SO in a directory readable by SAA and ECVAA.	<b>Frequency:</b> As required for SAA and ECVAA.	<b>Volumes:</b> Between 1000 - 5000 BM units*. In each settlement period, at least 1 FPN data and 1 Bid-Offer Acceptance per BM unit. At most 10 Bid-Offer Pairs per BM unit (estimated 1000) that receives bids and offers.	
<p><b>Interface Requirement:</b></p> <p>The BMRA Service shall copy all Balancing Mechanism data that was received from the SO on settlement day N to a directory that is readable by SAA. The SAA shall load the data in time for the first (Interim) settlement run for settlement day N. . Physical Notification data shall additionally be copied to a directory readable by the ECVAA.</p> <p>* N.B. Only Physical Notification data will be read by ECVAA.</p> <p>Balancing mechanism data shall include all data listed in BMRA-I002 that was received from the SO, i.e:</p> <ul style="list-style-type: none"> <li>Physical Notification (PN)</li> <li>Quiescent PN (QPN)</li> <li>Bid-Offer Data (BOD)</li> <li>Applicable Balancing Services Volume (QAS)</li> <li>Maximum Export Limit (MEL)</li> <li>Maximum Import Limit (MIL)</li> <li>Run Up Rates Export (RURE)</li> <li>Run Up Rates Import (RURI)</li> <li>Run Down Rates Export (RDRE)</li> <li>Run Down Rates Import (RDRI)</li> <li>Notice to Deviate from Zero (NDZ)</li> <li>Notice to Deliver Offers (NTO)</li> <li>Notice to Deliver Bids (NTB)</li> <li>Minimum Zero Time (MZT)</li> <li>Minimum Non-Zero Time (MNZT)</li> <li>Stable Export Limit (SEL)</li> <li>Stable Import Limit (SIL)</li> <li>Maximum Delivery Volume (MDV)</li> <li>Maximum Delivery Period (MDP)</li> </ul> <p>For Settlement Dates prior to the P217 effective date this flow shall also include:</p> <ul style="list-style-type: none"> <li>Bid-Offer Acceptance Level (BOAL)</li> </ul> <p>For Settlement Dates after and including the P217 effective date this flow shall also include:</p> <ul style="list-style-type: none"> <li>Bid-Offer Acceptance Level Flagged (BOALF)</li> </ul>			
<p><b>Physical Interface Details:</b></p>			

### 9.3 **BMRA-I010: (output, common) Data Exception Reports**

This interface is defined in Part 1 of the Interface Definition and Design.

### 9.4 **BMRA-I018: (input) Publish Credit Default Report**

See ECVAA-I036 in this section.

### 9.5 **CDCA-I002: (input) Registration Data**

See CRA-I019 in this section.

### 9.6 **CDCA-I016: (input) Information from TAA**

<b>Interface ID:</b> CDCA-I016	<b>Source:</b> TAA	<b>Title:</b> Request for Metering System details	<b>BSC Reference:</b> TAA SD 3.2.3
<b>Mechanism:</b> Manual	<b>Frequency:</b> Quarterly	<b>Volumes:</b> 1	
<b>Interface Requirement:</b>			
<p>The TAA shall request from the CDCA the following details for each Metering Systems identified by the BSCCo Ltd as being in the Sampled category: This information shall be used by the TAA to ensure that a fair sample is selected, and to ensure that any selection guidance given by the BSCCo Ltd can be followed.</p> <ul style="list-style-type: none"> <li>• Relevant BSC Party</li> <li>• Meter Operator Agent</li> <li>• Metering Equipment technical details</li> <li>• Applicable Code of Practice</li> <li>• GSP and/or GSP Group</li> </ul>			

**9.7 CDCA-I020: (input) Site Visit Inspection Report**

<b>Interface ID:</b> CDCA-I020	<b>Source:</b> CDCA Site Visit Agent	<b>Title:</b> Site Visit Inspection Report	<b>BSC Reference:</b> CDCA SD 13.1- 13.7, CP753, CP756, P190
<b>Mechanism:</b> Manual, by email, letter or fax	<b>Frequency:</b> Ad hoc	<b>Volumes:</b> 50 per month	
<b>Interface Requirement:</b>			
On completion of the site inspection, the Site Visit Agent will provide a written report to CDCA detailing the outcome of the site inspection including, but not limited to meter readings.			
<b>Physical Interface Details:</b>			

**9.8 CDCA-I027: (output) Aggregated Interconnector Meter Flow Volumes**

<b>Interface ID:</b> From: CDCA-I027 To: SAA-I004	<b>User:</b> SAA	<b>Title:</b> Aggregated Interconnector Meter Flow Volumes	<b>BSC Reference:</b> CDCA SD 22, 23.1, A, B CDCA BPM 4.15, CP527
<b>Mechanism:</b> via shared database	<b>Frequency:</b> Daily	<b>Volumes:</b> Initially 96 (2 interconnectors * 48 readings). The number of interconnectors is expected to increase to 5 or 6.	
<b>Interface Requirement:</b>			
Aggregated meter flow volumes for the Interconnectors are sent to SAA, as follows for each Interconnector:			
Interconnector Identifier Settlement Date Settlement Period Estimate Indicator Date of aggregation Meter Volume CDCA Run Number Import/Export indicator (I/E)			
The Import/Export indicator indicates the direction of the energy flow: the Meter Volume is therefore unsigned.			
<b>Physical Interface Details:</b>			

## 9.9 CDCA-I028: (output) Aggregated BM Unit Meter Flow Volumes

<b>Interface ID:</b> From:CDCA-I028 To: SAA-I004	<b>User:</b> SAA	<b>Title:</b> Aggregated BM Unit Meter Flow Volumes	<b>BSC Reference:</b> CDCA SD 22, 23.1, A, B CDCA BPM 4.9, CP527
<b>Mechanism:</b> via shared database	<b>Frequency:</b> Daily	<b>Volumes:</b>	
<b>Interface Requirement:</b>			
Aggregated meter flow volumes for the BM Units are sent to SAA, as follows for each BM Unit:  BM Unit Identifier Settlement Date Settlement Period Estimate Indicator Date of aggregation Meter Volume CDCA Run Number Import/Export indicator (I/E)  The Import/Export indicator indicates the direction of the energy flow: the Meter Volume is therefore unsigned.			
<b>Physical Interface Details:</b>			

## 9.10 CDCA-I034:Settlement Calendar

This interface is defined in Part One as SAA-I016.

## 9.11 CDCA-I035: (input) Site Visit Report on Aggregation Rule Compliance

<b>Interface ID:</b> CDCA-I035	<b>User:</b> CDCA Site Visit Agent	<b>Title:</b> Site Visit Report on Aggregation Rule Compliance	<b>BSC Reference:</b> CDCA SD 22.4, CP756
<b>Mechanism:</b> Manual, by email, letter or fax	<b>Frequency:</b>	<b>Volumes:</b> Currently 12 GSP Groups in England & Wales	
<b>Interface Requirement:</b>			
A report from the site visit agent, after undertaking (where necessary) a site visit to verify the validity of the aggregation rules.			
<b>Physical Interface Details:</b>			

**9.12 CDCA-I036: (output) GSP Group Take to SAA**

<b>Interface ID:</b> From: CDCA-I036 To: SAA-I004	<b>User:</b> SAA	<b>Title:</b> GSP Group Take to SAA	<b>BSC Reference:</b> CDCA SD 22, 23.1, A, B CDCA BPM 4.13, CP527
<b>Mechanism:</b> via shared database	<b>Frequency:</b> Daily	<b>Volumes:</b> Currently 12 GSP Groups in England & Wales	
<b>Interface Requirement:</b>			
<p>CDCA provides aggregated meter flow volumes for the GSP Groups to SAA, as follows for each GSP Group:</p> <p>GSP Group Id                  Settlement Date                  Settlement Period                  Estimate Indicator                  Date of aggregation                  Meter Volume                  CDCA Run Number                  Import/Export indicator (I/E)</p> <p>The Import/Export indicator indicates the direction of the energy flow: the Meter Volume is therefore unsigned.</p>			
<b>Physical Interface Details:</b>			

**9.13 CDCA-I039: (output) Information to TAA**

<b>Interface ID:</b> From: CDCA-I039 To: TAA	<b>User:</b> TAA	<b>Title:</b> Information to TAA.	<b>BSC Reference:</b> CDCA SD 11.6 BPM
<b>Mechanism:</b> Manual	<b>Frequency:</b> As required	<b>Volumes:</b> estimate 10 per day (0.2% of 5000)	
<b>Interface Requirement:</b>			
<p>The CDCA carry out site inspections and liaise with the Technical Assurance Agent (TAA) as necessary.</p> <p>The CDCA sends the TAA the following Metering System details for all Metering Systems in the Sampled category.</p> <ul style="list-style-type: none"> <li>• Relevant BSC Party</li> <li>• Meter Operator Agent</li> <li>• Metering Equipment technical details</li> <li>• Applicable Code of Practice</li> <li>• GSP and/or GSP Group</li> </ul>			
<b>Physical Interface Details:</b>			

**9.14 CDCA-I050: (input) Data Exception Reports**

This interface is defined in Part One as SAA-I017.

**9.15 CRA-I010**

This interface is redundant.

**9.16 CRA-I013: (output, common) Issue Authentication Report**

This interface is defined in Section 4.

**9.17 CRA-I015: (output, common) BM Unit and Energy Account Registration Data**

This interface is defined in Section 4.

**9.18 CRA-I017 (output): Credit Assessment Capability**

<b>Interface ID:</b> From: CRA-I017 To: ECVAA-I001 To: SAA-I002	<b>User:</b> ECVAA, SAA	<b>Title:</b> Credit Assessment Capability	<b>BSC Reference:</b> SAA SD: 2.7, A1 SAA BPM: 3.1, CRA 7.2.2
<b>Mechanism:</b> Via shared database with SAA and electronic data file transfer to ECVAA	<b>Frequency:</b> Monthly or Ad- hoc	<b>Volumes:</b>	
<b>Interface Requirement:</b>			
The CRA Service shall issue the Credit Assessment to the SAA and ECVAA Services from time to time. The report shall contain:			
<u>Credit Assessment Details</u>			
BM Unit ID			
BM Unit Credit Assessment Export Capability (BMCAEC)			
BM Unit Credit Assessment Import Capability (BMCAIC)			
Effective From Date			
Effective To Date			
<b>Physical Interface Details:</b>			

**9.19 CRA-I019: (output) Registration Data**

<b>Interface ID:</b> From: CRA-I019 To: CDCA-I002	<b>User:</b> CDCA	<b>Title:</b> Registration Data	<b>BSC Reference:</b> CDCA SD: 4.6-4.14, A CDCA BPM 4.16, P100, P197, P215
<b>Mechanism:</b> Via shared database	<b>Frequency:</b> Daily	<b>Volumes:</b> Low	
<b>Interface Requirement:</b>			
<p><b>Interface Requirement:</b></p> <p>The CRA Service shall issue to the CDCA the registered meter data required by that system. This will contain:</p> <p>Note: Certification /Accreditation refers to Qualification.</p> <p><u>BSC Party Details</u>  BSC Party Name  BSC Party ID</p> <p><u>Party Role Details</u>  BSC Party Type  Registration Effective From Date  Registration Effective To Date</p> <p><u>Role Address Details</u>  Address  Telephone No  Fax No  e-mail Address</p> <p><u>Settlement Report Details</u>  Report Type  Distribution Method</p> <p><u>Authentication Details</u>  Name  Password</p> <p><u>Authorised Signatories</u>  Name  Password  Contact Phone No  e-mail Address</p> <p><u>Authorisation Levels</u>  Activity  Effective From Date  Effective To Date</p> <p><u>Interconnector Administrator Details</u>  Interconnector Administrator Name  Interconnector Administrator ID  Interconnector ID  GSP Group ID (optional)  Registration Effective From Date  Registration Effective To Date</p> <p><u>Contact Details</u>  Name  Telephone No  Fax No  e-mail Address  Effective From Date  Effective To Date</p>			

Meter Operator Agent Details

Meter Operation Agent Name  
Meter Operation Agent Identifier  
Registration Effective From Date  
Registration Effective To Date

Role Address Details

Address  
Telephone No  
Fax No  
e-mail Address

Authorised Signatories

Name  
Password  
Contact Phone No  
e-mail Address

Authorisation Levels

Activity  
Effective From Date  
Effective To Date

Certification/Accreditation Details

Certification/Accreditation Status

Metering System Registration Details

Metering System Identifier  
BSC Party ID  
Meter Operator Agent ID  
Effective From Date  
Effective To Date

Boundary Point Details

Boundary Point ID  
Boundary Point Type  
Effective From Date  
Effective To Date

BM Unit Registration Details

BM Unit Name  
BM Unit ID  
BM Unit Type  
NGC BM Unit Name  
GSP Group ID  
Trading Unit Name  
Lead Party Identifier  
Generation Capacity (MW)  
Demand Capacity (MW)  
Production / Consumption Flag  
Exempt Export Flag  
Base TU Flag  
Transmission Loss Factor  
FPN flag  
Credit Qualifying Status  
Interconnector ID  
Effective From Date  
Effective To Date

Interconnector Registration Details

Name  
Additional Details  
Interconnector ID  
Effective From Date  
Effective To Date

<p><u>GSP Group Registration Details</u></p> <p>GSP Group Registrant (ie the responsible distribution business)                  GSP Group ID                  GSP Group Name</p> <p><u>GSP Details</u>                  GSP ID                  Effective From Date                  Effective To Date</p>
<p><b>Physical Interface Details:</b></p>

**9.20 CRA-I022: (output) Metering System Details**

<b>Interface ID:</b> From: CRA-I022 To: TAA	<b>User:</b> TAA	<b>Title:</b> Metering System Details	<b>BSC Reference:</b> CRA SD 10.3
<b>Mechanism:</b> Manual	<b>Frequency:</b> On Request	<b>Volumes:</b> Low	
<b>Interface Requirement:</b>			
<p>The CRA system shall issue a report on the metering systems attributed to a given Technical Assurance Agent.</p> <p><u>Metering System Registration Data</u></p> <p><u>Metering System Details</u>                  Action Code                  Metering System Identifier                  BSC Party ID (registrant)                  Meter Operator Agent ID                  Effective From Date                  Effective To Date</p> <p>The first field of each record of the report is an Action Code, indicating whether the record has a) been added or changed; b) been deleted or c) not changed.</p>			
<b>Physical Interface Details:</b>			
A physical definition is included in the spreadsheet to define the format of the report which is printed out and passed to TAA.			

**9.21 CRA-I030: (input) Data Exception Reports**

This interface is defined in Section 4 as ECVAA-I016 and SAA-I017, and in Part 1 of the Interface Definition and Design as BMRA-I010.

**9.22 CRA-I045: (input) Withdrawing Party Authorisation and Notification Details**

See ECVAA-I047 in this section.

**9.23 CRA-I046: (input) Withdrawing Party Settlement Details**

**9.24 See SAA-I037 in this section. ECVAA-I001 (input): Registration Data**

See CRA-I013 and CRA-I015 in section 4, CRA-I017 in this section

**9.25 ECVAA-I011: Account Bilateral Contract Volume Report**

<b>Interface ID::</b> From: ECVAA-I011 To: SAA-I008	<b>User:</b> SAA	<b>Title:</b> Account Bilateral Contract Volume Report	<b>BSC Reference:</b> ECVAA SD: 8.5, A RETA ERR: 6 ECVAA BPM: 3.3, 4.21 RETA SCH: 4, B, 3.1, CP527
<b>Mechanism:</b> Electronic data file transfer	<b>Frequency:</b> Daily and in support of disputes	<b>Volumes:</b>	
<p><b>Interface Requirement:</b></p> <p>The ECVAA Service shall issue an Account Bilateral Contract Volume Report to the SAA once a day. At the end of each Settlement Day, the ECVAA shall report Account Bilateral Contract Volumes for that Settlement Day to the SAA.</p> <p>The ECVAA Service shall issue a revised Account Bilateral Contract Volume Report to the SAA as required to support disputes.</p> <p>Note: Revision of ECVAA data in support of disputes will not cause credit cover tests to be retrospectively applied.</p>			
<p>The Account Bilateral Contract Volume Report shall include:</p> <ul style="list-style-type: none"> <li>BSC Party ID</li> <li>Production/Consumption flag</li> <li>ECVAA Run Number</li> <li>Settlement Date</li> <li>Settlement Period (1-50)</li> <li>Account Bilateral Contract Volume (MWh)</li> </ul>			

**9.26 ECVAA-I012: MVRN Report**

<b>Interface ID:</b> From: ECVAA-I012 To: SAA-I008	<b>User:</b> SAA	<b>Title:</b> MVRN Report	<b>BSC Reference:</b> ECVAA SD: 9.2, 9.4, A RETA ERR: 2 ECVAA BPM: 3.3, 4.19 RETA SCH: 4, B, 3.1, CP527
<b>Mechanism:</b> Electronic data file transfer	<b>Frequency:</b> Daily and in support of disputes	<b>Volumes:</b> Medium	
<b>Interface Requirement:</b>			
<p>The ECVAA Service shall issue a Metered Volume Reallocation Notification Report (initial and revised) to the SAA once a day. At the end of each Settlement Day, the ECVAA shall report valid Metered Volume Reallocation Notifications for that Settlement Day to the SAA.</p> <p>The ECVAA Service shall issue a revised Metered Volume Reallocation Notification Report to the SAA as required to support disputes.</p> <p>Note: Revision of ECVAA data in support of disputes will not cause credit cover tests to be retrospectively applied.</p> <p>The Metered Volume Reallocation Notification Report shall comprise:</p> <ul style="list-style-type: none"> <li>BM Unit ID</li> <li>ECVAA Run Number</li> <li>Settlement Date</li> <li>Settlement Period (1-50)</li> <li>Lead Party Production/Consumption flag</li> <li>Subsidiary Party ID</li> <li>Subsidiary Party Energy Account Production/Consumption flag</li> <li>Metered Volume Fixed Reallocation (MWh)</li> <li>Metered Volume Percentage Reallocation (%)</li> </ul>			

**9.27 ECVAA-I016: (output, common) ECVAA Data Exception Report**

This interface is defined in Section 4.

**9.28 ECVAA-I020: (input) Data Exception Reports**

This interface is defined in Part One as SAA-I017.

## 9.29 ECVAA-I036: (output) Publish Credit Default Report

<b>Interface ID::</b> From: ECVAA-I036 To: BMRA-I018	<b>User:</b> BMRA	<b>Title:</b> Publish Credit Default Report	<b>BSC Reference:</b> CP703, Variation 45
<b>Mechanism:</b> Electronic Data File Transfer	<b>Frequency:</b> As required	<b>Volumes:</b> Low	
<p><b>Interface Requirement:</b> The ECVAA Service shall issue a Publish Credit Default Report to the BMRA as described in requirement ECVAA-F007.</p> <p>The Publish Credit Default Report shall comprise:</p> <p>Credit Default Notice:</p> <p>BSC Party ID Credit Default Level Entered Default Settlement Day Entered Default Settlement Period Cleared Default Settlement Day Cleared Default Settlement Period Cleared Default Reason</p> <p>Notes: The Credit Default Level may be one of the following: Level 1 Default; Level 2 Default; The Entered Settlement Day and Entered Settlement Period indicate when the BSC Party entered the reported default level. The Cleared Settlement Day and Cleared Settlement Period indicate when the BSC Party cleared the reported default level. The Cleared Default Reason indicates why the Party cleared default and may include one of the following Credit Cover Percentage &lt;= 75% of Credit Limit (Level 1 Default) Credit Cover Percentage &lt;= 90% of Credit Limit (Level 2 Default) Authorisation Withdrawn by BSCCo Ltd (Discretionary). Authorisation Withdrawn by BSCCo Ltd (Trading Dispute Upheld) Party Withdrawn from BSC</p>			

### 9.30 ECVAA-I047: (output) Withdrawing Party Authorisation and Notification Details

<b>Interface ID:</b> ECVAA-I047	<b>User:</b> CRA	<b>Title:</b> Withdrawing Party Authorisation and Notification Details	<b>BSC Reference:</b> CP974
<b>Mechanism:</b> Manual, by email or fax	<b>Frequency:</b> On request	<b>Volumes:</b> Low	
<b>Interface Requirement:</b>			
<p>The ECVAA shall issue details of outstanding authorisations and notifications for a withdrawing participant, on request from the CRA.</p> <p>Report Date BSC Party / BSC Party Agent Name BSC Party / BSC Party Agent Id</p> <p><u>Authorisation and Notification Details</u> Indication of outstanding ECVNA / MVRNA authorisations for the party / agent<sup>1</sup> Date of last outstanding non-zero notifications for the party<sup>2</sup></p> <ol style="list-style-type: none"> <li>1. This field is set to "Yes" if outstanding ECVNA / MVRNA authorisations are in place or "No" otherwise. An outstanding authorisation is one where the effective to date is null or equal to or greater than the report date. If outstanding authorisations are found the maximum effective to date is given.</li> <li>2. The date of the last outstanding non-zero notification gives the last date for which there are outstanding non-zero ECVN / MVRN volumes relating to the party. For the avoidance of doubt, this check is done at the individual notification level (i.e. not after netting the notifications to give the overall contract position). Where the party has a notification in place with no effective to date, the date of the last outstanding non-zero notification is reported as "evergreen".</li> </ol>			
<b>Physical Interface Details:</b>			

### 9.31 ECVAA-I048 (input) Physical Notification Data

See BMRA-I007 in this section.

### 9.32 SAA-I013: (output) Credit/Debit

This interface is defined in Section 4.

### 9.33 SAA-I001 (input): Registration Data

See CRA-I013 and CRA-I015 in section 4.

### 9.34 SAA-I002 (input): Credit Assessment Capability

See CRA-I017 in this section

### 9.35 SAA-I003 (input) SAA Balancing Mechanism Data

See BMRA-I007 in this section.

**9.36 SAA-I004: (input) Period Meter Data**

See CDCA-I027, CDCA-I028 and CDCA-I036 in this section.

**9.37 SAA-I008: MVRN Report**

See ECVAA-I011 and ECVAA-I012 in this section.

**9.38 SAA-I015**

This interface is redundant.

**9.39 SAA-I016: (output, part 1) Settlement Calendar**

This interface is defined in Part 1 of the Interface Definition and Design.

**9.40 SAA-I017: (output, common) SAA Data Exception Report**

This interface is defined in Part 1 of the Interface Definition and Design.

**9.41 SAA-I037: (output) Withdrawing Party Settlement Details**

<b>Interface ID:</b> SAA-I037	<b>User:</b> CRA	<b>Title:</b> Withdrawing Party Settlement Details	<b>BSC Reference:</b> CP974
<b>Mechanism:</b> Manual, via shared database	<b>Frequency:</b> On request	<b>Volumes:</b> Low	
<b>Interface Requirement:</b>			
<p>The SAA shall issue settlement details for a withdrawing participant, on request from the CRA.</p> <p>Report Date BSC Party Name BSC Party Id</p> <p><u>Settlement Details</u> Date of last non-zero metered volumes held in SAA</p> <p>The date of the last metered volumes held in SAA is the last settlement date for which the party has non-zero metered volumes registered against its Interconnector, Supplier or CDCA metered BM Units.</p>			
<b>Physical Interface Details:</b>			

### 9.42 CRA-I036: (output) Notification Agent Termination Request

<b>Interface ID:</b> From: CRA-I036 To: ECVAA-I030	<b>User:</b> ECVAA	<b>Title:</b> Notification Agent Termination Request	<b>BSC Reference:</b> CP503
<b>Mechanism:</b> Manual	<b>Frequency:</b> As required	<b>Volumes:</b> Low	
<b>Interface Requirement:</b>			
<p>The CRA Service shall issue Notification Agent Termination Requests to ECVAA when CRA is in the process of terminating an MVRNA or ECVNA role.</p> <p>The Notification Agent Termination Request shall comprise:</p> <p><u>Notification Agent Termination Request:</u></p> <p style="padding-left: 40px;">BSC Party Agent Id BSC Party Agent Role (MVRNA or ECVNA) Termination effective date</p>			
<b>Physical Interface Details:</b>			

### 9.43 ECVAA-I031: (output) Notification Agent Termination Feedback

<b>Interface ID:</b> From: ECVAA-I031 To: CRA-I037	<b>User:</b> CRA	<b>Title:</b> Notification Agent Termination Feedback	<b>BSC Reference:</b> CP503
<b>Mechanism:</b> Manual	<b>Frequency:</b> As required	<b>Volumes:</b> Low	
<b>Interface Requirement:</b>			
<p>The ECVAA Service shall issue a Notification Agent Termination Feedback to CRA in response to a Notification Agent Termination Request.</p> <p>The Notification Agent Termination Feedback shall comprise:</p> <p><u>Notification Agent Termination Feedback:</u></p> <p style="padding-left: 40px;">BSC Party Agent Id BSC Party Agent Role (MVRNA or ECVNA) Termination effective date Termination Status</p> <p>Notes:</p> <p>Termination status may indicate one of two situations:</p> <ol style="list-style-type: none"> <li>1. The notification agent has no outstanding notification authorisations beyond the termination effective date (and therefore CRA may terminate the role)</li> <li>2. The notification agent has some outstanding notification authorisations beyond the termination effective date (and therefore CRA may not terminate the role)</li> </ol>			
<b>Physical Interface Details:</b>			

**9.44 ECVAA-I033: (input) Credit/Debit Reports**

See SAA-I013 in Section 4.

**9.45 CDCA-I040: (output) BM Unit ‘Credit Cover’ Meter Volume Data Report**

<b>Interface ID:</b> From: CDCA-I040 To: ECVAA-I015	<b>User:</b> ECVAA	<b>Title:</b> BM Unit ‘Credit Cover’ Meter Volume Data Report	<b>BSC Reference:</b> P215
<b>Mechanism:</b> Electronic Data File Transfer	<b>Frequency:</b> As required or daily	<b>Volumes:</b> Up to 5000 BM Units	
<b>Interface Requirement:</b>			
<p>Credit Cover meter volume data for BM Units is sent to ECVAA, as follows for each BM Unit:</p> <p>BM Unit Identifier                      Settlement Date                          Settlement Period                          Meter Volume</p> <p>A Meter Volume value of NULL is used to represent where no value could be generated.</p>			
<b>Physical Interface Details:</b>			

**9.46 ECVAA-I015: (input) BM Unit ‘Credit Cover’ Meter Volume Data**

See CDCA-I040 in section 9.

## 10 Interfaces From and To Transfer Coordinator

### 10.1 CRA-I023: Issue Registration Transfer Report

<b>Interface ID:</b> CRA-I023	<b>User:</b> Transfer Coordinator (BSCCo)	<b>Title:</b> Issue Registration Transfer Report	<b>BSC Reference:</b> CRA SD 11.2, CP753, CP1223
<b>Mechanism:</b> Manual	<b>Frequency:</b> On Change of Status	<b>Volumes:</b> Low	
<b>Interface Requirement:</b>			
On completion of entry of confirmed updates resulting from a transfer of metering system(s) to or from SMRA, the CRA shall issue a report to the Transfer Coordinator detailing the data entered.			
<u>Metering System registration details</u> Metering System Identifier Meter Operator Agent ID Effective from date Effective to date  <u>BM Unit details</u> BM Unit ID Effective from date Effective to date <u>SVA metering system identifiers</u> SVA MSID (as supplied with CRA-I005)			
<b>Physical Interface Details:</b>			
The report is a copy of data held on the database for each item. Note that SVA MSIDs as specified in CRA-I005 are not entered on the database and so, where this is available, a copy of the original CRA-I005 flow as received will form part of this report.			

### 10.2 CRA-I038: Transfer from SMRS information

This interface is defined in Part 1 of the Interface Definition and Design.

**10.3 CRA-I039: Transfer from SMRS report**

<b>Interface ID:</b> CRA-I039	<b>User:</b> Transfer Coordinator	<b>Title:</b> Transfer from SMRS report	<b>BSC Reference:</b> CP753
<b>Mechanism:</b> Manual	<b>Frequency:</b> On Demand	<b>Volumes:</b> low	
<b>Interface Requirement:</b>			
<p>The following information is reported to the Transfer coordinator following receipt of new transfer from SMRS information</p> <ul style="list-style-type: none"> <li>SVA registrant</li> <li>Import SVA MSID</li> <li>Export SVA MSID</li> <li>Import CVA MSID</li> <li>Export CVA MSID</li> <li>CVA MOA</li> <li>Site name</li> <li>BM Unit Id(s)</li> </ul> <p>Whether the CVA registrant is registered as a party in CMRS.                  Whether the CVA Registrant has nominated a BM Unit Id to be registered in CMRS.                  Whether the Registration Effective From Date is operationally achievable.                  Whether the nominated BM Unit Id is ready for Registration in CMRS when the Registration Effective From Date is Confirmed by the Transfer Co-ordinator.                  Whether the MOA in the Metering Systems Registration is valid.                  Whether the transfer request is valid                  comments/reasons for being invalid</p> <p>Note:                  SVA data can only be reported where this has been provided by the registrant</p>			
<b>Physical Interface Details:</b>			

**10.4 CRA-I040: Transfer to SMRS information**

This interface is defined in Part 1 of the Interface Definition and Design.

**10.5 CRA-I041: Transfer to SMRS report**

<b>Interface ID:</b> CRA-I041	<b>User:</b> Transfer Coordinator	<b>Title:</b> Transfer to SMRS report	<b>BSC Reference:</b> CP753
<b>Mechanism:</b> Manual	<b>Frequency:</b> On Demand	<b>Volumes:</b> low	
<b>Interface Requirement:</b>			
<p>The following information is reported to the Transfer coordinator following receipt of new transfer to SMRS information</p> <ul style="list-style-type: none"> <li>CVA registrant</li> <li>Import SVA MSID</li> <li>Export SVA MSID</li> <li>Import CVA MSID</li> <li>Export CVA MSID</li> <li>Site name</li> <li>BM Unit Id(s)</li> </ul> <p>Whether the Metering System is registered in CRA  Whether the BM Unit(s) are registered in CRA  Whether the effective to date is possible  Whether the BM Unit is ready for deregistration  whether the BM Unit is part of a Trading Unit registered using CRA-F015  Whether the transfer request is valid  comments/reasons for being invalid</p> <p>Note:  SVA data can only be reported where this has been provided by the registrant</p>			
<b>Physical Interface Details:</b>			

**10.6 CDCA-I055: (input)Transfer from SMRS information**

This interface is defined in Part 1 of the Interface Definition and Design.

**10.7 CDCA-I056: (output)Transfer from SMRS report**

<b>Interface ID:</b> CDCA-I056	<b>User:</b> Transfer Coordinator	<b>Title:</b> Transfer from SMRS report	<b>BSC Reference:</b> CP753
<b>Mechanism:</b> Manual	<b>Frequency:</b> On Demand	<b>Volumes:</b> low	
<b>Interface Requirement:</b>			
<p>The following information is reported to the Transfer coordinator following receipt of new transfer from SMRS information</p> <ul style="list-style-type: none"> <li>SVA registrant</li> <li>Import SVA MSID</li> <li>Export SVA MSID</li> <li>Import CVA MSID</li> <li>Export CVA MSID</li> <li>CVA MOA</li> <li>Site name</li> <li>BM Unit Id(s)</li> </ul> <p>Whether aggregation rules have been registered for the BM Units                  Whether the BM Units and CVA Metering Systems are linked by the aggregation rules                  Whether the transfer request is valid                  comments/reasons for being invalid</p>			
<b>Physical Interface Details:</b>			

**10.8 CDCA-I057: (input) Transfer to SMRS information**

This interface is defined in Part 1 of the Interface Definition and Design.

**10.9 CDCA-I058: (output) Transfer to SMRS report**

<b>Interface ID:</b> CDCA-I058	<b>User:</b> Transfer Coordinator	<b>Title:</b> Transfer to SMRS report	<b>BSC Reference:</b> CP753
<b>Mechanism:</b> Manual	<b>Frequency:</b> On Demand	<b>Volumes:</b> low	
<b>Interface Requirement:</b>			
<p>The following information is reported to the Transfer coordinator following receipt of new transfer to SMRS information</p> <ul style="list-style-type: none"> <li>CVA registrant</li> <li>Import SVA MSID</li> <li>Export SVA MSID</li> <li>Import CVA MSID</li> <li>Export CVA MSID</li> <li>Site name</li> <li>BM Unit Id(s)</li> </ul> <p>Whether aggregation rules have been registered for the BM Units                  Whether the BM Units and CVA Metering Systems are linked by the aggregation rules                  Whether the transfer request is valid                  comments/reasons for being invalid</p>			
<b>Physical Interface Details:</b>			