

## CP1382 'Clarification of IDD Rules for Leading Zeroes'

CP1382 proposes changes to NETA IDD Part 1 section 2.2.3.

We have redlined these changes against Version 28.

Amend table in section 2.2.3 as follows:

type	rules
integer (n)	optional leading “-” for negative numbers no leading zeros maximum n digits <i>field may have “-” and from 1 to n digits</i>
decimal (n,d)	<del>n must be greater than or equal to d</del> <del>optional leading “-” for negative numbers</del> <del>no leading zeros, except where n = d, then number starts “0.”</del> <del>no trailing zeros</del> maximum n digits maximum d digits after decimal point maximum (n-d) digits before decimal point; <del>except where n=d, then number starts with “0.”</del> <del>leading “-” required for negative numbers</del> <del>no trailing zeros</del> <del>no leading zeros other than where value is between -1 and 1, then number may start with “0.”</del> <del>field may have “-”; from 1 to (n-d) digits; and optionally “.” and up to d digits.</del> <del>Thus the maximum field width is n+2 in the case of a negative value, except for the special case of n=d, where the maximum field width is n+3 including the leading zero.</del> <del>e.g.: 123.456 is decimal (6,3)</del> <del>-0.123 is a decimal (3,3)</del> To clarify <del>the valid values between -1 and -1</del> , the value 0.123 can be represented as: 0.123 or .123, but not: 00.123 <u>(an invalid leading zero)</u> or 0.1230 <u>(an invalid trailing zero)</u>  Valid representations of zero are: 0 0.0 .0 0. -0 -0.0 -.0 -0. but not as a decimal point with no digits.
text (n)	up to n characters field may not contain field separator no leading spaces no trailing spaces
boolean	T or F
date	YYYYMMDD
time	HHMM

timestamp	HHMMSS
datetime	YYYYMMDDHHMMSS
char	single character
null	if a field is no longer needed in a future version of a flow, then its data type will be defined to be null, meaning that its value is always null