

CP1398

About this document:

This is an Assessment Consultation document, which provides details of the background, solution, potential impacts and costs associated with CP1398 'Clarifications to BSCP520 'Unmetered Supplies registered in SMRS'. This document is for information only, to be used in line with the Consultation Response form, to which this document is attached.

1. Why Change?

Background

The defined changes for Unmetered Supplies (UMS) Code Subsidiary Documents (CSDs) are batched up once a year. This follows identification and a review of the proposed redlining by the UMS User Group (UMSUG¹), which provides advice on specific UMS related matters.

At the UMSUG meeting in April 2013 ([UMSUG109/04](http://www.elexon.co.uk/group/unmetered-supplies-user-group-umsug/)), ELEXON identified its intended changes to Balancing and Settlement Code Procedure (BSCP) 520 'Unmetered Supplies registered in SMRS'.

ELEXON received a number of UMSUG member review comments² on BSCP520.

At its July 2013 meeting, the UMSUG ([UMSUG110/02](http://www.elexon.co.uk/group/unmetered-supplies-user-group-umsug/)) agreed the final changes and clarifications to BSCP520 and noted that ELEXON will raise a Change Proposal (CP) for the Supplier Volume Allocation Group's (SVG's) approval.

What is the issue?

Changes are required, which include typographical errors, omission and duplication, for clarification purposes to prevent non-material audit issues due to inconsistencies in the documents. This includes:

- Provide clarity on photo-electric cell unit (PECU) arrays: ± 20 second definitions following auditor issues;
- Clarify Meter Administrator (MA) responsibilities in responding to MDD changes;
- Remove duplication of Appendices 4.3; and
- Address numbering reference issues in Section 4.5.1(2).

¹ <http://www.elexon.co.uk/group/unmetered-supplies-user-group-umsug/>

² http://www.elexon.co.uk/wp-content/uploads/2013/05/UMSUG110_02A_BSCP520_OID1.pdf



Assessment Consultation

ELEXON raised CP1398 'Clarifications to BSCP520 'Unmetered Supplies registered in SMRS' on 20 August 2013 to address this issue.

2. Solution

This CP seeks to clarify BSCP520 to prevent non-material audit issues and address any typographical errors, omissions and duplications.

Question 1

Do you agree with the proposed change?

3. Impacts and Costs

Potential Central Impacts and Costs

ELEXON Estimated Costs and Potential Impacts		
Document Changes	System Changes/Impacts	Total
BSCP520	No system changes or impacts identified.	1 man day equating to £240

Potential Party Impacts and Costs

We do not foresee any party impacts associated with CP1398.

Question 2

Is your organisation impacted? If yes, please answer the following:

Question 3

How is your organisation impacted?

Question 4

What are the associated costs on your organisation to implement this change?



Assessment Consultation

4. Implementation Approach

CP1398 is targeted for implementation on 27 February 2014 as part of the February 2014 BSC Systems Release.

Question 5

Do you agree with the implementation approach? If not, why?

Question 6

Do you have any other comments?

Attachments:

Attachment A – CP1398 Form

Attachment B – CP1398 - BSCP520 Redlining v0.1

For more information, please contact:

Claire Anthony

Change Analyst, Transformation Delivery

claire.anthony@elexon.co.uk

020 7380 4293