

Extracts from proposed BSC changes published by DECC on 15 January - HHDA Metering Option for the Capacity Market:

SECTION K: CLASSIFICATION AND REGISTRATION OF METERING SYSTEMS AND BM UNITS (V34.0)

3. CONFIGURATION AND REGISTRATION OF BM UNITS

3.3 Supplier BM Units

Insert new paragraph 3.3.12 to read as follows:

3.3.12 Where a Supplier is the Registrant of SVA Metering System(s) associated with CFD Assets, the Supplier shall in respect of those CFD Assets:

(a) ensure that Additional BM Unit(s) have been registered in accordance with this Section K; and

(b) assign only the Relevant CFD Assets to such Additional BM Unit(s); or

3.3.13 Where a Supplier is the Registrant of SVA Metering System(s) associated with CM Assets, the Supplier shall either:

(a) in respect of those CM Assets:

(i) ensure that Additional BM Unit(s) have been registered in accordance with this Section K; and

(ii) assign only the Relevant CM Assets to such Additional BM Unit(s);
or

(b) comply with the requirements of Section S2.9.

SECTION S: SUPPLIER VOLUME ALLOCATION (V20.0)

2. RESPONSIBILITIES OF SUPPLIERS AND SUPPLIER AGENTS

2.4 Data Aggregators

Amend paragraph 2.4.1 to read as follows:

2.4.1 The principal functions of a Half Hourly Data Aggregator are, in accordance with this Section S, the Supplier Volume Allocation Rules, BSCP503 and Party Service Line 100:

(a) to receive half-hourly data from the relevant Half Hourly Data Collectors;

(b) to validate data and provide reports;

(c) to enter data into the relevant data aggregation system;

(d) to maintain relevant standing data;

- (e) to receive and maintain Line Loss Factors provided by BSCCo and approved by the Panel;
- (f) to aggregate the metered data in MWh in the relevant data aggregation system;
- (g) to receive and maintain Additional BM Unit data for each Supplier (in respect of which such Half Hourly Data Aggregator is appointed) and to receive, validate and maintain details of the SVA Metering Systems for which such Supplier is the Registrant allocated by that Supplier to its Additional BM Units in the same GSP Group;
- (h) to provide to the SVAA data aggregated by Supplier BM Unit or by Supplier and by GSP Group in accordance with the further provisions of this Section S-;
- (i) where applicable, to provide metered data to an EMR Settlement Services Provider in accordance with paragraph 2.9.

Insert new paragraph 2.9 as follows:

2.9 Provision of Data to the CM Settlement Services Provider

2.9.1 Where a Supplier that is the Registrant of an SVA Metering System associated with CM Assets is so requested by a Customer or generator that has entered into a Capacity Agreement in respect of those CM Assets then that Supplier shall ensure that its Half Hourly Data Aggregator provides metered data relating to that SVA Metering System to the CM Settlement Services Provider in accordance with BSCP503.