






Serial SP09. GSP Group: Eastern (_A). Reporting Period 1 to 31 July 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
ARIZ 1.2
AVRO
BGAS 0.1
BIZZ 0.1
BNRG 0.1
BORE 0.1
BREZ 0.3
CNRG 0.3
COMT 0.4
COOP 0.2
COVE 1.2
CPPR
DESL 0.2
DUAL 2.0
EBES 0.5
ECOT 2.1
EDDI 0.6
EELC 0.1
EFLS 0.4
EMEB 0.6
ENRD 0.3
EURO 0.1
FRST 0.1
FXGL
GESL
GETW 0.1
GNRG 0.7
HOME
HPOW 0.5
IMPO 0.3
INDE 1.2
IRID 0.1
JERE 0.1
LOND 0.3
LORM 1.0
LUMO 0.2
LVDR 0.1
MIDE 0.1
MONT 0.2
MRCY 0.5
NATP 0.3
NEEB 0.2
NORW 0.1
OSMI 0.1
OVOE 0.1
OXPO 0.6
PGEN 0.1
PILO 2.5
PION 0.2
PSUK 0.7
PURE
REGE 0.5
RWED 0.8
SANT 0.6
SEEB
SINQ
SOUT
SPOW 0.7
SPRK 0.9
SWAE
SWEB 0.1
SYMB 3.8
TGPL 2.4
THLE 0.7
THRE 1.1
TNDO 0.1
TULP
VIRG 0.2
WASH
YELG 0.1
ZPYR 0.1
YELG 0.1
ZPYR 0.1
Supplier ID
Performance
Industry Standard (0.1%)



Serial SP09. GSP Group: East Midlands (_B). Reporting Period 1 to 31 July 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
ARIZ 0.9
AVRO 0.1
BGAS 0.1
BIZZ 0.1
BNRG 0.2
BORE
CNRG 0.2
COOP 0.4
COVE 1.6
DESL 0.3
DUAL 1.7
EBES 0.6
ECOT 1.8
EDDI 0.7
EENG
EMEB 0.4
ENRD 0.5
EURO 0.2
FRST 0.2
FXGL
GESL 0.1
GETW 0.1
HOME
HPOW 0.6
HYDE
IMPO 0.4
INDE 1.9
IRID 0.1
JERE 0.3
LOND 0.6
LORM 0.4
LUMO 0.1
LVDR 0.1
MIDE 0.3
MONT 0.7
MRCY 0.8
NATP 0.3
NEEB 0.4
NORW
OSMI 0.1
OVOE 0.2
OXPO 0.3
PGEN 0.2
PILO 2.8
PION 0.4
PSUK 0.6
PURE 0.2
REGE 0.7
RWED 0.2
SANT 0.8
SEEB 0.1
SINQ
SOUT
SPOW 0.7
SPRK 1.2
SWEB 0.1
SYMB 3.0
TGPL 2.4
THLE 0.7
TNDO
TULP 0.1
WASH
YELG 0.5
ZPYR 0.1
Supplier ID
Performance
Industry Standard (0.1%)



Serial SP09. GSP Group: London (_C). Reporting Period 1 to 31 July 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
ARIZ 0.1
AVRO 0.1
BGAS
BIZZ 0.2
BNRG
CNRG 0.1
COOP 0.1
COVE 0.8
DESL 0.4
DUAL 1.4
EBES 0.5
ECOT 1.0
EDDI 0.4
EENG
EFLS 0.1
EMEB 0.4
ENRD 0.2
EURO 0.1
FRST
FXGL
GESL
GETW 0.1
GNRG 0.7
HOME 0.1
HPOW 1.3
IMPO 0.4
INDE 0.9
IRID 0.2
JERE
LOND 0.1
LORM 0.3
LUME
LUMO 0.1
LVDR 0.1
MIDE
MONT 0.1
MRCY 0.4
NATP 0.9
NEEB 0.1
NORW 0.3
OSMI 0.1
OVOE 0.1
OXPO 0.3
PILO 3.3
PION 0.1
PSUK 0.8
PURE
REGE 0.2
SANT 0.6
SEEB
SOUT
SPOW 1.2
SPRK 0.5
TGPL 1.1
THLE 0.3
THRE 0.7
TNDO
TULP
WASH
ZPYR
WASH 0.1
ZPYR
Supplier ID
Performance
Industry Standard (0.1%)



Serial SP09. GSP Group: Merseyside and North Wales (_D). Reporting Period 1 to 31 July 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
ARIZ 0.1
AVRO 0.1
BGAS 0.1
BIZZ 0.4
BNRG
BREZ 0.6
CNRG 0.4
COMT 0.2
COOP 0.1
COVE 0.5
DUAL 3.0
EBES 0.6
ECOT 1.1
EDDI 0.8
EENG
EMEB 0.4
ENRD 0.5
EURO 0.1
FRST 0.1
FXGL
GESL
GETW 0.1
HOME
HPOW 1.1
IMPO 0.4
IRID 0.4
JERE 0.2
LOND 0.4
LORM 0.3
LVDR 0.1
MAGN 0.1
MANW 0.1
MIDE
MONT 0.4
MRCY 0.7
NATP 0.5
NEEB 0.1
NORW
OSMI 0.1
OVOE 0.2
OXPO 0.4
PILO 1.5
PION 0.1
PSUK 0.6
PURE 0.4
REGE 0.4
SANT 1.0
SOUT
SPOW 1.8
SPRK 0.6
SWAE
SWEB
TGPL 0.8
THLE 0.4
TULP
WASH
ZPYR 0.1
WASH
ZPYR
Supplier ID
Performance
Industry Standard (0.1%)



Serial SP09. GSP Group: Midlands (_E). Reporting Period 1 to 31 July 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
ARIZ 0.2
AVRO 0.1
BGAS
BIZZ 0.1
BNRG 0.1
BREZ 1.6
CNRG 0.3
COMT 0.7
COOP 0.1
COVE 1.2
CPPR
DESL 0.2
DUAL 1.2
EBES 0.2
ECOT 0.9
EDDI 0.5
EENG 0.1
EMEB 0.5
ENRD 0.3
EURO 0.1
FRST 0.1
FXGL
GESL
GETW 0.1
GNRG 0.3
HOME
HPOW 0.2
HYDE
IMPO 0.2
INDE 0.4
IRID 0.1
JERE 0.1
LOND 0.4
LORM 0.4
LUMO 0.1
LVDR 0.1
MANW
MIDE 0.1
MONT 0.3
MRCY 0.7
NATP 0.1
NEEB 0.2
NORW 0.1
OSMI 0.1
OVOE 0.1
OXPO 0.4
PGEN 0.1
PILO 1.8
PION 0.3
PSUK 0.4
PURE 0.1
REGE 0.4
SANT 0.9
SEEB 0.1
SINQ
SOUT
SPOW 0.6
SPRK 0.6
SWAE
SWEB
SYMB 2.8
TGPL 0.6
THLE 0.6
TULP
VOLT 0.6
WASH
ZPYR
Supplier ID
Performance
Industry Standard (0.1%)



Serial SP09. GSP Group: Northern (_F). Reporting Period 1 to 31 July 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
AVRO 0.1
BGAS 0.1
BIZZ
BNRG
BREZ 0.1
CNRG 2.7
COOP 0.2
COVE 0.3
DESL 0.1
DUAL 2.2
EBES 0.3
ECOT 0.7
EDDI 0.3
EENG
EMEB 0.5
ENRD 0.2
EURO 0.1
FRST 0.1
FXGL
GESL
GETW
HOME
HPOW 0.8
IMPO 0.3
INDE 0.3
IRID 0.1
JERE 0.1
LOND 0.3
LORM 0.5
LUMO 0.1
LVDR 0.1
MAGN 0.5
MIDE
MONT 0.1
MRCY 0.3
NATP 0.3
NEEB 0.1
OSMI 0.1
OVOE 0.1
OXPO 0.5
PILO 1.8
PION 0.1
PSUK 1.0
PURE 0.1
REGE 0.2
RWED 0.3
SANT 0.5
SOUT
SPOW 0.6
SPRK 0.5
SWEB
TGPL 1.5
THLE 0.6
THRE 1.0
TULP
WASH
YELG
ZPYR
Supplier ID
Performance
Industry Standard (0.1%)



Serial SP09. GSP Group: North Western (_G). Reporting Period 1 to 31 July 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
AVRO 0
BGAS 0
BIZZ 0.4
BNRG 0.1
BORE 0
CNRG 0.1
COMT 0.4
COOP 0.2
COVE 0.5
DESL 0.2
DUAL 0.8
EBES 0.5
ECOT 2.0
EDDI 0.4
EENG 0
EMEB 0.5
ENRD 0.3
EURO 0.1
FRST 0
FXGL 0
GESL 0
GETW 0.1
HOME 0
HPOW 0.7
HYDE 0
IMPO 0.3
INDE 0.8
IRID 0.1
JERE 0.2
LOND 0.3
LORM 0.4
LUMO 0.1
LVDR 0.1
MANW 0.1
MIDE 0
MONT 0.1
MRCY 0.4
NATP 0.4
NEEB 0.1
NORW 0
OSMI 0.1
OVOE 0.1
OXPO 0.4
PILO 1.5
PION 0.2
PSUK 0.8
PURE 0.1
REGE 0.2
SANT 0.5
SEEB 0
SINQ 0.2
SOUT 0
SPOW 1.0
SPRK 0.5
SWEB 0
TGPL 1.3
THLE 0.7
TULP 0
WASH 0
ZPYR 0
WASH 0
ZPYR 0.1
Supplier ID
Performance
Industry Standard (0.1%)



Serial SP09. GSP Group: Southern (_H). Reporting Period 1 to 31 July 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
ARIZ 0.1
AVRO
BGAS 0.1
BIZZ
BNRG 0.1
BORE 0.1
BREZ 0.2
CNRG 0.2
COMT 0.1
COOP 0.2
COVE 0.8
CPPR
DESL 0.2
DUAL 1.6
EBES 0.5
ECOT 1.7
EDDI 1.6
EENG
EFLS
EMEB 0.6
ENRD 0.4
EURO 0.1
FRST 0.1
FXGL
GESL
GETW 0.1
GNRG 0.7
HOME
HPOW 0.5
IMPO 0.1
INDE 0.9
IRID 0.1
JERE 0.1
LOND 0.3
LORM 0.3
LUME
LUMO 0.1
LVDR
MIDE
MONT 0.2
MRCY 0.6
NATP 0.3
NEEB 0.1
NORW 0.4
OSMI 0.1
OVOE 0.1
OXPO 0.4
PILO 1.6
PION 0.1
PSUK 0.7
PURE 0.1
REGE 0.3
RWED 0.4
SANT 0.6
SEEB
SINQ 0.1
SOUT
SPOW 0.6
SPRK 0.5
SWEB 0.1
SYMB 3.3
TGPL 1.1
THLE 0.6
THRE 1.9
TNDO
TULP
VIRG 0.1
VOLT 0.5
WASH
ZPYR
Supplier ID
Performance
Industry Standard (0.1%)



Serial SP09. GSP Group: South Eastern (_J). Reporting Period 1 to 31 July 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
ARIZ 0.4
AVRO 0.1
BGAS 0.1
BIZZ 0.2
BNRG 0.1
BORE
BREZ 0.1
CNRG 0.1
COMT 0.3
COOP 0.1
COVE 1.0
CPPR 0.2
DESL 0.3
DUAL 2.7
EBES 0.7
ECOT 1.2
EDDI 0.4
EENG 0.3
EFLS 0.2
EMEB 0.7
ENRD 0.3
EURO 0.4
FRST 0.1
FXGL
GESL
GETW 0.1
GNRG 0.8
HOME
HPOW 0.7
IMPO 0.4
IRID 0.1
JERE 0.2
LOND 0.5
LORM 1.0
LUME 0.2
LUMO
LVDR
MIDE
MONT 0.2
MRCY 0.6
NATP 1.2
NEEB 0.1
NORW 0.2
OSMI 0.1
OVOE 0.2
OXPO 0.3
PILO 1.5
PION 0.1
PSUK 0.6
PURE 0.1
REGE 0.5
SANT 0.8
SEEB
SOUT
SPOW 0.9
SPRK 1.2
SWAE
SYMB 2.9
TGPL 0.9
THLE 0.6
TNDO 0.2
TULP
VIRG 0.3
WASH
ZPYR 0.1
VOLT 0.3
WASH
ZPYR 0.1
Supplier ID
Performance
Industry Standard (0.1%)


Serial SP09. GSP Group: South Wales (_K). Reporting Period 1 to 31 July 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
ARIZ 0.1
AVRO 0.1
BGAS
BIZZ
BNRG 0.1
CNRG 0.3
COOP 0.3
COVE 0.4
EBES 0.6
ECOT 0.4
EDDI 0.4
EENG
EMEB 0.3
ENRD 0.5
EURO 0.1
FRST
FXGL
GESL 0.1
GETW 0.1
HOME
IMPO 0.1
IRID 0.2
JERE 0.1
LOND 0.3
LORM 0.2
LVDR 0.1
MAGN 0.4
MANW
MIDE
MONT 0.3
MRCY 0.3
NATP 0.2
NEEB 0.2
OSMI 0.1
OVOE 0.1
OXPO 0.3
PILO 1.7
PION 0.1
PSUK 0.4
PURE 0.1
REGE 0.2
SANT 0.6
SOUT
SPOW 1.0
SPRK 0.7
SWAE
SWEB
TGPL 0.9
THLE 0.4
TULP
WASH
ZPYR
Supplier ID
Performance
Industry Standard (0.1%)


Serial SP09. GSP Group: South Western (_L). Reporting Period 1 to 31 July 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
ARIZ 0.2
AVRO 0.1
BGAS 0.1
BIZZ 0.1
BNRG 0.1
BORE
BREZ 0.7
CNRG 0.1
COMT 0.5
COOP 0.2
COVE 0.6
CPPR
DESL 0.1
DUAL 1.0
EBES 0.5
ECOT 0.8
EDDI 0.5
EENG 0.1
EMEB 0.4
ENRD 0.4
EURO 0.2
FRST 0.1
FXGL
GESL
GETW 0.1
GNRG 0.7
HOME
HPOW 2.7
IMPO 0.3
INDE 0.7
IRID 0.1
JERE 0.2
LOND 0.4
LORM 0.6
LVDR 0.2
MIDE
MONT 0.1
MRCY 0.4
NATP 0.3
NEEB 0.2
OSMI 0.1
OVOE 0.1
OXPO 0.4
PGEN 0.1
PILO 1.6
PION 0.2
PSUK 0.8
PURE 0.1
REGE 0.3
SANT 0.9
SEEB
SOUT
SPOW 0.9
SPRK 0.6
SWAE
SWEB
SYMB 3.9
TGPL 1.1
THLE 0.3
TNDO
TULP
VIRG 0.1
WASH
ZPYR
VOLT 0.2
WASH
ZPYR
Supplier ID
Performance
Industry Standard (0.1%)


Serial SP09. GSP Group: Yorkshire (_M). Reporting Period 1 to 31 July 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
AVRO 0
BGAS 0
BIZZ 0.2
BNRG 0
BORE 0
BREZ 0.9
CNRG 0.4
COMT 0.9
COOP 0.2
COVE 0.8
DESL 0.1
DFDL 0
DUAL 2.3
EBES 0.5
ECOT 0.9
EDDI 0.4
EENG 0
EMEB 0.4
ENRD 0.6
EURO 0.1
FRST 0
FXGL 0
GESL 0
GETW 0
HOME 0
HPOW 0.8
IMPO 0.5
INDE 0.4
IRID 0.2
JERE 0.2
LOND 0.3
LORM 0.4
LUMO 0.1
LVDR 0.1
MIDE 0.1
MONT 0.1
MRCY 0.3
NATP 0.2
NEEB 0.2
NORW 0
OSMI 0.1
OVOE 0.1
OXPO 0.4
PILO 1.3
PION 0.2
PSUK 0.5
PURE 0
REGE 0.2
RWED 0.2
SANT 0.5
SEEB 0.1
SINQ 0
SOUT 0
SPOW 0.6
SPRK 0.6
SWEB 0
TGPL 1.3
THLE 0.7
TULP 0
WASH 0
YELG 0
ZPYR 0
Supplier ID
Performance
Industry Standard (0.1%)


Serial SP09. GSP Group: South Scotland (_N). Reporting Period 1 to 31 July 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
0.1 0.1 0.2 0.1 0.3 0.1 1.0 1.1 0.4 0.5 0.6 0.5 0.4 0.3 0.1 0.1 0.1 0.3 0.7 0.1 0.4 0.1 0.4 0.4 0.4 0.1 0.3 0.5 0.7 0.2 0.1 0.2 0.3 2.2 0.5 0.9 0.3 0.4 0.8 0.1 0.2 0.7 0.7 0.9 0.5 0.1 0.1
AVRO BGAS BIZZ BNRG CNRG COOP COVE DUAL EBES ECOT EDDI EENG EMEB ENRD EURO FRST FXGL GESL GETW HOME HPOW HYDE IMPO IRID JERE LOND LORM LUMO LVDR MIDE MONT MRCY NATP NEEB OSMI OVOE OXPO PILO PION PSUK PURE REGE SANT SINQ SOUT SPOW SPRK TGPL THLE TULP WASH ZPYR WASH ZPYR
Supplier ID
Performance
Industry Standard (0.1%)


Serial SP09. GSP Group: North Scotland (_P). Reporting Period 1 to 31 July 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
AVRO 0.3
BGAS 0.2
BNRG
CNRG 0.6
COOP 1.0
ECOT 0.5
EDDI 1.3
EENG 0.1
EMEB 0.6
ENRD 0.5
EURO 0.8
FRST 0.1
FXGL 0.1
GESL 0.2
GETW 0.4
HOME
HYDE
IMPO 0.2
IRID 0.1
JERE 0.9
LOND 0.6
LORM 0.8
MIDE
MONT 0.1
MRCY 0.8
NATP 0.5
NEEB 0.3
OSMI 0.1
OVOE 2.0
OXPO 0.5
PILO 2.7
REGE 0.3
SINQ 0.1
SPOW 1.0
SPRK 0.7
TGPL 2.1
TULP
WASH 0.1
ZPYR 0.3
WASH
ZPYR 0.2
Supplier ID
Performance
Industry Standard (0.1%)