



**ELEXON**

**Estimate of Annual Consumption /  
Annualised Advance (EAC/AA)  
Conceptual Process Model**

**Version Number 14.0000**



**Estimate of Annual Consumption / Annualised  
Advance (EAC/AA)  
Conceptual Process Model**

Status : Final  
Version : 16.0  
Date : 12 April 2016  
Prepared by : Cognizant  
Approved by (Cognizant) : Project Manager

## Table Of Contents

<b>1</b>	<b>Introduction .....</b>	<b>3</b>
1.1	Purpose .....	3
1.2	Scope .....	3
1.3	Structure of Document.....	3
1.4	Amendment History.....	3
1.5	Summary of Changes.....	6
1.6	Changes Forecast .....	6
1.7	References.....	6
1.8	Abbreviations.....	7
1.9	Intellectual Property Rights and Copyright .....	7
<b>2</b>	<b>Event Descriptions.....</b>	<b>8</b>
2.1	EAC/AA Request (Manual).....	8
2.2	Daily Profile Coefficients Received (Manual) .....	9
2.3	Daily Profile Coefficients and Smoothing Parameters Archived .....	11
2.4	Request for Deemed Advance (Manual) .....	12
2.5	Smoothing Parameter Deleted .....	13
2.6	Smoothing Parameter Entered .....	14
2.7	Smoothing Parameter Updated .....	15
2.8	Standard Settlement Configuration Deleted .....	16
2.9	Standard Settlement Configuration Entered .....	17
2.10	Standard Settlement Configuration Received.....	18
2.11	Standard Settlement Configuration Updated.....	19
2.12	EAC/AA Request (Automatic).....	20
2.13	Daily Profile Coefficients Received (Automatic).....	21
2.14	Request for Deemed Meter Advance (Automatic) .....	22
2.15	Request for Ad Hoc Deemed Meter Reading Calculation.....	23
2.16	Demand Control Event Received (Automatic).....	25
2.17	Demand Control Event Received (Manual) .....	25
2.18	Estimated Half Hourly Demand Disconnection Volumes Received (Automatic).....	26
2.19	Estimated Half Hourly Demand Disconnection Volumes Received (Manual) .....	26
2.20	Daily Profile Data Report Received (Automatic).....	27
2.21	Daily Profile Data Report Received (Manual).....	28
<b>3</b>	<b>Enquiries .....</b>	<b>29</b>
3.1	Ad Hoc Enquiry on Profile Coefficients.....	29
3.2	Enquiry on Archived Data .....	29
3.3	Enquiry on Data Used in Calculation .....	29
3.4	Enquiry on Smoothing Parameter.....	29
3.5	Enquiry on GSP Group Profile Class Default EAC details .....	30
3.6	View Reports .....	30
3.7	Enquiry on Results of Ad Hoc Deemed Meter Reading Calculation .....	30

## 1 Introduction

### 1.1 Purpose

This document [ECONMOD] describes the events and enquiries for the EAC/AA system.

The content is produced in accordance with the Logical Design Process Description [LDESPD]. It is derived from the requirements described in the EAC/AA User Requirements Specification [EACAAURS] and where appropriate, from the data interfaces described in [DIS]. The Release 2 amendments are derived from the requirements described in the Invitation to Tender for Release 2 [ITTR2] as clarified in the Response to the ITT (RESPR2). The TA2000 amendments are derived from the requirements described in the Pool Change Management Circulars 1040 and 1076.

### 1.2 Scope

This document is one of the Logical Design stage deliverables and will be used as the basis for Physical Design of the EAC/AA system.

It should be read in conjunction with the following Logical Design documents:

- EACAA Logical Data Design [ELDATA] containing the following:
  - the Logical Data Model, which provides a detailed logical description of the data and its structure;
  - the Data Catalogue, which describes the data items for the system.
- EAC/AA Function Definition and User Catalogue [EFUNDEF], containing:
  - User Catalogue;
  - Function Definitions;
  - Common Processes (common within EAC/AA).

### 1.3 Structure of Document

This remainder of this document consists of the following sections:

- Section 2 contains the Event Descriptions, which describe the system events;
- Section 3 contains the Enquiry Descriptions.

### 1.4 Amendment History

Issue	Details
0.900	Issued for internal review
0.990	Issued to Pool for review
0.991	Inclusion of revised event descriptions following meeting with Pool on 22 <sup>nd</sup> November 1996. Issued for internal review.

Issue	Details
0.992	Updated with comments from internal review. Issued to Pool for review.
0.993	Addresses Pool Severity 1 comments dated 10 December 1996. Subjected to internal review.
0.994	Issued to Pool for Acceptance.
1.000	Issued to Pool. Addresses Pool Severity 2 and 3 comments (dated 10 December 1996) from Acceptance Review..
1.100	Address Logica ORs 5.1.1816 (Defect 428)
2.000	New issue with no changes from 1.100. Issued to be consistent with software release R1.1
2.001	OR 5.1.2405 (Logica Internal). Draft issue consistent with software release R1.2
2.500	Incorporating Internal Review Comments. Draft issue for external review consistent with software release R1.2
2.901	Working version for R2 design. Will not be carried forward into v4.000.
2.905	Working version for R2 design. Will not be carried forward into v4.000.
2.990	Working version for R2 design. Will not be carried forward into v4.000.
3.000	Working version for R2 design. Will not be carried forward into v4.000.
4.000	Authorised version consistent with software release R1.3
4.901	Draft for internal review. Merge of v3.000 and v4.000. Change bars show changes from v3.000.
4.990	Issued to Pool for review. Merge of v3.000 and v4.000. Change bars show changes from v4.000.
5.000	Authorised Version. Merge of v3.000 and v4.000. Change bars show changes from v4.000.
5.001	Draft version incorporating the following ORs: OR2716
5.900	Draft for internal review incorporating TA2000 changes (SIR R391 / LCR105 & SIR R200 / LCR117): there are none in this document. Change bars show changes from v5.000.
5.990	Issued to Pool for review.
5.991	Incorporating Pool review comments.
6.000	Authorised version.
6.001	Draft version incorporating the following ORs: OR2947
6.990	Issued to Pool for review.

<b>Issue</b>	<b>Details</b>
7.000	Authorised version.
7.990	Incorporating LCR 160/3 (SIR 2296): Reasonableness Checks for Annualised Advances.
8.000	Authorised version.
8.001	Change to Office 2000
8.002	Changes relating to ELEXON superseding The Electricity Pool.
8.990	Updated document references Version for ELEXON review
8.991	Incorporating ELEXON review comments.
9.000	Authorised version.
9.001	Incorporating LCR218 – BETTA
9.990	Updated the Copyright Notice Version for ELEXON review
9.991	Applied ELEXON review comments.
10.000	Made Definitive
11.000	Updated document references
11.001	Updated for Nov. 04 release Incorporating CP1052: UNIX Upgrade 5.1A – 5.1B
11.002	Incorporated comments from test and programme teams from review date 02/11/04. Issued to ELEXON for review.
12.000	Made Definitive
12.900	Draft for internal review for Nov. 05 release Incorporating CP1081 : Ad Hoc Deemed Meter Reading Calculation
12.901	Updated after STAG workshop
12.990	Version for ELEXON review
12.991	Incorporating ELEXON review comments.
13.000	Made Definitive
13.010	Updated document classification
13.901	Draft for internal review for Feb. 10 release Incorporating CP1311, CP1295 Changes
13.902	Applied review comments
13.990	Version for ELEXON review
13.991	Incorporating ELEXON review comments
13.992	Incorporating further review comments from ELEXON
14.000	Definitive version
14.1	P305 - Updated for November 2015 Release
14.2	Incorporated the ELEXON review comments
15.0	Clean version - Nov 2015 Release

Issue	Details
15.1	Nov 2015 changes post Go-Live
16.0	Clean version

## 1.5 Summary of Changes

Amendments as indicated in the amendment history.

## 1.6 Changes Forecast

Review comments and agreed Change Requests will be incorporated.

## 1.7 References

Mnemonic	Information	Details
[DIS]	Title: Reference No: Issue No: Author: Date:	SVA Data Catalogue Volume 1: Data interfaces LUK.404.EC.22604.4.4 31.0 ELEXON 5 November 2009
[EACAAURS]	Title: Reference No: Issue No: Author: Date:	EAC/AA User Requirements Specification LUK.404.EC.22604.4.3.1.2 11.0 ELEXON 25 February 2010
[ITTR2]	Title: Reference No: Issue No: Author: Date:	Invitation to Tender-Release 2 of Pool Software LUK.404.EC.22604.11.3 1.0 Pool 25 February 1998
[RESPR2]	Title: Reference No: Issue No: Author: Date:	Response to ITT for Release 2 LUK.404.EC.22604.11.3 1.100 Logica 5 March 1998
[ECONMOD]	Title: Reference No: Issue No: Author: Date:	EAC/AA Conceptual Process Model 703PZT 14.000 ELEXON 25 February 2010
[EFUNDEF]	Title: Reference No: Issue No: Author: Date:	EAC/AA Function Definition and User Catalogue 701PZT 15.000 ELEXON 25 February 2010
[ELDATA]	Title: Reference No: Issue No: Author: Date:	EAC/AA Logical Data Design 700PZT 13.000 ELEXON 25 February 2010
[LDESPD]	Title: Reference No: Issue No: Author: Date:	Logical Design Process Description LUK.404.EC.22604.2.2.2.1 1.000 Logica 15 October 1996



## 1.8 Abbreviations

EAC/AA	Estimation of Annual Consumption / Annualised Advance
ISRA	Initial Settlement and Reconciliation Agency
BETTA	British Electricity Transmission and Trading Arrangement
SVAA	Supplier Volume Allocation Agency (formerly known as ISRA)

## 1.9 Intellectual Property Rights and Copyright

This document contains materials the copyright and other intellectual property rights in which are vested in Poolit Limited or which appear with the consent of the copyright owner. These materials are made available for you under the terms of a separate licence agreement with Poolit Limited. Unless you are a licensee you are not permitted to view, download, modify, copy, distribute, transmit, store, reproduce or otherwise use, publish, licence, transfer, sell or create derivative works (in whatever format) from this document or any information obtained from this document.

All copyright and other proprietary notices contained in the original material must be retained on any copy that you make. All other rights of the copyright owner not expressly dealt with above are reserved.

This report is confidential and intended only for the person(s) named. Unless you are that person, or authorised to receive this report, you must not copy or use it or disclose it to anyone else. If you have received this report in error, please contact the sender. Thank you for your co-operation.

## **2 Event Descriptions**

### **2.1 EAC/AA Request (Manual)**

#### **2.1.1 Event Description**

2.1.1.1 This event only occurs when EAC/AA was installed with System Mode specified as Manual. This event will be triggered by the user requesting calculations of the EACs and AAs for an unprocessed file.

A Data Collector provides meter advance(s) for the Settlement Registers of one or more metering systems, the meter advance(s) are then used in calculation of the corresponding EACs and AAs. The total number of AAs calculated for a given settlement date as a result of this event is maintained.

#### **2.1.2 Event Input Data**

Effective from Settlement Date {EAC}

Effective From Settlement Date {MAC}

Effective To Settlement Date {MAC}

Metering System Id

Standard Settlement Configuration Id

Effective From Settlement Date {MSGG}

GSP Group Id

Effective From Settlement Date {MSPC}

Profile Class Id

Estimated Annual Consumption

Meter Advance

Time Pattern Regime Id

Annualised Advance Tolerance Values

Default EAC

Average Fraction of Yearly Consumption

#### **2.1.3 Function Cross Reference**

E0001 Estimate Annual Consumption (Manual)

#### **2.1.4 Event Frequency**

See E0001 Function Definition, Function Volumes.

## **2.2 Daily Profile Coefficients Received (Manual)**

### **2.2.1 Event Description**

2.2.1.1 This event only occurs when EAC/AA was installed with System Mode specified as Manual. This event will be triggered by the user requesting loading of an unprocessed Daily Profile Coefficient File.

2.2.1.2 ISRA system provides files of sets of Daily Profile Coefficients and Time Pattern Regime Id for a given settlement date, GSP Group Id, Profile Class Id and Standard Settlement Id. The values of Daily Profile Coefficients are then used for calculations of EAC/AA and Deemed Meter Advances.

A Data Collector provides meter advance(s) for the Settlement Registers of one or more metering systems, the meter advance(s) are then used in calculation of the corresponding EACs and AAs.

The system will not allow Daily Profile Coefficients to be loaded initially other than in Settlement Date order for a given originating ISR Agent.

The system rejects files containing DPCs for Scottish GSP Groups for Settlement Dates before the BETTA Start Date unless the files are from the Scottish ISR Agent. The system rejects files containing DPCs for Settlement Dates on or after the BETTA Start Date if the files are from the Scottish ISR Agent.

The system will also allow reloading of files up to two years, in order to allow for the Data Collector being appointed to Metering Systems in a new GSP Group.

The system supports two types of Daily Profile Coefficient files:

- Files containing Daily Profile Coefficients for all the GSP groups for which a Data Collector is responsible. Data contained in such a file will replace and invalidate any previous data for that Settlement Date. The number of AAs calculated using the previous set of Daily Profile Coefficients is reported.
- Files containing Daily Profile Coefficients for a single GSP group and Settlement Date. The data contained in such a file will not replace or invalidate any previous data stored against the GSP group and the Settlement Date. If no data exists for the GSP group and the Settlement Date, the Daily Profile Coefficients are appended to the existing set of Settlement Date, otherwise the data file is not processed and an exception is reported. The number of AAs calculated using the previous set of Daily Profile Coefficient is reported as zero.

In order to allow smaller Data Collectors not maintaining a full set of Standard Settlement Configurations to load Daily Profile Coefficients for a Settlement Date, the Daily Profile Coefficients will be loaded if there are no existing Standard Settlement Configurations for that date.

**2.2.2 Event Input Data**

Daily Profile Coefficient

Time Pattern Regime Id

Data Collector Id

ISR Agent Id

Profile Production Run Number

Settlement Date

GSP Group Id

Profile Class Id

Standard Settlement Configuration Id

**2.2.3 Function Cross Reference**

E0003 Load Daily Profiles (Manual)

**2.2.4 Event Frequency**

See E0003 Function Definition, Function Volumes.

## **2.3 Daily Profile Coefficients and Smoothing Parameters Archived**

### **2.3.1 Event Description**

Existing Daily Profile Coefficients and Smoothing Parameters are archived. Daily Profile Coefficients are removed from the system and archived to a secure storage medium. The value of the Smoothing Parameter in effect for each Settlement Day will also be recorded.

This event will be triggered by the user requesting an archive of historic data, a warning is issued to the user if the specified date, before which the data is to be archived is less than twenty four months prior to the latest settlement date for which Daily Profile Coefficients have been loaded.

### **2.3.2 Event Input Data**

Effective To Settlement Date{ Archive Period }

### **2.3.3 Function Cross Reference**

E0005 Archive Daily Profile Coefficients

### **2.3.4 Event Frequency**

See E0005 Function Definition, Function Volumes.

## **2.4 Request for Deemed Advance (Manual)**

### **2.4.1 Event Description**

2.4.1.1 This event only occurs when EAC/AA was installed with System Mode specified as Manual. This event will be triggered by the user requesting calculations of Deemed Meter Advance for an unprocessed file.

2.4.1.2 A Deemed Meter Advance is calculated for one or more of the Time Pattern Regimes associated with a Metering System based on the EAC (or Annualised Advance) values supplied by the Data Collector. Deemed Meter Advance calculations are carried out when an actual changeover reading can not be obtained or agreed on, on change of Supplier of Metering System.

### **2.4.2 Event Input Data**

Annualised Advance

Time Pattern Regime Id

Effective From Settlement Date {DMA}

Effective To Settlement Date {DMA}

Metering System Id

Standard Settlement Configuration Id

Estimated Annual Consumption

Time Pattern Regime Id

Effective From Settlement Date {MSGG}

GSP Group Id

Effective From Settlement Date {MSPC}

Profile Class Id

### **2.4.3 Function Cross Reference**

E0002 Determine Deemed Meter Advance (Manual)

### **2.4.4 Event Frequency**

See E0002 Function Definition, Function Volumes.

## **2.5 Smoothing Parameter Deleted**

### **2.5.1 Event Description**

A previously entered value of the Smoothing Parameter is deleted. This may occur because the value has been superseded and is no longer required, or because it was entered in error.

The system allows the user to select and delete an existing Smoothing Parameter Value.

Common Process EC003 Update On-line Audit Log is invoked.

### **2.5.2 Event Input Data**

Effective From Settlement Date{SPAR}

### **2.5.3 Function Cross Reference**

E0004 Specify Smoothing Parameter

### **2.5.4 Event Frequency**

Low volume.

## **2.6 Smoothing Parameter Entered**

### **2.6.1 Event Description**

A new value is specified for the Smoothing Parameter, together with the date on which it becomes effective are entered.

Common Process EC003 Update On-line Audit Log is invoked.

### **2.6.2 Event Input Data**

Effective From Settlement Date{SPAR}

Smoothing Parameter

### **2.6.3 Function Cross Reference**

E0004 Specify Smoothing Parameter

### **2.6.4 Event Frequency**

Low volume.



## **2.7 Smoothing Parameter Updated**

### **2.7.1 Event Description**

Existing Smoothing Parameters and/or their effective dates are updated.

The system allows the user to select and update an existing Smoothing Parameter.

Common Process EC003 Update On-line Audit Log is invoked.

### **2.7.2 Event Input Data**

Effective From Settlement Date{SPAR}

Smoothing Parameter

### **2.7.3 Function Cross Reference**

E0004 Specify Smoothing Parameter

### **2.7.4 Event Frequency**

Low Volume.

## **2.8 Standard Settlement Configuration Deleted**

### **2.8.1 Event Description**

Previously entered values of the Standard Settlement Configuration are deleted. This may occur because the value has been superseded and is no longer required, or because it was entered in error.

The Standard Settlement Configuration is deleted for which the system could load Daily Profile Coefficient data.

The system allows the user to select and delete an existing Standard Settlement Configuration.

### **2.8.2 Event Input Data**

Standard Settlement Configuration Id

### **2.8.3 Function Cross Reference**

E0010 Specify Standard Settlement Configuration

### **2.8.4 Event Frequency**

Low volume.

## **2.9 Standard Settlement Configuration Entered**

### **2.9.1 Event Description**

New values are specified for the Standard Settlement Configuration, together with the dates on which they became effective and a flag indicating if Daily Profile Coefficients should be loaded for them.

The system allows the user to enter a new value for Standard Settlement Configuration, its effective date and the flag indicating whether the system should load Daily Profile Coefficients for it.

### **2.9.2 Event Input Data**

Standard Settlement Configuration Id

Standard Settlement Configuration Description

Load Associated DPC

### **2.9.3 Function Cross Reference**

E0010 Specify Standard Settlement Configuration

### **2.9.4 Event Frequency**

Low volume.

## **2.10 Standard Settlement Configuration Received**

### **2.10.1 Event Description**

The Standard Settlement Configurations and Average Fraction of Yearly Consumption are received from the Market Domain Data Agent and loaded onto the system via a file interface. All the Standard Settlement Configurations loaded in this fashion are marked ready for loading the relevant Daily Profile Coefficients.

The system will not allow existing Standard Settlement Configurations to be changed, if an identical Standard Settlement Configuration is found then an error is reported.

### **2.10.2 Event Input Data**

Standard Settlement Configuration Id

Standard Settlement Configuration Description

GSP Group Id

Standard Settlement Configuration Id

Profile Class Id

Time Pattern Regime Id

Average Fraction of Yearly Consumption

Effective From Settlement Date {AFYC}

### **2.10.3 Effective To Settlement Date {AFYC}Function Cross Reference**

E0011 Load Standard Settlement Configuration

### **2.10.4 Event Frequency**

See E0011 Function Definition, Function Volumes.

## **2.11 Standard Settlement Configuration Updated**

### **2.11.1 Event Description**

An existing Standard Settlement Configuration and/or its effective date are updated.

The system allows the user to select and update an existing Standard Settlement Configuration. The system presents the user with the details relating to a particular Standard Settlement Configuration, the user is then allowed to update the effective date and/or whether Daily Profile Coefficients should be loaded.

### **2.11.2 Event Input Data**

Standard Settlement Configuration Id

Standard Settlement Configuration Description

Load Associated DPC

### **2.11.3 Function Cross Reference**

E0010 Specify Standard Settlement Configuration

### **2.11.4 Event Frequency**

Low volume.

## **2.12 EAC/AA Request (Automatic)**

### **2.12.1 Event Description**

2.12.1.1 This event only occurs when EAC/AA was installed with System Mode specified as Automatic. The EAC/AA Requests are received from the Data Collector and automatically loaded onto the system via a file interface. This event will be triggered by the loading of an EAC/AA Request File.

2.12.1.2 For the remainder of the event description, refer to paragraph 2.1.1.2, under event EAC/AA Request (Manual).

### **2.12.2 Event Input Data**

See event EAC/AA Request (Manual)

### **2.12.3 Function Cross Reference**

E0012 Estimate Annual Consumption (Automatic)

### **2.12.4 Event Frequency**

See E0012 Function Definition, Function Volumes.

## **2.13 Daily Profile Coefficients Received (Automatic)**

### **2.13.1 Event Description**

2.13.1.1 This event only occurs when EAC/AA was installed with System Mode specified as Automatic. The Daily Profile Coefficients are received from the Data Collector and automatically loaded onto the system via a file interface. This event will be triggered by the loading of a Daily Profile Coefficient File.

2.13.1.2 For the remainder of the event description, refer to paragraph 2.2.1.2, under event Daily Profile Coefficients Received (Manual).

The means by which the system will not allow Daily Profile Coefficients to be loaded initially other than in Settlement Date order for a given originating ISR Agent is described in the following paragraph:

If a data file arrives containing Daily Profile Coefficients for a Settlement Date and there is no data in the database for the previous Settlement Date and same originating ISR Agent, then the system will not load that file, but retain it in an unloaded state. Each time a new Daily Profile Coefficient data file arrives, the system will attempt to load that file and also any files which arrived earlier and have not been loaded, sorting the files in Settlement Date order for a given ISR Agent.

The system rejects files containing DPCs for Scottish GSP Groups for Settlement Dates before the BETTA Start Date unless the files are from the Scottish ISR Agent. The system rejects files containing DPCs for Settlement Dates on or after the BETTA Start Date if the files are from the Scottish ISR Agent.

### **2.13.2 Event Input Data**

See event Daily Profile Coefficients Received (Manual)

### **2.13.3 Function Cross Reference**

E0014 Load Daily Profiles (Automatic)

### **2.13.4 Event Frequency**

See E0014 Function Definition, Function Volumes.

## **2.14 Request for Deemed Meter Advance (Automatic)**

### **2.14.1 Event Description**

2.14.1.1 This event only occurs when EAC/AA was installed with System Mode specified as Automatic. The Deemed Meter Advance Requests are received from the Data Collector and automatically loaded onto the system via a file interface. This event will be triggered by the loading of a Deemed Meter Advance Request File.

2.14.1.2 For the remainder of the event description, refer to paragraph 2.4.1.2, under event Request for Deemed Advance (Manual).

### **2.14.2 Event Input Data**

See event Request for Deemed Advance (Manual)

### **2.14.3 Function Cross Reference**

E0013 Determine Deemed Meter Advance (Automatic)

### **2.14.4 Event Frequency**

See E0013 Function Definition, Function Volumes.



## 2.15 Request for Ad Hoc Deemed Meter Reading Calculation

### 2.15.1 Event Description

2.15.1.1 This event will be triggered by the user requesting a calculation for a Metering System. The user enters the Metering System Id, Standard Settlement Configuration Id, GSP Group Id, two Meter reading dates, and the date for which the deemed meter reading is required. For each Profile Class to which the Metering System has been assigned between the two Meter Reading Dates, the user enters the Profile Class Id and Effective From Date. For each register for which a deemed meter reading is required, the user enters the Time Pattern Regime, the register id (optional), the number of register digits, two meter readings (taken on the two meter reading dates), and if the second reading is less than the first reading, the user also enters the negative advance reason.

The first meter reading date  $D_1$  must be before the second meter reading date  $D_2$ . The deemed meter reading date  $D_3$  must not be equal to either  $D_1$  or  $D_2$ . The deemed meter reading date must not be in the future and there will be a warning if it is less than 14 days before the current date. The meter readings must be integers between 0 and  $(10^n - 1)$  where  $n$  is the number of register digits.

The Time Pattern Regimes entered must belong to the Standard Settlement Configuration.

2.15.1.2 A deemed meter reading is calculated for one or more of the Time Pattern Regimes associated with the Metering System based on the meter reading values supplied by the user. Ad Hoc Deemed Meter Reading calculations are carried out when there is an urgent requirement to perform the calculation.

### 2.15.2 Event Input Data

Metering System Id

Standard Settlement Configuration Id

GSP Group Id

First Meter Reading Date

Second Meter Reading Date

Deemed Meter Reading Date

Profile Class Id

Effective From Settlement Date {MSPC}

Time Pattern Regime Id

Register Digits

Register Id

First Reading

Second Reading

Negative Advance Rollover

**2.15.3 Function Cross Reference**

E0016 - Determine Ad Hoc Deemed Meter Reading

**2.15.4 Event Frequency**

See E0016 - Determine Ad Hoc Deemed Meter Reading

**2.16 Demand Control Event Received (Automatic)****2.16.1 Event Description**

2.16.1.1 This event only occurs when EAC/AA was installed with System Mode specified as Automatic. The Demand Control Events are received from the Distributers and automatically loaded onto the system via a file interface. This event will be triggered by the loading of a Demand Control Event Files.

**2.16.2 Event Input Data**

Demand Control Event ID

Start Date and Time

End Date and Time

Metering System Id

**2.16.3 Function Cross Reference**

E0020 Demand Control Event (Automatic)

**2.16.4 Event Frequency**

Low Volume

**2.17 Demand Control Event Received (Manual)****2.17.1 Event Description**

2.17.1.1 This event only occurs when EAC/AA was installed with System Mode specified as manual. The Demand Control Events are received from the Distributers. This event will be triggered by the user requesting load of an unprocessed file.

**2.17.2 Event Input Data**

See Demand Control Event Received (Automatic)

**2.17.3 Function Cross Reference**

E0021 Demand Control Event (Manual)

**2.17.4 Event Frequency**

Low Volume

## **2.18 Estimated Half Hourly Demand Disconnection Volumes Received (Automatic)**

### **2.18.1 Event Description**

2.18.1.1 This event only occurs when EAC/AA was installed with System Mode specified as Automatic. The Disconnected MSIDs and Estimated Half Hourly Demand Disconnection Volumes are received from the SVAA / HHDC and automatically loaded onto the system via a file interface. This event will be triggered by the loading of a Disconnected MSIDs and Estimated Half Hourly Demand Disconnection Volumes data Files.

### **2.18.2 Event Input Data**

Demand Control Event ID

Start Date and Time

End Date and Time

Metering System Id

Measurement Quantity ID

Supplier ID

Settlement Date

Estimated HH Demand Side Action Volume

### **2.18.3 Function Cross Reference**

E0021 Estimated Half Hourly Demand Disconnection Volumes (Automatic)

### **2.18.4 Event Frequency**

Low Volume

## **2.19 Estimated Half Hourly Demand Disconnection Volumes Received (Manual)**

### **2.19.1 Event Description**

2.19.1.1 This event only occurs when EAC/AA was installed with System Mode specified as Automatic. The Disconnected MSIDs and Estimated Half Hourly Demand Disconnection Volumes are received from the SVAA. This event will be triggered by the user requesting load of an unprocessed file.

### **2.19.2 Event Input Data**

See Estimated Half Hourly Demand Disconnection Volumes (Automatic)

### **2.19.3 Function Cross Reference**

E0022 Estimated Half Hourly Demand Disconnection Volumes (manual)

**2.19.4 Event Frequency**

Low Volume

**2.20 Daily Profile Data Report Received (Automatic)****2.20.1 Event Description**

2.20.1.1 This event only occurs when EAC/AA was installed with System Mode specified as Automatic. The Daily Profile Data Report are received from the SVAA and automatically loaded onto the system via a file interface. This event will be triggered by the loading of a Daily Profile Data Report Files.

**2.20.2 Event Input Data**

Settlement Date

Run Number

User Name

Report Parameters

Report Parameters

Profile Production Date

Profile Production Time

GSP Group Id

Actual Noon Temperature

Noon Effective Temperature

Time of Sunset

Sunset Variable

Profile Class Id

Profile Id

Period Profile Coefficient Period Profile Coefficient Value

Standard Settlement Configuration Id

Low Register Profile Coefficient

Normal Register Profile Coefficient

Time Pattern Regime

Period Profile Coefficient Value

Period Register on State Indicator

**2.20.3 Function Cross Reference**

E0024 Daily Profile Data Report (Automatic)

**2.20.4 Event Frequency**

Low Volume

**2.21 Daily Profile Data Report Received (Manual)****2.21.1 Event Description**

2.21.1.1 This event only occurs when EAC/AA was installed with System Mode specified as Automatic. The Daily Profile Data Report is received from the SVAA. This event will be triggered by the user requesting load of an unprocessed file.

**2.21.2 Event Input Data**

See Daily Profile Data Report (Automatic)

**2.21.3 Function Cross Reference**

E0024 Daily Profile Data Report (Manual)

**2.21.4 Event Frequency**

Low Volume

### **3 Enquiries**

#### **3.1 Ad Hoc Enquiry on Profile Coefficients**

##### **3.1.1 Enquiry Description**

The Data Collector enquires upon Daily Profile Coefficient data.

##### **3.1.2 Function Cross Reference**

E0006 Report on Profile Coefficients

##### **3.1.3 Enquiry Frequency**

Occasional.

#### **3.2 Enquiry on Archived Data**

##### **3.2.1 Enquiry Description**

The System Manager enquires upon data used in EAC/AA calculations for a Settlement Day for which the data has been archived from the system.

##### **3.2.2 Function Cross Reference**

E0008 Report on Archived Data

##### **3.2.3 Enquiry Frequency**

Occasional (as determined by System Manager).

#### **3.3 Enquiry on Data Used in Calculation**

##### **3.3.1 Enquiry Description**

The Data Collector enquires on which Daily Profile Coefficient files were used in a particular calculation.

##### **3.3.2 Function Cross Reference**

E0007 Identify Input Files Used in Calculation.

##### **3.3.3 Enquiry Frequency**

Occasional.

#### **3.4 Enquiry on Smoothing Parameter**

##### **3.4.1 Enquiry Description**

A list of existing Smoothing Parameter values and their Effective From Settlement Dates is displayed.

**3.4.2 Function Cross Reference**

E0004 Specify Smoothing Parameter.

E0009 Browse Smoothing Parameter

**3.4.3 Enquiry Frequency**

Ad hoc (occasional).

**3.5 Enquiry on GSP Group Profile Class Default EAC details****3.5.1 Enquiry Description**

This enquiry reads the GSP Group Profile Class Default EAC record for a given GSP Group Id and Profile Class Id.

**3.5.2 Function Cross References**

E0019 Browse GSP Group Profile Class Default EAC.

**3.5.3 Enquiry Frequency**

Ad hoc (occasional).

**3.6 View Reports****3.6.1 Enquiry Description**

A list of files produced from batch processing is displayed.

**3.6.2 Function Cross Reference**

E0015 View Reports

**3.6.3 Enquiry Frequency**

Ad hoc (occasional).

**3.7 Enquiry on Results of Ad Hoc Deemed Meter Reading Calculation****3.7.1 Enquiry Description**

The user enquires on the results produced by Ad Hoc Deemed Meter Reading Calculations.

**3.7.2 Function Cross Reference**

E0017 Report on Ad Hoc Deemed Meter Reading Calculations

**3.7.3 Enquiry Frequency**

Ad hoc (occasional).



This page intentionally left blank