

### 4.3 CP Form

<b>Change Proposal – BSCP40/02</b>	<b>CP No: CP1561</b> <i>Version No:1.0</i> <i>(mandatory by BSCCo)</i>
<b>Title (mandatory by originator)</b> Updating the SVA Data Catalogue for CP1546	
<b>Description of Problem/Issue (mandatory by originator)</b> <a href="#">CP1546</a> was approved for implementation on 30 June 2022 at the <a href="#">October SVG meeting (SVG248/08)</a> . CP1546 will introduce two new Market Messages (formerly Data Transfer Catalogue (DTC) data flows) for use in <a href="#">Balancing and Settlement Code Procedure (BSCP) 520 ‘Unmetered Supplies’</a> . The two new data flows include: <ul style="list-style-type: none"> <li>• Unmetered Supplies (UMS) Inventory (D0388) – a combined Summary Inventory and Central Management System (CMS) Control File, which is sent from the UMS Operator (UMSO) to a Meter Administrator (MA); and</li> <li>• UMS Response (D0389), which is sent from the MA to the UMSO to either accept or reject a D0388.</li> </ul> <p>These flows will be referenced and utilised by the Supplier Volume Allocation Agent (SVAA) through the SVA Data Catalogue (DC) Volume 1 and 2. However, during the assessment of CP1546, the SVA DC Volume 1 and 2 were unintentionally excluded from the impacted documents.</p> <p>As a consequence, the two new data flows were not included in the SVA DC Volume 1 and 2.</p>	
<b>Proposed Solution (mandatory by originator)</b> This CP seeks to update the SVA DC Volume 1 and 2 to include the two new data flows. Additionally, it will include the approved UMS data items for Energy Market Data Specification (EMDS) in the SVA DC Volume 2. These data items include: <ul style="list-style-type: none"> <li>• Charge Code;</li> <li>• CMS Indicator;</li> <li>• CMS Unit Reference;</li> <li>• Effective from Date {UMS};</li> <li>• Inventory Sequence Number;</li> <li>• Number of Items;</li> <li>• Response Reason Code;</li> <li>• Switch Regime;</li> <li>• UMS Error Code; and</li> <li>• UMS Sub-Meter</li> </ul>	

<p><b>Justification for Change</b> (mandatory by originator)</p> <p>If this change is not implemented, the SVA DC Volume 1 and 2 will not contain the approved data items (D0388 and D0399) therefore, making it an inaccurate reference document for SVA Parties, after 30 June 2022.</p>
<p><b>To which section of the Code does the CP relate, and does the CP facilitate the current provisions of the Code?</b> (mandatory by originator)</p> <p><a href="#">BSC Section O 'Communications Under the Code'</a></p>
<p><b>Estimated Implementation Costs</b> (mandatory by BSCCo)</p> <p>Less than £500 to update the relevant documents</p>
<p><b>BSC Configurable Items Affected by Proposed Solution(s)</b> (mandatory by originator)</p> <ul style="list-style-type: none"> <li>• <a href="#">SVA Data Catalogue Volume 1</a>; and</li> <li>• <a href="#">SVA Data Catalogue Volume 2</a></li> </ul>
<p><b>Impact on Core Industry Documents or System Operator-Transmission Owner Code</b> (mandatory by originator)</p> <p>No impact anticipated</p>
<p><b>Related Changes and/or BSC Releases</b> (mandatory by BSCCo)</p> <p><a href="#">CP1546 'Introducing DTC flows to transfer UMS Summary Inventories and Control files'</a></p>
<p><b>Requested Implementation Date</b> (mandatory by originator)</p> <p>30 June 2022 (as part of the standard June 2022 BSC Release)</p>
<p><b>Reason:</b> To ensure this change is implemented at the same time as CP1546</p>
<p><b>Version History</b> (mandatory by BSCCo)</p>
<p><b>Originator's Details:</b></p>
<p><b>BCA Name:</b> Colin Berry</p>
<p><b>Organisation:</b> Elexon</p>
<p><b>Email Address:</b> colin.berry@elexon.co.uk</p>
<p><b>Telephone Number:</b> 0207 380 4112</p>
<p><b>Date:</b> 1 March 2022</p>

Attachments: **Y** – Draft redlining to:

- SVA Data Catalogue Volume 1; and
- SVA Data Catalogue Volume 2