

CP Consultation Responses

CP1551 'Updates to BSCP601 to reflect updates to the Measuring Instruments Regulations'



This CP Consultation was issued on 11 October as part of the October CPC Batch, with responses invited by 5 November 2021.

Consultation Respondents

| Respondent | No. of Parties/Non-Parties Represented | Role(s) Represented |
|--------------------------------|--|---------------------|
| Association of Meter Operators | 1 | Trade body |

Summary of Consultation Responses

| Respondent | Agree? | Impacted? | Costs? | Impl. Date? |
|--------------------------------|--------|-----------|--------|-------------|
| Association of Meter Operators | ✓ | ✗ | ✗ | ✓ |

Question 1: Do you agree with the CP1551 proposed solution?

Summary

| Yes | No | Neutral/No Comment | Other |
|-----|----|-----------------------|-------|
| 1 | | | |

Responses

| Respondent | Response | Rationale |
|-----------------------------------|----------|--|
| Association of Meter Operators | Yes | It will keep the BSCP601 more correct and current. |

Question 2: Do you agree that the draft redlining delivers the CP1551 proposed solution?

Summary

| Yes | No | Neutral/No Comment | Other |
|-----|----|--------------------|-------|
| 1 | | | |

Responses

A summary of the specific responses on the draft redlining can be found at the end of this document.

| Respondent | Response | Rationale |
|--------------------------------|----------|-----------|
| Association of Meter Operators | Yes | N/A |

Question 3: Will CP1551 impact your organisation?

Summary

| High | Medium | Low | None |
|------|--------|-----|------|
| | | | 1 |

Responses

| Respondent | Response | Rationale |
|--------------------------------|----------|-----------|
| Association of Meter Operators | None | N/A |

Question 4: Will your organisation incur any costs in implementing CP1551?

Summary

| High | Medium | Low | None |
|------|--------|-----|------|
| | | | 1 |

Responses

| Respondent | Response | Rationale |
|--------------------------------|----------|-----------|
| Association of Meter Operators | None | N/A |

Question 5: Do you agree with the proposed implementation approach for CP1551?

Summary

| Yes | No | Neutral/No Comment | Other |
|-----|----|--------------------|-------|
| 1 | | | |

Responses

| Respondent | Response | Rationale |
|--------------------------------|----------|-----------|
| Association of Meter Operators | Yes | N/A |

Question 6: Do you have any further comments on CP1551?

Summary

| Yes | No |
|-----|----|
| | 1 |

Responses

| Respondent | Response | Comments |
|--------------------------------|----------|----------|
| Association of Meter Operators | No | N/A |

BSCP601

| Respondent | Location | Comment |
|--------------------------------|----------|---------|
| Association of Meter Operators | N/A | N/A |