






Serial SP09. GSP Group: Eastern (_A). Reporting Period 1 to 31 October 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
ARIZ 1.1
AVRO 0.1
BGAS 0.1
BIZZ 0.1
BNRG 0.5
BORE 0.1
CNRG 0.3
COMT 0.1
COOP 0.4
CPPR
DESL 0.1
DUAL 2.1
EBES 0.5
ECOT 1.8
EDDI 0.7
EELC 0.2
EFLS 0.5
EMEB 0.8
ENRD 0.3
EURO 0.1
FRST 0.1
FXGL
GESL 0.2
GETW 0.1
GNRG 1.2
HPOW 0.5
IMPO 0.3
IRID 0.1
JERE 0.1
LOND 0.4
LORM 0.8
LVDR 0.1
MIDE
MONT 0.2
MRCY 0.8
NATP 0.3
NEEB 0.1
NORW 0.2
OSMI 0.1
OVOE 0.1
OXPO 0.6
PGEN 0.1
PILO 2.3
PION 0.1
PSUK 1.1
PURE 0.1
REGE 0.6
RWED 0.8
SANT 0.3
SEEB
SINQ 0.2
SOUT
SPOW 0.7
SPRK 0.9
SWAE
SWEB 0.1
SYMB 2.0
TGPL 0.9
THLE 0.8
THRE 1.1
TNDO 0.3
TULP
VIRG 0.8
WASH
YELG
ZPYR 0.1
Supplier ID
Performance
Industry Standard (0.1%)



Serial SP09. GSP Group: East Midlands (_B). Reporting Period 1 to 31 October 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
ARIZ 0.7
AVRO 0.2
BGAS 0.1
BIZZ 0.1
BNRG 0.9
CNRG 0.6
COOP 0.6
DESL 0.2
DUAL 1.9
EBES 0.5
ECOT 1.4
EDDI 0.9
EENG 0.2
EFLS
EMEB 0.6
ENRD 0.4
EURO 0.2
FRST 0.2
FXGL 0.1
GESL 0.4
GETW 0.1
HPOW 0.6
HYDE 0.1
IMPO 0.4
IRID 0.1
JERE 0.3
LOND 0.7
LORM 0.3
LVDR 0.2
MIDE
MONT 0.4
MRCY 1.0
NATP 0.3
NEEB 0.1
NORW 0.2
OSMI 0.1
OVOE 0.2
OXPO 0.4
PGEN 0.3
PILO 2.5
PION 0.2
PSUK 1.5
PURE 0.3
REGE 0.9
RWED 0.4
SANT 0.6
SEEB 0.1
SINQ
SOUT
SPOW 0.7
SPRK 1.4
SWEB 0.1
SYMB 1.7
TGPL 0.9
THLE 0.9
TNDO
TULP 0.1
VIRG 1.1
WASH
YELG 0.1
ZPYR 0.1
Supplier ID
Performance
Industry Standard (0.1%)



Serial SP09. GSP Group: London (_C). Reporting Period 1 to 31 October 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
0.1
0.1
0.1
0.2
0.1
0.2
1.2
0.3
1.3
0.5
0.1
0.1
0.6
0.2
0.1
0.2
0.1
1.0
0.6
0.4
0.2
0.1
0.2
0.1
0.5
0.8
0.1
0.1
0.1
0.3
3.1
1.0
0.1
0.3
0.3
1.1
0.4
2.6
1.0
0.4
0.6
0.2
0.5
0.1
ARIZ
AVRO
BGAS
BIZZ
BNRG
CNRG
COOP
DESL
DUAL
EBES
ECOT
EDDI
EENG
EFLS
EMEB
ENRD
EURO
FRST
FXGL
GESL
GETW
GNRG
HPOW
IMPO
IRID
JERE
LOND
LORM
LUME
LVDR
MIDE
MONT
MRCY
NATP
NEEB
NORW
OSMI
OVOE
OXPO
PILO
PION
PSUK
PURE
REGE
SANT
SEEB
SOUT
SPOW
SPRK
SYMB
TGPL
THLE
THRE
TNDO
TULP
VIRG
WASH
ZPYR
Supplier ID
Performance
Industry Standard (0.1%)



Serial SP09. GSP Group: Merseyside and North Wales (_D). Reporting Period 1 to 31 October 2020 . Reconciliation Run: R3 for Supplier IDs > 1000
Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
0.2 0.2 0.1 0.3 0.1 0.5 0.2 0.2 0.1 2.4 0.4 1.9 0.9 0.2 0.7 0.4 0.2 0.1 0.3 0.1 1.5 0.4 0.4 0.2 0.4 0.2 0.1 0.3 0.1 0.3 0.7 0.4 0.1 0.2 0.1 0.6 1.4 0.1 0.6 0.4 0.4 0.8 1.6 0.5 0.6 0.5 0.4
ARIZ AVRO BGAS BIZZ BNRG CNRG COMT COOP DESL DUAL EBES ECOT EDDI EENG EMEB ENRD EURO FRST FXGL GESL GETW HPOW IMPO IRID JERE LOND LORM LVDR MAGN MANW MIDE MONT MRCY NATP NEEB NORW OSMI OVOE OXPO PILO PION PSUK PURE REGE SANT SOUT SPOW SPRK SWAE SWEB TGPL THLE TULP VIRG WASH ZPYR
Supplier ID
Performance
Industry Standard (0.1%)



Serial SP09. GSP Group: Midlands (_E). Reporting Period 1 to 31 October 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
ARIZ 0.1
AVRO 0.2
BGAS
BIZZ 0.1
BNRG 0.2
CNRG 0.5
COMT 0.7
COOP 0.3
COVE 0.3
CPPR
DESL 0.2
DUAL 1.1
EBES 0.2
ECOT 0.7
EDDI 0.7
EENG 0.2
EMEB 0.7
ENRD 0.2
EURO 0.1
FRST
FXGL
GESL 0.4
GETW 0.1
GNRG 0.9
HPOW 0.4
HYDE
IMPO 0.2
INDE 0.5
IRID 0.1
JERE 0.1
LOND 0.4
LORM 0.3
LVDR 0.2
MANW
MIDE
MONT 0.2
MRCY 0.8
NATP 0.1
NEEB 0.1
NORW 0.1
OSMI 0.1
OVOE 0.1
OXPO 0.5
PGEN 0.4
PILO 1.6
PION 0.1
PSUK 0.9
PURE 0.1
REGE 0.5
SANT 0.5
SEEB 0.1
SINQ
SOUT
SPOW 0.6
SPRK 0.6
SWAE
SWEB
SYMB 1.3
TGPL 0.6
THLE 0.7
THRE 1.2
TNDO
TULP
VIRG 0.3
WASH
ZPYR 0.1
Supplier ID
Performance
Industry Standard (0.1%)



Serial SP09. GSP Group: Northern (_F). Reporting Period 1 to 31 October 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
0.1
0.1
0.1
3.0
0.4
0.1
2.0
0.4
0.7
0.4
0.2
0.7
0.2
0.1
0.4
0.8
0.3
0.1
0.1
0.4
0.3
0.1
0.6
0.1
0.4
0.4
0.1
0.1
0.5
1.6
0.1
0.8
0.1
0.3
0.2
0.4
0.6
0.5
1.2
0.5
1.3
AVRO
BGAS
BIZZ
BNRG
CNRG
COOP
DESL
DUAL
EBES
ECOT
EDDI
EENG
EMEB
ENRD
EURO
FRST
FXGL
GESL
GETW
HPOW
IMPO
IRID
JERE
LOND
LORM
LVDR
MAGN
MIDE
MONT
MRCY
NATP
NEEB
OSMI
OVOE
OXPO
PILO
PION
PSUK
PURE
REGE
RWED
SANT
SOUT
SPOW
SPRK
SWEB
TGPL
THLE
THRE
TULP
WASH
YELG
ZPYR
Supplier ID
Performance
Industry Standard (0.1%)



Serial SP09. GSP Group: North Western (_G). Reporting Period 1 to 31 October 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
AVRO 0.1
BGAS
BIZZ 0.1
BNRG 0.1
BORE
CNRG 0.2
COOP 0.3
DESL
DUAL 0.7
EBES 0.4
ECOT 1.5
EDDI 0.4
EENG 0.2
EMEB 0.7
ENRD 0.3
EURO 0.2
FRST
FXGL
GESL 0.3
GETW 0.1
HPOW 0.5
HYDE
IMPO 0.4
IRID 0.1
JERE 0.2
LOND 0.3
LORM 0.2
LVDR 0.2
MANW 0.1
MIDE
MONT 0.1
MRCY 0.4
NATP 0.4
NEEB 0.1
NORW 0.2
OSMI
OVOE 0.1
OXPO 0.6
PILO 1.3
PION
PSUK 1.0
PURE 0.1
REGE 0.4
SANT 0.3
SINQ 0.1
SOUT
SPOW 0.9
SPRK 0.5
SWEB
TGPL 0.9
THLE 0.7
TULP
VIRG 0.4
WASH
ZPYR 0.1
Supplier ID
Performance
Industry Standard (0.1%)



Serial SP09. GSP Group: Southern (_H). Reporting Period 1 to 31 October 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
ARIZ 0.1
AVRO 0.2
BGAS 0.1
BIZZ
BNRG 0.1
BORE
CNRG 0.4
COMT 0.1
COOP 0.5
COVE 0.3
CPPR
DESL 0.2
DUAL 1.8
EBES 0.5
ECOT 1.7
EDDI 2.0
EENG 0.1
EFLS 0.1
EMEB 0.8
ENRD 0.4
EURO 0.1
FRST
FXGL 0.1
GESL 0.1
GETW
GNRG 1.0
HPOW 0.9
IMPO 0.1
IRID 0.2
JERE 0.1
LOND 0.4
LORM 0.3
LUME
LVDR 0.1
MIDE
MONT 0.1
MRCY 0.7
NATP 0.3
NEEB 0.1
NORW 0.3
OSMI
OVOE
OXPO 0.5
PILO 1.4
PION
PSUK 1.2
PURE 0.2
REGE 0.4
ROSE 0.1
RWED 0.4
SANT 0.3
SEEB
SINQ 0.1
SOUT
SPOW 0.5
SPRK 0.5
SWEB 0.1
SYMB 2.4
TGPL 1.0
THLE 0.7
THRE 1.7
TNDO 0.2
TULP
VIRG 0.5
WASH
ZPYR 0.1
Supplier ID
Performance
Industry Standard (0.1%)



Serial SP09. GSP Group: South Eastern (_J). Reporting Period 1 to 31 October 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
ARIZ 0.6
AVRO 0.2
BGAS 0.1
BIZZ 0.1
BNRG 0.3
BORE
CNRG 0.3
COMT 0.2
COOP 0.2
CPPR 0.3
DESL 0.3
DUAL 3.2
EBES 0.8
ECOT 1.0
EDDI 0.5
EENG 0.1
EFLS 0.2
EMEB 0.8
ENRD 0.3
EURO 0.2
FRST 0.1
FXGL 0.1
GESL 0.2
GETW 0.1
GNRG 1.2
HPOW 0.8
IMPO 0.5
IRID 0.1
JERE 0.2
LOND 0.5
LORM 1.0
LUME 0.1
LVDR 0.1
MIDE
MONT 0.1
MRCY 0.9
NATP 1.4
NEEB 0.1
NORW
OSMI 0.1
OVOE 0.1
OXPO 0.4
PILO 1.2
PION 0.1
PSUK 1.0
PURE 0.1
REGE 0.7
SANT 0.6
SEEB
SOUT
SPOW 0.9
SPRK 1.2
SWAE
SYMB 2.2
TGPL 0.9
THLE 0.7
TNDO 0.2
TULP
VIRG 1.1
WASH
ZPYR 0.1
Supplier ID
Performance
Industry Standard (0.1%)


Serial SP09. GSP Group: South Wales (_K). Reporting Period 1 to 31 October 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
ARIZ 0.1
AVRO 0.1
BGAS 0.1
BIZZ 0.1
BNRG 0.1
CNRG 0.4
COOP 0.5
COVE 0.2
EBES 0.6
ECOT 0.4
EDDI 0.5
EENG 0.3
EMEB 0.4
ENRD 0.5
EURO 0.1
FRST
FXGL
GESL 0.3
GETW 0.1
IMPO
IRID 0.3
JERE
LOND 0.3
LORM 0.1
LVDR 0.3
MAGN 0.3
MANW 0.1
MIDE
MONT 0.1
MRCY 0.5
NATP 0.1
NEEB 0.2
OSMI
OVOE 0.1
OXPO 0.5
PILO 1.8
PION 0.1
PSUK 0.4
PURE 0.1
REGE 0.4
SANT 0.4
SOUT
SPOW 1.0
SPRK 0.6
SWAE
SWEB 0.1
TGPL 0.9
THLE 0.6
TULP
WASH
ZPYR 0.1
Supplier ID
Performance
Industry Standard (0.1%)


Serial SP09. GSP Group: South Western (_L). Reporting Period 1 to 31 October 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
ARIZ 0.1
AVRO 0.2
BGAS 0.1
BIZZ
BNRG 0.2
BORE
CNRG 0.3
COMT 0.3
COOP 0.4
COVE 0.1
CPPR
DESL 0.2
DUAL 1.3
EBES 0.4
ECOT 0.8
EDDI 0.6
EENG 0.1
EMEB 0.5
ENRD 0.3
EURO 0.2
FRST
FXGL 0.1
GESL 0.2
GETW 0.1
GNRG 1.3
HPOW 2.6
IMPO 0.3
IRID 0.1
JERE 0.1
LOND 0.4
LORM 0.9
LVDR 0.1
MIDE
MONT 0.1
MRCY 0.5
NATP 0.2
NEEB 0.1
OSMI 0.1
OVOE 0.1
OXPO 0.5
PGEN 0.1
PILO 1.4
PION 0.1
PSUK 1.3
PURE 0.1
REGE 0.5
SANT 0.7
SEEB
SOUT
SPOW 0.9
SPRK 0.8
SWAE
SWEB
SYMB 2.3
TGPL 0.9
THLE 0.4
TNDO
TULP
VIRG 0.3
WASH
ZPYR
Supplier ID
Performance
Industry Standard (0.1%)


Serial SP09. GSP Group: Yorkshire (_M). Reporting Period 1 to 31 October 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
ARIZ 0.3
AVRO 0.1
BGAS
BIZZ 0.1
BNRG 0.1
BORE 0.1
CNRG 0.3
COOP 0.3
DESL 0.1
DFDL
DUAL 1.7
EBES 0.4
ECOT 0.7
EDDI 0.4
EENG 0.2
EFLS 0.1
EMEB 0.6
ENRD 0.5
EURO 0.1
FRST
FXGL
GESL 0.2
GETW
HPOW 0.7
IMPO 0.4
INDE 0.6
IRID 0.2
JERE 0.2
LOND 0.4
LORM 0.3
LVDR 0.1
MIDE 0.1
MONT 0.2
MRCY 0.4
NATP 0.2
NEEB 0.1
NORW 0.2
OSMI
OVOE 0.1
OXPO 0.5
PILO 1.2
PION 0.1
PSUK 0.7
PURE
REGE 0.4
RWED 0.2
SANT 0.4
SINQ
SOUT
SPOW 0.6
SPRK 0.5
SWEB
TGPL 0.9
THLE 0.8
TULP
WASH
YELG
ZPYR 0.1
Supplier ID
Performance
Industry Standard (0.1%)


Serial SP09. GSP Group: South Scotland (_N). Reporting Period 1 to 31 October 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
AVRO 0.1
BGAS 0.1
BIZZ 0.3
BNRG 0.1
CNRG 0.4
COOP 0.2
DUAL 1.6
EBES 0.4
ECOT 0.5
EDDI 0.5
EENG 0.2
EMEB 0.6
ENRD 0.4
EURO 0.2
FRST 0.1
FXGL 0.1
GESL 0.3
GETW 0.2
HPOW 0.6
HYDE 0.1
IMPO 0.5
IRID 0.1
JERE 0.5
LOND 0.5
LORM 0.3
LVDR 0.1
MIDE
MONT 0.2
MRCY 0.7
NATP 0.6
NEEB 0.1
OSMI 0.1
OVOE 0.1
OXPO 0.5
PILO 2.1
PION 0.2
PSUK 1.0
PURE 0.3
REGE 0.5
SANT 0.5
SINQ
SOUT 0.3
SPOW 0.6
SPRK 0.9
TGPL 0.8
THLE 0.7
TULP
WASH
ZPYR 0.1
Supplier ID
Performance
Industry Standard (0.1%)


Serial SP09. GSP Group: North Scotland (_P). Reporting Period 1 to 31 October 2020 . Reconciliation Run: R3 for Supplier IDs > 1000 Metering Systems
Percentage of Non Half-Hourly Metering Systems settled on a Default EAC
0
1
2
3
4
0.2
0.2
0.1
0.5
1.8
0.6
1.5
0.7
0.5
0.4
0.1
0.1
0.4
0.3
0.2
0.1
1.0
0.5
0.7
0.3
1.1
0.5
0.2
0.2
0.8
0.6
2.6
0.3
0.1
0.9
0.7
1.4
0.3
AVRO
BGAS
BNRG
CNRG
COOP
ECOT
EDDI
EENG
EMEB
ENRD
EURO
FRST
FXGL
GESL
GETW
HYDE
IMPO
IRID
JERE
LOND
LORM
MIDE
MONT
MRCY
NATP
NEEB
OSMI
OVOE
OXPO
PILO
REGE
SINQ
SPOW
SPRK
TGPL
TULP
ZPYR
Supplier ID
Performance
Industry Standard (0.1%)