

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

1. Autumn

HDR,T021001,20170901-20180831,Autumn,20180612181130

SAM,LP1W,20170901,6,1,8

SAM,LP2W,20170901,9,1,8

SAM,LP3W,20170901,15,2,8

SAM,LP3W,20170901,20,2,8

SAM,LP4W,20170901,27,2,8

SAM,LP4W,20170901,30,2,8

SAM,LP5W,20170901,33,2,8

SAM,LP5W,20170901,37,2,8

SAM,LP6W,20170901,43,2,8

SAM,LP6W,20170901,45,2,8

SAM,LP7NW,20170903,6,1,16

SAM,LP8NW,20170902,10,1,16

SAM,LP9NW,20170902,16,2,16

SAM,LP9NW,20170903,21,2,16

SAM,LP10NW,20170902,27,2,16

SAM,LP10NW,20170903,25,2,16

SAM,LP11NW,20170902,35,2,16

SAM,LP11NW,20170903,32,2,16

SAM,LP12NW,20170902,45,2,16

SAM,LP12NW,20170903,40,2,16

SAM,LP13W,20170908,1,1,40

SAM,LP14W,20170906,12,1,40

SAM,LP15W,20170906,17,2,40

SAM,LP15W,20170906,20,2,40

SAM,LP16W,20170904,23,2,40

SAM,LP16W,20170907,28,2,40

SAM,LP17W,20170904,36,2,40

SAM,LP17W,20170908,33,2,40

SAM,LP18W,20170906,42,2,40

SAM,LP18W,20170906,46,2,40

SAM,LP19NW,20170909,4,1,16

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP20NW,20170910,8,1,16
SAM,LP21NW,20170909,16,2,16
SAM,LP21NW,20170909,19,2,16
SAM,LP22NW,20170909,30,2,16
SAM,LP22NW,20170910,29,2,16
SAM,LP23NW,20170909,35,2,16
SAM,LP23NW,20170910,35,2,16
SAM,LP24NW,20170909,40,2,16
SAM,LP24NW,20170909,41,2,16
SAM,LP25W,20170915,4,1,40
SAM,LP26W,20170914,9,1,40
SAM,LP27W,20170913,16,2,40
SAM,LP27W,20170914,19,2,40
SAM,LP28W,20170912,27,2,40
SAM,LP28W,20170914,29,2,40
SAM,LP29W,20170912,32,2,40
SAM,LP29W,20170913,38,2,40
SAM,LP30W,20170912,39,2,40
SAM,LP30W,20170913,39,2,40
SAM,LP31NW,20170915,48,1,16
SAM,LP32NW,20170917,13,1,16
SAM,LP33NW,20170916,19,2,16
SAM,LP33NW,20170917,15,2,16
SAM,LP34NW,20170917,24,2,16
SAM,LP34NW,20170917,29,2,16
SAM,LP35NW,20170917,31,2,16
SAM,LP35NW,20170917,32,2,16
SAM,LP36NW,20170916,45,2,16
SAM,LP36NW,20170917,44,2,16
SAM,LP37W,20170919,6,1,40
SAM,LP38W,20170922,13,1,40
SAM,LP39W,20170921,17,2,40
SAM,LP39W,20170922,19,2,40
SAM,LP40W,20170918,30,2,40

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP40W,20170921,23,2,40
SAM,LP41W,20170922,31,2,40
SAM,LP41W,20170922,33,2,40
SAM,LP42W,20170919,40,2,40
SAM,LP42W,20170919,44,2,40
SAM,LP43NW,20170923,6,1,16
SAM,LP44NW,20170923,12,1,16
SAM,LP45NW,20170923,18,2,16
SAM,LP45NW,20170924,18,2,16
SAM,LP46NW,20170924,23,2,16
SAM,LP46NW,20170924,30,2,16
SAM,LP47NW,20170923,37,2,16
SAM,LP47NW,20170924,33,2,16
SAM,LP48NW,20170924,40,2,16
SAM,LP48NW,20170924,45,2,16
SAM,LP49W,20170928,48,1,40
SAM,LP50W,20170927,12,1,40
SAM,LP51W,20170927,17,2,40
SAM,LP51W,20170928,17,2,40
SAM,LP52W,20170925,23,2,40
SAM,LP52W,20170925,30,2,40
SAM,LP53W,20170927,34,2,40
SAM,LP53W,20170929,33,2,40
SAM,LP54W,20170927,45,2,40
SAM,LP54W,20170928,46,2,40
SAM,LP55NW,20170930,6,1,16
SAM,LP56NW,20170930,11,1,16
SAM,LP57NW,20171001,15,2,16
SAM,LP57NW,20171001,16,2,16
SAM,LP58NW,20170930,26,2,16
SAM,LP58NW,20171001,30,2,16
SAM,LP59NW,20170930,34,2,16
SAM,LP59NW,20170930,36,2,16
SAM,LP60NW,20170930,45,2,16

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP60NW,20171001,40,2,16
SAM,LP61W,20171002,2,1,40
SAM,LP62W,20171002,7,1,40
SAM,LP63W,20171002,20,2,40
SAM,LP63W,20171006,18,2,40
SAM,LP64W,20171002,24,2,40
SAM,LP64W,20171002,27,2,40
SAM,LP65W,20171002,35,2,40
SAM,LP65W,20171004,33,2,40
SAM,LP66W,20171002,40,2,40
SAM,LP66W,20171005,40,2,40
SAM,LP67NW,20171006,47,1,16
SAM,LP68NW,20171008,7,1,16
SAM,LP69NW,20171007,21,2,16
SAM,LP69NW,20171008,15,2,16
SAM,LP70NW,20171008,23,2,16
SAM,LP70NW,20171008,25,2,16
SAM,LP71NW,20171007,35,2,16
SAM,LP71NW,20171008,38,2,16
SAM,LP72NW,20171007,39,2,16
SAM,LP72NW,20171008,45,2,16
SAM,LP73W,20171011,47,1,40
SAM,LP74W,20171013,10,1,40
SAM,LP75W,20171010,17,2,40
SAM,LP75W,20171011,16,2,40
SAM,LP76W,20171011,30,2,40
SAM,LP76W,20171013,28,2,40
SAM,LP77W,20171012,35,2,40
SAM,LP77W,20171013,32,2,40
SAM,LP78W,20171012,43,2,40
SAM,LP78W,20171012,46,2,40
SAM,LP79NW,20171014,1,1,16
SAM,LP80NW,20171014,8,1,16
SAM,LP81NW,20171014,15,2,16

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP81NW,20171015,19,2,16
SAM,LP82NW,20171014,23,2,16
SAM,LP82NW,20171014,24,2,16
SAM,LP83NW,20171014,32,2,16
SAM,LP83NW,20171014,34,2,16
SAM,LP84NW,20171014,43,2,16
SAM,LP84NW,20171015,45,2,16
SAM,LP85W,20171017,1,1,40
SAM,LP86W,20171016,9,1,40
SAM,LP87W,20171016,16,2,40
SAM,LP87W,20171017,21,2,40
SAM,LP88W,20171019,25,2,40
SAM,LP88W,20171020,24,2,40
SAM,LP89W,20171018,32,2,40
SAM,LP89W,20171019,33,2,40
SAM,LP90W,20171017,41,2,40
SAM,LP90W,20171018,42,2,40
SAM,LP91NW,20171021,6,1,16
SAM,LP92NW,20171021,9,1,16
SAM,LP93NW,20171021,22,2,16
SAM,LP93NW,20171022,21,2,16
SAM,LP94NW,20171021,24,2,16
SAM,LP94NW,20171022,24,2,16
SAM,LP95NW,20171022,34,2,16
SAM,LP95NW,20171022,38,2,16
SAM,LP96NW,20171022,42,2,16
SAM,LP96NW,20171022,45,2,16
SAM,LP97W,20171023,1,1,40
SAM,LP98W,20171023,9,1,40
SAM,LP99W,20171024,21,2,40
SAM,LP99W,20171027,22,2,40
SAM,LP100W,20171024,28,2,40
SAM,LP100W,20171025,27,2,40
SAM,LP101W,20171023,38,2,40

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP101W,20171024,31,2,40
SAM,LP102W,20171024,42,2,40
SAM,LP102W,20171024,43,2,40
SAM,LP103NW,20171029,7,1,18
SAM,LP104NW,20171028,13,1,16
SAM,LP105NW,20171028,17,2,16
SAM,LP105NW,20171028,20,2,16
SAM,LP106NW,20171028,25,2,16
SAM,LP106NW,20171029,29,2,16
SAM,LP107NW,20171028,34,2,16
SAM,LP107NW,20171029,36,2,16
SAM,LP108NW,20171028,42,2,16
SAM,LP108NW,20171029,42,2,16
SAM,LP109W,20171101,3,1,40
SAM,LP110W,20171030,9,1,40
SAM,LP111W,20171031,17,2,40
SAM,LP111W,20171101,16,2,40
SAM,LP112W,20171030,29,2,40
SAM,LP112W,20171101,25,2,40
SAM,LP113W,20171030,34,2,40
SAM,LP113W,20171102,36,2,40
SAM,LP114W,20171102,44,2,40
SAM,LP114W,20171103,44,2,40
SAM,LP115NW,20171104,3,1,16
SAM,LP116NW,20171105,14,1,16
SAM,LP117NW,20171104,17,2,16
SAM,LP117NW,20171105,19,2,16
SAM,LP118NW,20171104,26,2,16
SAM,LP118NW,20171105,30,2,16
SAM,LP119NW,20171104,37,2,16
SAM,LP119NW,20171105,34,2,16
SAM,LP120NW,20171105,39,2,16
SAM,LP120NW,20171105,44,2,16
SAM,LP121W,20171108,1,1,40

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP122W,20171107,7,1,40
SAM,LP123W,20171108,20,2,40
SAM,LP123W,20171109,18,2,40
SAM,LP124W,20171106,23,2,40
SAM,LP124W,20171108,26,2,40
SAM,LP125W,20171107,34,2,40
SAM,LP125W,20171109,37,2,40
SAM,LP126W,20171106,46,2,40
SAM,LP126W,20171110,46,2,40
SAM,LP127NW,20171112,5,1,16
SAM,LP128NW,20171112,10,1,16
SAM,LP129NW,20171111,21,2,16
SAM,LP129NW,20171112,17,2,16
SAM,LP130NW,20171111,24,2,16
SAM,LP130NW,20171111,28,2,16
SAM,LP131NW,20171111,33,2,16
SAM,LP131NW,20171112,36,2,16
SAM,LP132NW,20171111,44,2,16
SAM,LP132NW,20171112,44,2,16
SAM,LP133W,20171114,5,1,40
SAM,LP134W,20171116,9,1,40
SAM,LP135W,20171115,17,2,40
SAM,LP135W,20171117,21,2,40
SAM,LP136W,20171113,27,2,40
SAM,LP136W,20171114,23,2,40
SAM,LP137W,20171113,34,2,40
SAM,LP137W,20171114,34,2,40
SAM,LP138W,20171114,43,2,40
SAM,LP138W,20171117,46,2,40
SAM,LP139NW,20171119,1,1,16
SAM,LP140NW,20171118,9,1,16
SAM,LP141NW,20171119,16,2,16
SAM,LP141NW,20171119,20,2,16
SAM,LP142NW,20171118,28,2,16

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP142NW,20171119,30,2,16
SAM,LP143NW,20171118,37,2,16
SAM,LP143NW,20171119,31,2,16
SAM,LP144NW,20171118,43,2,16
SAM,LP144NW,20171118,44,2,16
SAM,LP145W,20171120,2,1,40
SAM,LP146W,20171121,12,1,40
SAM,LP147W,20171121,18,2,40
SAM,LP147W,20171122,22,2,40
SAM,LP148W,20171123,29,2,40
SAM,LP148W,20171124,23,2,40
SAM,LP149W,20171120,33,2,40
SAM,LP149W,20171124,31,2,40
SAM,LP150W,20171122,44,2,40
SAM,LP150W,20171123,42,2,40
SAM,LP151NW,20171126,1,1,16
SAM,LP152NW,20171125,14,1,16
SAM,LP153NW,20171125,21,2,16
SAM,LP153NW,20171126,15,2,16
SAM,LP154NW,20171126,25,2,16
SAM,LP154NW,20171126,28,2,16
SAM,LP155NW,20171125,35,2,16
SAM,LP155NW,20171125,38,2,16
SAM,LP156NW,20171125,42,2,16
SAM,LP156NW,20171126,40,2,16
SAM,LP157W,20171128,6,1,32
SAM,LP158W,20171127,9,1,32
SAM,LP159W,20171129,20,2,32
SAM,LP160W,20171128,26,2,32
SAM,LP160W,20171129,24,2,32
SAM,LP161W,20171129,36,2,32
SAM,LP161W,20171130,36,2,32
SAM,LP162W,20171128,46,1,32
FTR,270

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

2. Spring

HDR,T021001,20170901-20180831, Spring,20180612181130

SAM,LP315W,20180301,16,1,16

SAM,LP316W,20180302,23,2,16

SAM,LP316W,20180302,27,2,16

SAM,LP317W,20180302,38,1,16

SAM,LP318W,20180301,40,1,16

SAM,LP319NW,20180304,4,1,16

SAM,LP320NW,20180303,9,1,16

SAM,LP321NW,20180303,19,2,16

SAM,LP321NW,20180304,22,2,16

SAM,LP322NW,20180303,24,2,16

SAM,LP322NW,20180304,25,2,16

SAM,LP323NW,20180303,33,2,16

SAM,LP323NW,20180304,31,2,16

SAM,LP324NW,20180304,40,2,16

SAM,LP324NW,20180304,41,2,16

SAM,LP325W,20180306,5,1,40

SAM,LP326W,20180309,12,1,40

SAM,LP327W,20180308,17,2,40

SAM,LP327W,20180309,21,2,40

SAM,LP328W,20180307,29,2,40

SAM,LP328W,20180309,25,2,40

SAM,LP329W,20180308,38,2,40

SAM,LP329W,20180309,35,2,40

SAM,LP330W,20180306,45,2,40

SAM,LP330W,20180309,42,2,40

SAM,LP331NW,20180311,5,1,16

SAM,LP332NW,20180311,11,1,16

SAM,LP333NW,20180310,21,2,16

SAM,LP333NW,20180311,21,2,16

SAM,LP334NW,20180311,26,2,16

SAM,LP334NW,20180311,30,2,16

SAM,LP335NW,20180310,36,2,16

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP335NW,20180310,38,2,16
SAM,LP336NW,20180310,44,2,16
SAM,LP336NW,20180311,46,2,16
SAM,LP337W,20180313,3,1,40
SAM,LP338W,20180313,13,1,40
SAM,LP339W,20180315,16,2,40
SAM,LP339W,20180316,15,2,40
SAM,LP340W,20180312,28,2,40
SAM,LP340W,20180316,29,2,40
SAM,LP341W,20180312,34,2,40
SAM,LP341W,20180314,38,2,40
SAM,LP342W,20180315,44,2,40
SAM,LP342W,20180316,44,2,40
SAM,LP343NW,20180316,48,1,16
SAM,LP344NW,20180317,12,1,16
SAM,LP345NW,20180317,16,2,16
SAM,LP345NW,20180318,19,2,16
SAM,LP346NW,20180317,29,2,16
SAM,LP346NW,20180318,26,2,16
SAM,LP347NW,20180318,32,2,16
SAM,LP347NW,20180318,37,2,16
SAM,LP348NW,20180317,39,2,16
SAM,LP348NW,20180317,43,2,16
SAM,LP349W,20180321,2,1,40
SAM,LP350W,20180319,10,1,40
SAM,LP351W,20180320,18,2,40
SAM,LP351W,20180320,22,2,40
SAM,LP352W,20180319,27,2,40
SAM,LP352W,20180321,30,2,40
SAM,LP353W,20180320,32,2,40
SAM,LP353W,20180320,33,2,40
SAM,LP354W,20180321,44,2,40
SAM,LP354W,20180323,42,2,40
SAM,LP355NW,20180325,2,1,14

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP356NW,20180324,11,1,16
SAM,LP357NW,20180324,15,2,16
SAM,LP357NW,20180324,20,2,16
SAM,LP358NW,20180324,29,2,16
SAM,LP358NW,20180325,25,2,16
SAM,LP359NW,20180324,35,2,16
SAM,LP359NW,20180324,37,2,16
SAM,LP360NW,20180325,37,2,16
SAM,LP360NW,20180325,44,2,16
SAM,LP361W,20180329,2,1,32
SAM,LP362W,20180327,7,1,32
SAM,LP363W,20180326,15,2,32
SAM,LP363W,20180329,17,2,32
SAM,LP364W,20180327,25,2,32
SAM,LP364W,20180328,23,2,32
SAM,LP365W,20180326,31,2,32
SAM,LP365W,20180327,38,2,32
SAM,LP366W,20180329,40,2,32
SAM,LP366W,20180329,46,2,32
SAM,LP367NW,20180331,4,1,32
SAM,LP368NW,20180331,12,1,32
SAM,LP369NW,20180401,20,2,32
SAM,LP369NW,20180401,22,2,32
SAM,LP370NW,20180330,29,2,32
SAM,LP370NW,20180331,28,2,32
SAM,LP371NW,20180330,34,2,32
SAM,LP371NW,20180330,37,2,32
SAM,LP372NW,20180401,41,2,32
SAM,LP372NW,20180402,43,2,32
SAM,LP373W,20180406,2,1,32
SAM,LP374W,20180403,12,1,32
SAM,LP375W,20180404,15,2,32
SAM,LP375W,20180405,18,2,32
SAM,LP376W,20180405,25,2,32

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP376W,20180405,29,2,32
SAM,LP377W,20180405,32,2,32
SAM,LP377W,20180405,36,2,32
SAM,LP378W,20180403,44,2,32
SAM,LP378W,20180405,41,2,32
SAM,LP379NW,20180407,6,1,16
SAM,LP380NW,20180408,10,1,16
SAM,LP381NW,20180407,18,2,16
SAM,LP381NW,20180408,21,2,16
SAM,LP382NW,20180407,29,2,16
SAM,LP382NW,20180408,24,2,16
SAM,LP383NW,20180407,37,2,16
SAM,LP383NW,20180407,38,2,16
SAM,LP384NW,20180407,41,2,16
SAM,LP384NW,20180407,44,2,16
SAM,LP385W,20180413,5,1,40
SAM,LP386W,20180412,13,1,40
SAM,LP387W,20180409,20,2,40
SAM,LP387W,20180413,22,2,40
SAM,LP388W,20180409,23,2,40
SAM,LP388W,20180412,24,2,40
SAM,LP389W,20180410,34,2,40
SAM,LP389W,20180413,32,2,40
SAM,LP390W,20180411,43,2,40
SAM,LP390W,20180411,44,2,40
SAM,LP391NW,20180414,47,1,16
SAM,LP392NW,20180415,11,1,16
SAM,LP393NW,20180414,22,2,16
SAM,LP393NW,20180415,17,2,16
SAM,LP394NW,20180414,27,2,16
SAM,LP394NW,20180415,29,2,16
SAM,LP395NW,20180414,37,2,16
SAM,LP395NW,20180415,38,2,16
SAM,LP396NW,20180415,42,2,16

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP396NW,20180415,45,2,16
SAM,LP397W,20180418,2,1,40
SAM,LP398W,20180418,9,1,40
SAM,LP399W,20180417,15,2,40
SAM,LP399W,20180417,16,2,40
SAM,LP400W,20180418,23,2,40
SAM,LP400W,20180420,27,2,40
SAM,LP401W,20180417,38,2,40
SAM,LP401W,20180420,35,2,40
SAM,LP402W,20180416,41,2,40
SAM,LP402W,20180418,42,2,40
SAM,LP403NW,20180421,3,1,16
SAM,LP404NW,20180421,8,1,16
SAM,LP405NW,20180421,18,2,16
SAM,LP405NW,20180421,20,2,16
SAM,LP406NW,20180421,23,2,16
SAM,LP406NW,20180421,30,2,16
SAM,LP407NW,20180421,34,2,16
SAM,LP407NW,20180421,36,2,16
SAM,LP408NW,20180421,39,2,16
SAM,LP408NW,20180422,44,2,16
SAM,LP409W,20180426,5,1,40
SAM,LP410W,20180424,10,1,40
SAM,LP411W,20180425,15,2,40
SAM,LP411W,20180426,20,2,40
SAM,LP412W,20180423,25,2,40
SAM,LP412W,20180426,30,2,40
SAM,LP413W,20180424,34,2,40
SAM,LP413W,20180427,31,2,40
SAM,LP414W,20180423,44,2,40
SAM,LP414W,20180426,41,2,40
SAM,LP415NW,20180428,48,1,16
SAM,LP416NW,20180428,8,1,16
SAM,LP417NW,20180429,17,2,16

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP417NW,20180429,20,2,16
SAM,LP418NW,20180428,23,2,16
SAM,LP418NW,20180429,26,2,16
SAM,LP419NW,20180428,34,2,16
SAM,LP419NW,20180429,31,2,16
SAM,LP420NW,20180428,41,2,16
SAM,LP420NW,20180429,40,2,16
SAM,LP421W,20180503,3,1,40
SAM,LP422W,20180504,8,1,40
SAM,LP423W,20180430,18,2,40
SAM,LP423W,20180502,19,2,40
SAM,LP424W,20180501,30,2,40
SAM,LP424W,20180502,28,2,40
SAM,LP425W,20180501,32,2,40
SAM,LP425W,20180501,37,2,40
SAM,LP426W,20180502,40,2,40
SAM,LP426W,20180503,45,2,40
SAM,LP427NW,20180504,47,1,24
SAM,LP428NW,20180506,11,1,24
SAM,LP429NW,20180507,20,2,24
SAM,LP429NW,20180507,22,2,24
SAM,LP430NW,20180506,23,2,24
SAM,LP430NW,20180506,27,2,24
SAM,LP431NW,20180505,31,2,24
SAM,LP431NW,20180506,37,2,24
SAM,LP432NW,20180505,41,2,24
SAM,LP432NW,20180506,44,2,24
SAM,LP433W,20180509,6,1,32
SAM,LP434W,20180510,14,1,32
SAM,LP435W,20180508,21,2,32
SAM,LP435W,20180510,19,2,32
SAM,LP436W,20180508,28,2,32
SAM,LP436W,20180509,28,2,32
SAM,LP437W,20180508,37,2,32

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP437W,20180508,38,2,32
SAM,LP438W,20180508,43,2,32
SAM,LP438W,20180509,41,2,32
SAM,LP439NW,20180512,48,1,16
SAM,LP440NW,20180512,7,1,16
SAM,LP441NW,20180512,16,2,16
SAM,LP441NW,20180512,19,2,16
SAM,LP442NW,20180512,28,2,16
SAM,LP442NW,20180512,30,2,16
SAM,LP443NW,20180512,32,2,16
SAM,LP443NW,20180512,33,2,16
SAM,LP444NW,20180512,45,2,16
SAM,LP444NW,20180513,46,2,16
SAM,LP445W,20180516,48,1,40
SAM,LP446W,20180518,7,1,40
SAM,LP447W,20180514,21,2,40
SAM,LP447W,20180516,19,2,40
SAM,LP448W,20180518,24,2,40
SAM,LP448W,20180518,30,2,40
SAM,LP449W,20180514,35,2,40
SAM,LP449W,20180516,34,2,40
SAM,LP450W,20180516,43,2,40
SAM,LP450W,20180517,39,2,40
SAM,LP451NW,20180519,2,1,16
SAM,LP452NW,20180519,8,1,16
SAM,LP453NW,20180519,20,2,16
SAM,LP453NW,20180520,15,2,16
SAM,LP454NW,20180519,24,2,16
SAM,LP454NW,20180520,27,2,16
SAM,LP455NW,20180519,32,2,16
SAM,LP455NW,20180519,36,2,16
SAM,LP456NW,20180520,42,2,16
SAM,LP456NW,20180520,43,2,16
SAM,LP457W,20180522,1,1,40

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP458W,20180522,13,1,40
SAM,LP459W,20180523,18,2,40
SAM,LP459W,20180524,20,2,40
SAM,LP460W,20180521,29,2,40
SAM,LP460W,20180524,30,2,40
SAM,LP461W,20180522,31,2,40
SAM,LP461W,20180522,38,2,40
SAM,LP462W,20180522,43,2,40
SAM,LP462W,20180525,46,2,40
SAM,LP463NW,20180527,6,1,24
SAM,LP464NW,20180528,7,1,24
SAM,LP465NW,20180528,15,2,24
SAM,LP465NW,20180528,16,2,24
SAM,LP466NW,20180527,25,2,24
SAM,LP466NW,20180528,27,2,24
SAM,LP467NW,20180526,33,2,24
SAM,LP467NW,20180528,36,2,24
SAM,LP468NW,20180526,40,2,24
SAM,LP468NW,20180526,42,2,24
SAM,LP470W,20180530,8,1,24
SAM,LP471W,20180530,15,2,24
SAM,LP471W,20180531,15,2,24
SAM,LP472W,20180529,23,2,24
SAM,LP472W,20180531,26,2,24
SAM,LP473W,20180531,38,1,24
SAM,LP474W,20180531,42,1,24
FTR,264

3. Summer

HDR,T021001,20170901-20180831,Summer,20180612181130
SAM,LP469W,20180601,6,1,8
SAM,LP473W,20180601,32,1,8
SAM,LP474W,20180601,46,1,8
SAM,LP475NW,20180602,2,1,16

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP476NW,20180603,12,1,16
SAM,LP477NW,20180602,16,2,16
SAM,LP477NW,20180603,20,2,16
SAM,LP478NW,20180602,23,2,16
SAM,LP478NW,20180603,28,2,16
SAM,LP479NW,20180602,31,2,16
SAM,LP479NW,20180602,32,2,16
SAM,LP480NW,20180603,42,2,16
SAM,LP480NW,20180603,45,2,16
SAM,LP481W,20180605,2,1,40
SAM,LP482W,20180604,12,1,40
SAM,LP483W,20180606,17,2,40
SAM,LP483W,20180607,21,2,40
SAM,LP484W,20180604,29,2,40
SAM,LP484W,20180606,30,2,40
SAM,LP485W,20180604,35,2,40
SAM,LP485W,20180605,32,2,40
SAM,LP486W,20180605,41,2,40
SAM,LP486W,20180608,44,2,40
SAM,LP487NW,20180608,47,1,16
SAM,LP488NW,20180609,9,1,16
SAM,LP489NW,20180609,17,2,16
SAM,LP489NW,20180610,17,2,16
SAM,LP490NW,20180610,27,2,16
SAM,LP490NW,20180610,30,2,16
SAM,LP491NW,20180610,34,2,16
SAM,LP491NW,20180610,38,2,16
SAM,LP492NW,20180610,39,2,16
SAM,LP492NW,20180610,44,2,16
SAM,LP493W,20180612,2,1,40
SAM,LP494W,20180612,11,1,40
SAM,LP495W,20180614,19,2,40
SAM,LP495W,20180615,20,2,40
SAM,LP496W,20180612,28,2,40

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP496W,20180613,25,2,40
SAM,LP497W,20180611,37,2,40
SAM,LP497W,20180613,34,2,40
SAM,LP498W,20180612,42,2,40
SAM,LP498W,20180613,40,2,40
SAM,LP499NW,20180616,48,1,16
SAM,LP500NW,20180617,10,1,16
SAM,LP501NW,20180616,17,2,16
SAM,LP501NW,20180617,20,2,16
SAM,LP502NW,20180616,26,2,16
SAM,LP502NW,20180617,29,2,16
SAM,LP503NW,20180616,31,2,16
SAM,LP503NW,20180617,35,2,16
SAM,LP504NW,20180616,43,2,16
SAM,LP504NW,20180616,45,2,16
SAM,LP505W,20180618,4,1,40
SAM,LP506W,20180620,10,1,40
SAM,LP507W,20180619,19,2,40
SAM,LP507W,20180621,21,2,40
SAM,LP508W,20180618,25,2,40
SAM,LP508W,20180622,25,2,40
SAM,LP509W,20180621,36,2,40
SAM,LP509W,20180622,37,2,40
SAM,LP510W,20180618,41,2,40
SAM,LP510W,20180622,39,2,40
SAM,LP511NW,20180624,5,1,16
SAM,LP512NW,20180624,10,1,16
SAM,LP513NW,20180623,18,2,16
SAM,LP513NW,20180624,20,2,16
SAM,LP514NW,20180623,23,2,16
SAM,LP514NW,20180623,25,2,16
SAM,LP515NW,20180623,35,2,16
SAM,LP515NW,20180624,38,2,16
SAM,LP516NW,20180624,44,2,16

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP516NW,20180624,45,2,16
SAM,LP517W,20180627,47,1,40
SAM,LP518W,20180625,9,1,40
SAM,LP519W,20180625,21,2,40
SAM,LP519W,20180627,20,2,40
SAM,LP520W,20180625,26,2,40
SAM,LP520W,20180628,26,2,40
SAM,LP521W,20180625,32,2,40
SAM,LP521W,20180629,38,2,40
SAM,LP522W,20180626,42,2,40
SAM,LP522W,20180628,39,2,40
SAM,LP523NW,20180701,4,1,16
SAM,LP524NW,20180630,10,1,16
SAM,LP525NW,20180630,21,2,16
SAM,LP525NW,20180701,18,2,16
SAM,LP526NW,20180630,26,2,16
SAM,LP526NW,20180630,27,2,16
SAM,LP527NW,20180630,34,2,16
SAM,LP527NW,20180630,36,2,16
SAM,LP528NW,20180701,44,2,16
SAM,LP528NW,20180701,45,2,16
SAM,LP529W,20180704,48,1,40
SAM,LP530W,20180702,9,1,40
SAM,LP531W,20180705,16,2,40
SAM,LP531W,20180705,22,2,40
SAM,LP532W,20180704,26,2,40
SAM,LP532W,20180706,30,2,40
SAM,LP533W,20180703,36,2,40
SAM,LP533W,20180706,34,2,40
SAM,LP534W,20180703,41,2,40
SAM,LP534W,20180705,46,2,40
SAM,LP535NW,20180707,2,1,16
SAM,LP536NW,20180707,14,1,16
SAM,LP537NW,20180707,16,2,16

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP537NW,20180707,20,2,16
SAM,LP538NW,20180707,30,2,16
SAM,LP538NW,20180708,24,2,16
SAM,LP539NW,20180707,31,2,16
SAM,LP539NW,20180708,35,2,16
SAM,LP540NW,20180707,40,2,16
SAM,LP540NW,20180708,39,2,16
SAM,LP541W,20180709,5,1,40
SAM,LP542W,20180710,10,1,40
SAM,LP543W,20180711,20,2,40
SAM,LP543W,20180711,22,2,40
SAM,LP544W,20180712,28,2,40
SAM,LP544W,20180713,27,2,40
SAM,LP545W,20180709,36,2,40
SAM,LP545W,20180713,35,2,40
SAM,LP546W,20180711,40,2,40
SAM,LP546W,20180711,43,2,40
SAM,LP547NW,20180714,6,1,16
SAM,LP548NW,20180715,14,1,16
SAM,LP549NW,20180714,20,2,16
SAM,LP549NW,20180714,22,2,16
SAM,LP550NW,20180715,23,2,16
SAM,LP550NW,20180715,25,2,16
SAM,LP551NW,20180714,36,2,16
SAM,LP551NW,20180715,32,2,16
SAM,LP552NW,20180714,39,2,16
SAM,LP552NW,20180715,45,2,16
SAM,LP553W,20180720,5,1,40
SAM,LP554W,20180716,11,1,40
SAM,LP555W,20180718,18,2,40
SAM,LP555W,20180719,18,2,40
SAM,LP556W,20180717,30,2,40
SAM,LP556W,20180720,26,2,40
SAM,LP557W,20180716,34,2,40

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP557W,20180720,36,2,40
SAM,LP558W,20180717,44,2,40
SAM,LP558W,20180718,43,2,40
SAM,LP559NW,20180720,47,1,16
SAM,LP560NW,20180722,13,1,16
SAM,LP561NW,20180721,17,2,16
SAM,LP561NW,20180722,19,2,16
SAM,LP562NW,20180721,27,2,16
SAM,LP562NW,20180721,29,2,16
SAM,LP563NW,20180721,34,2,16
SAM,LP563NW,20180721,35,2,16
SAM,LP564NW,20180722,44,2,16
SAM,LP564NW,20180722,45,2,16
SAM,LP565W,20180725,4,1,40
SAM,LP566W,20180723,12,1,40
SAM,LP567W,20180726,15,2,40
SAM,LP567W,20180727,21,2,40
SAM,LP568W,20180723,30,2,40
SAM,LP568W,20180724,30,2,40
SAM,LP569W,20180726,32,2,40
SAM,LP569W,20180726,38,2,40
SAM,LP570W,20180724,39,2,40
SAM,LP570W,20180724,42,2,40
SAM,LP571NW,20180729,5,1,16
SAM,LP572NW,20180728,10,1,16
SAM,LP573NW,20180728,15,2,16
SAM,LP573NW,20180729,18,2,16
SAM,LP574NW,20180728,25,2,16
SAM,LP574NW,20180729,28,2,16
SAM,LP575NW,20180728,36,2,16
SAM,LP575NW,20180729,34,2,16
SAM,LP576NW,20180729,41,2,16
SAM,LP576NW,20180729,44,2,16
SAM,LP577W,20180801,4,1,40

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP578W,20180731,9,1,40
SAM,LP579W,20180731,18,2,40
SAM,LP579W,20180802,19,2,40
SAM,LP580W,20180730,26,2,40
SAM,LP580W,20180801,25,2,40
SAM,LP581W,20180730,36,2,40
SAM,LP581W,20180801,37,2,40
SAM,LP582W,20180801,46,2,40
SAM,LP582W,20180802,40,2,40
SAM,LP583NW,20180804,1,1,16
SAM,LP584NW,20180804,8,1,16
SAM,LP585NW,20180804,15,2,16
SAM,LP585NW,20180805,18,2,16
SAM,LP586NW,20180804,24,2,16
SAM,LP586NW,20180804,30,2,16
SAM,LP587NW,20180804,37,2,16
SAM,LP587NW,20180805,36,2,16
SAM,LP588NW,20180804,42,2,16
SAM,LP588NW,20180805,46,2,16
SAM,LP589W,20180808,1,1,40
SAM,LP590W,20180806,14,1,40
SAM,LP591W,20180807,15,2,40
SAM,LP591W,20180809,16,2,40
SAM,LP592W,20180809,30,2,40
SAM,LP592W,20180810,27,2,40
SAM,LP593W,20180807,38,2,40
SAM,LP593W,20180810,31,2,40
SAM,LP594W,20180808,40,2,40
SAM,LP594W,20180809,46,2,40
SAM,LP595NW,20180811,1,1,16
SAM,LP596NW,20180811,13,1,16
SAM,LP597NW,20180812,20,2,16
SAM,LP597NW,20180812,22,2,16
SAM,LP598NW,20180811,27,2,16

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP598NW,20180811,29,2,16
SAM,LP599NW,20180811,33,2,16
SAM,LP599NW,20180811,37,2,16
SAM,LP600NW,20180811,40,2,16
SAM,LP600NW,20180812,40,2,16
SAM,LP601W,20180814,47,1,40
SAM,LP602W,20180813,10,1,40
SAM,LP603W,20180813,21,2,40
SAM,LP603W,20180815,22,2,40
SAM,LP604W,20180813,24,2,40
SAM,LP604W,20180814,28,2,40
SAM,LP605W,20180814,34,2,40
SAM,LP605W,20180815,35,2,40
SAM,LP606W,20180815,40,2,40
SAM,LP606W,20180815,45,2,40
SAM,LP607NW,20180818,2,1,16
SAM,LP608NW,20180818,13,1,16
SAM,LP609NW,20180818,19,2,16
SAM,LP609NW,20180819,17,2,16
SAM,LP610NW,20180818,29,2,16
SAM,LP610NW,20180819,23,2,16
SAM,LP611NW,20180818,32,2,16
SAM,LP611NW,20180819,32,2,16
SAM,LP612NW,20180819,39,2,16
SAM,LP612NW,20180819,43,2,16
SAM,LP613W,20180821,6,1,40
SAM,LP614W,20180823,12,1,40
SAM,LP615W,20180820,16,2,40
SAM,LP615W,20180824,21,2,40
SAM,LP616W,20180820,27,2,40
SAM,LP616W,20180824,27,2,40
SAM,LP617W,20180824,32,2,40
SAM,LP617W,20180824,38,2,40
SAM,LP618W,20180821,46,2,40

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP618W,20180822,46,2,40
SAM,LP619NW,20180827,5,1,24
SAM,LP620NW,20180827,14,1,24
SAM,LP621NW,20180825,22,2,24
SAM,LP621NW,20180827,18,2,24
SAM,LP622NW,20180825,28,2,24
SAM,LP622NW,20180827,25,2,24
SAM,LP623NW,20180826,35,2,24
SAM,LP623NW,20180827,36,2,24
SAM,LP624NW,20180825,43,2,24
SAM,LP624NW,20180827,43,2,24
SAM,LP625W,20180831,2,1,32
SAM,LP626W,20180829,12,1,32
SAM,LP627W,20180829,16,2,32
SAM,LP627W,20180830,15,2,32
SAM,LP628W,20180828,25,2,32
SAM,LP628W,20180829,29,2,32
SAM,LP629W,20180828,38,2,32
SAM,LP629W,20180829,38,2,32
SAM,LP630W,20180830,39,2,32
SAM,LP630W,20180830,43,2,32
FTR,265

4. Winter

HDR,T021001,20170901-20180831,Winter,20180612181130
SAM,LP159W,20171201,17,1,8
SAM,LP162W,20171201,43,1,8
SAM,LP163NW,20171203,6,1,16
SAM,LP164NW,20171203,12,1,16
SAM,LP165NW,20171202,22,2,16
SAM,LP165NW,20171203,19,2,16
SAM,LP166NW,20171202,23,2,16
SAM,LP166NW,20171203,24,2,16
SAM,LP167NW,20171202,36,2,16

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP167NW,20171203,34,2,16
SAM,LP168NW,20171202,44,2,16
SAM,LP168NW,20171203,44,2,16
SAM,LP169W,20171208,2,1,40
SAM,LP170W,20171206,8,1,40
SAM,LP171W,20171207,15,2,40
SAM,LP171W,20171208,22,2,40
SAM,LP172W,20171205,24,2,40
SAM,LP172W,20171206,28,2,40
SAM,LP173W,20171204,38,2,40
SAM,LP173W,20171206,32,2,40
SAM,LP174W,20171205,41,2,40
SAM,LP174W,20171207,41,2,40
SAM,LP175NW,20171209,4,1,16
SAM,LP176NW,20171209,12,1,16
SAM,LP177NW,20171209,19,2,16
SAM,LP177NW,20171209,20,2,16
SAM,LP178NW,20171209,23,2,16
SAM,LP178NW,20171210,27,2,16
SAM,LP179NW,20171209,32,2,16
SAM,LP179NW,20171209,37,2,16
SAM,LP180NW,20171209,44,2,16
SAM,LP180NW,20171210,40,2,16
SAM,LP181W,20171211,1,1,40
SAM,LP182W,20171211,9,1,40
SAM,LP183W,20171213,22,2,40
SAM,LP183W,20171215,18,2,40
SAM,LP184W,20171211,29,2,40
SAM,LP184W,20171214,26,2,40
SAM,LP185W,20171212,32,2,40
SAM,LP185W,20171212,33,2,40
SAM,LP186W,20171213,41,2,40
SAM,LP186W,20171213,42,2,40
SAM,LP187NW,20171216,5,1,16

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP188NW,20171216,14,1,16
SAM,LP189NW,20171216,20,2,16
SAM,LP189NW,20171217,22,2,16
SAM,LP190NW,20171216,29,2,16
SAM,LP190NW,20171217,25,2,16
SAM,LP191NW,20171216,32,2,16
SAM,LP191NW,20171216,34,2,16
SAM,LP192NW,20171216,40,2,16
SAM,LP192NW,20171216,43,2,16
SAM,LP193W,20171220,48,1,40
SAM,LP194W,20171218,10,1,40
SAM,LP195W,20171218,16,2,40
SAM,LP195W,20171222,19,2,40
SAM,LP196W,20171220,27,2,40
SAM,LP196W,20171220,28,2,40
SAM,LP197W,20171218,37,2,40
SAM,LP197W,20171219,37,2,40
SAM,LP198W,20171220,46,2,40
SAM,LP198W,20171221,46,2,40
SAM,LP199NW,20171225,4,1,32
SAM,LP200NW,20171225,12,1,32
SAM,LP201NW,20171225,15,2,32
SAM,LP201NW,20171225,17,2,32
SAM,LP202NW,20171223,27,2,32
SAM,LP202NW,20171226,27,2,32
SAM,LP203NW,20171224,36,2,32
SAM,LP203NW,20171225,34,2,32
SAM,LP204NW,20171223,46,2,32
SAM,LP204NW,20171224,40,2,32
SAM,LP205W,20171227,6,1,24
SAM,LP206W,20171229,11,1,24
SAM,LP207W,20171227,16,2,24
SAM,LP207W,20171228,18,2,24
SAM,LP208W,20171227,26,2,24

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP208W,20171228,27,2,24
SAM,LP209W,20171227,32,2,24
SAM,LP209W,20171229,31,2,24
SAM,LP210W,20171228,41,2,24
SAM,LP210W,20171228,42,2,24
SAM,LP211NW,20171230,2,1,24
SAM,LP212NW,20171231,8,1,24
SAM,LP213NW,20171230,20,2,24
SAM,LP213NW,20180101,22,2,24
SAM,LP214NW,20171230,25,2,24
SAM,LP214NW,20171230,29,2,24
SAM,LP215NW,20171231,31,2,24
SAM,LP215NW,20180101,31,2,24
SAM,LP216NW,20171230,41,2,24
SAM,LP216NW,20171231,44,2,24
SAM,LP217W,20180103,3,1,32
SAM,LP218W,20180104,14,1,32
SAM,LP219W,20180104,15,2,32
SAM,LP219W,20180104,20,2,32
SAM,LP220W,20180105,24,2,32
SAM,LP220W,20180105,28,2,32
SAM,LP221W,20180102,38,2,32
SAM,LP221W,20180105,34,2,32
SAM,LP222W,20180103,42,2,32
SAM,LP222W,20180105,39,2,32
SAM,LP223NW,20180106,47,1,16
SAM,LP224NW,20180106,12,1,16
SAM,LP225NW,20180107,17,2,16
SAM,LP225NW,20180107,19,2,16
SAM,LP226NW,20180106,23,2,16
SAM,LP226NW,20180106,24,2,16
SAM,LP227NW,20180106,31,2,16
SAM,LP227NW,20180107,33,2,16
SAM,LP228NW,20180107,41,2,16

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP228NW,20180107,42,2,16
SAM,LP229W,20180109,3,1,40
SAM,LP230W,20180112,7,1,40
SAM,LP231W,20180108,17,2,40
SAM,LP231W,20180109,15,2,40
SAM,LP232W,20180109,29,2,40
SAM,LP232W,20180112,29,2,40
SAM,LP233W,20180108,35,2,40
SAM,LP233W,20180108,36,2,40
SAM,LP234W,20180109,42,2,40
SAM,LP234W,20180112,45,2,40
SAM,LP235NW,20180112,48,1,16
SAM,LP236NW,20180114,10,1,16
SAM,LP237NW,20180113,19,2,16
SAM,LP237NW,20180114,15,2,16
SAM,LP238NW,20180113,28,2,16
SAM,LP238NW,20180114,30,2,16
SAM,LP239NW,20180113,36,2,16
SAM,LP239NW,20180114,32,2,16
SAM,LP240NW,20180113,43,2,16
SAM,LP240NW,20180114,46,2,16
SAM,LP241W,20180118,48,1,40
SAM,LP242W,20180119,11,1,40
SAM,LP243W,20180115,21,2,40
SAM,LP243W,20180119,19,2,40
SAM,LP244W,20180115,23,2,40
SAM,LP244W,20180115,27,2,40
SAM,LP245W,20180115,33,2,40
SAM,LP245W,20180115,35,2,40
SAM,LP246W,20180117,45,2,40
SAM,LP246W,20180119,41,2,40
SAM,LP247NW,20180121,2,1,16
SAM,LP248NW,20180120,7,1,16
SAM,LP249NW,20180120,15,2,16

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP249NW,20180121,20,2,16
SAM,LP250NW,20180120,23,2,16
SAM,LP250NW,20180121,25,2,16
SAM,LP251NW,20180121,35,2,16
SAM,LP251NW,20180121,38,2,16
SAM,LP252NW,20180120,41,2,16
SAM,LP252NW,20180121,45,2,16
SAM,LP253W,20180124,1,1,40
SAM,LP254W,20180125,11,1,40
SAM,LP255W,20180124,21,2,40
SAM,LP255W,20180126,20,2,40
SAM,LP256W,20180124,26,2,40
SAM,LP256W,20180124,29,2,40
SAM,LP257W,20180122,38,2,40
SAM,LP257W,20180123,37,2,40
SAM,LP258W,20180123,44,2,40
SAM,LP258W,20180125,43,2,40
SAM,LP259NW,20180128,5,1,16
SAM,LP260NW,20180128,7,1,16
SAM,LP261NW,20180127,21,2,16
SAM,LP261NW,20180128,15,2,16
SAM,LP262NW,20180127,27,2,16
SAM,LP262NW,20180127,30,2,16
SAM,LP263NW,20180127,33,2,16
SAM,LP263NW,20180127,35,2,16
SAM,LP264NW,20180127,46,2,16
SAM,LP264NW,20180128,41,2,16
SAM,LP265W,20180201,2,1,40
SAM,LP266W,20180129,14,1,40
SAM,LP267W,20180130,20,2,40
SAM,LP267W,20180202,21,2,40
SAM,LP268W,20180129,29,2,40
SAM,LP268W,20180201,29,2,40
SAM,LP269W,20180130,31,2,40

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP269W,20180202,31,2,40
SAM,LP270W,20180129,44,2,40
SAM,LP270W,20180130,45,2,40
SAM,LP271NW,20180203,2,1,16
SAM,LP272NW,20180203,9,1,16
SAM,LP273NW,20180204,16,2,16
SAM,LP273NW,20180204,19,2,16
SAM,LP274NW,20180203,26,2,16
SAM,LP274NW,20180203,30,2,16
SAM,LP275NW,20180204,31,2,16
SAM,LP275NW,20180204,34,2,16
SAM,LP276NW,20180203,41,2,16
SAM,LP276NW,20180203,44,2,16
SAM,LP277W,20180206,5,1,40
SAM,LP278W,20180209,12,1,40
SAM,LP279W,20180209,16,2,40
SAM,LP279W,20180209,21,2,40
SAM,LP280W,20180206,28,2,40
SAM,LP280W,20180209,27,2,40
SAM,LP281W,20180205,35,2,40
SAM,LP281W,20180207,38,2,40
SAM,LP282W,20180207,43,2,40
SAM,LP282W,20180208,45,2,40
SAM,LP283NW,20180210,48,1,16
SAM,LP284NW,20180210,9,1,16
SAM,LP285NW,20180210,16,2,16
SAM,LP285NW,20180210,17,2,16
SAM,LP286NW,20180211,24,2,16
SAM,LP286NW,20180211,27,2,16
SAM,LP287NW,20180211,37,2,16
SAM,LP287NW,20180211,38,2,16
SAM,LP288NW,20180211,44,2,16
SAM,LP288NW,20180211,45,2,16
SAM,LP289W,20180214,48,1,40

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP290W,20180215,9,1,40
SAM,LP291W,20180216,17,2,40
SAM,LP291W,20180216,22,2,40
SAM,LP292W,20180215,24,2,40
SAM,LP292W,20180215,27,2,40
SAM,LP293W,20180216,37,2,40
SAM,LP293W,20180216,38,2,40
SAM,LP294W,20180212,39,2,40
SAM,LP294W,20180216,39,2,40
SAM,LP295NW,20180217,1,1,16
SAM,LP296NW,20180217,8,1,16
SAM,LP297NW,20180218,16,2,16
SAM,LP297NW,20180218,20,2,16
SAM,LP298NW,20180217,25,2,16
SAM,LP298NW,20180218,28,2,16
SAM,LP299NW,20180218,34,2,16
SAM,LP299NW,20180218,37,2,16
SAM,LP300NW,20180218,42,2,16
SAM,LP300NW,20180218,43,2,16
SAM,LP301W,20180221,4,1,40
SAM,LP302W,20180220,9,1,40
SAM,LP303W,20180220,22,2,40
SAM,LP303W,20180223,17,2,40
SAM,LP304W,20180219,30,2,40
SAM,LP304W,20180222,25,2,40
SAM,LP305W,20180219,31,2,40
SAM,LP305W,20180221,32,2,40
SAM,LP306W,20180222,43,2,40
SAM,LP306W,20180223,39,2,40
SAM,LP307NW,20180224,5,1,16
SAM,LP308NW,20180225,7,1,16
SAM,LP309NW,20180225,16,2,16
SAM,LP309NW,20180225,17,2,16
SAM,LP310NW,20180224,25,2,16

207/01A – ATTACHMENT A – LOAD PERIODS AND SAMPLE SETTLEMENT PERIODS FOR BSC YEAR 2019/20

SAM,LP310NW,20180224,27,2,16
SAM,LP311NW,20180224,33,2,16
SAM,LP311NW,20180225,36,2,16
SAM,LP312NW,20180224,42,2,16
SAM,LP312NW,20180225,39,2,16
SAM,LP313W,20180226,1,1,24
SAM,LP314W,20180227,7,1,24
SAM,LP315W,20180228,17,1,24
SAM,LP317W,20180226,33,1,24
SAM,LP318W,20180227,44,1,24
FTR,259