

Assessment Procedure Consultation Responses

P372 'Speeding up the approval process for the publication of BSC data on the BMRS'

This Assessment Procedure Consultation was issued on 27 February 2019, with responses invited by 19 March 2019.



Phase

Initial Written Assessment

Definition Procedure

Assessment Procedure

Report Phase

Implementation

Consultation Respondents

Respondent	No. of Parties/Non-Parties Represented	Role(s) Represented
Centrica	3/0	Generator, Supplier ECVNA, MVRNA

P372
Assessment Consultation
Responses

20 March 2019

Version 1.0

Page 1 of 14

© ELEXON Limited 2019

Question 1: Do you agree with the Workgroup's initial unanimous view that P372 does better facilitate the Applicable BSC Objectives than the current baseline?

Summary

Yes	No	Neutral/No Comment	Other
1	0	0	0

Responses

Respondent	Response	Rationale
Centrica	Yes	Timely changes to data updates on the BMRS better facilitates competition and aids transparency.

Question 2: Do you agree with the Workgroup that the draft legal text in Attachment B delivers the intention of P372?

Summary

Yes	No	Neutral/No Comment	Other
1	0	0	0

Responses

Respondent	Response	Rationale
Centrica	Yes	It will make small changes to the BMRS much more efficient.

Question 3: Do you agree that the draft CSD and draft redlined changes to BSCP40, in Attachments C and D, deliver the intention of P372?

Summary

Yes	No	Neutral/No Comment	Other
1	0	0	0

Responses

Respondent	Response	Rationale
Centrica	Yes	It will make small changes to the BMRS much more efficient.

Question 4: Do you agree that the draft Panel Committee Terms of Reference, in Attachment E, deliver the intention of P372?

Summary

Yes	No	Neutral/No Comment	Other
1	0	0	0

Responses

Respondent	Response	Rationale
Centrica	Yes	No rationale provided.

Question 5: Do you agree with the Workgroup that a new committee with the power to self-determine and approve low-impact, inconsequential BMRS changes should be formed?

Summary

Yes	No	Neutral/No Comment	Other
1	0	0	0

Responses

Respondent	Response	Rationale
Centrica	Yes	It is economic and efficient.

Question 6: Do you agree with the Workgroup that the proposed criteria and change process for a De-Minimis BMRS Change are appropriate?

Summary

Yes	No	Neutral/No Comment	Other
1	0	0	0

Responses

Respondent	Response	Rationale
Centrica	Yes	No rationale provided.

Question 7: Do you agree with the Workgroup's recommended Implementation Date?

Summary

Yes	No	Neutral/No Comment	Other
1	0	0	0

Responses

Respondent	Response	Rationale
Centrica	Yes	No rationale provided.

Question 8: Do you agree with the Workgroup that there are no other potential Alternative Modifications within the scope of P372 which would better facilitate the Applicable BSC Objectives?

Summary

Yes	No	Neutral/No Comment	Other
1	0	0	0

Responses

Respondent	Response	Rationale
Centrica	Yes	None that we are aware of.

Question 9: Do you agree with the Workgroup that P372 does not meet the Self-Governance Criteria and so should not be progressed as a Self-Governance Modification?

Summary

Yes	No	Neutral/No Comment	Other

Responses

Respondent	Response	Rationale
Centrica	Yes	No rationale provided.

Question 10: Will P372 impact your organisation?

Summary

Yes	No	Neutral/No Comment	Other
0	1	0	0

Responses

Respondent	Response	Rationale
Centrica	No	No rationale provided.

Question 11: Will your organisation incur any costs in implementing P372?

Summary

Yes	No	Neutral/No Comment	Other
0	1	0	0

Responses

Respondent	Response	Rationale
Centrica	No	No rationale provided.

Question 12: How long (from the point of Ofgem approval) would you need to implement P372?

Summary

Yes	No	Neutral/No Comment	Other
0	1	0	0

Responses

Respondent	Response	Rationale
	No	No issues with timing for us.

Question 13: Do you have any further comments on P372?

Summary

Yes	No
1	0

Responses

Respondent	Response	Comments
	Yes	It is disappointing that static data points, such as wind capacity, fed to the BMRS by National Grid are so far out of date and these proposals will not alter that. We have fed this issue back to Grid.