

SVG234/03 – UPDATES TO THE UMS OID

MEETING NAME	Supplier Volume Allocation Group
Date of meeting	4 August 2020
Paper number	234/03
Owner/author	Adam Jessop
Purpose of paper	Decision
Classification	Public
Summary	The Unmetered Supplies User Group (UMSUG) has recommended a number of changes to the Operational Information Document (OID). The SVG is invited to approve the changes to the OID.

1. Background

- 1.1 The UMSUG met on 24 June 2020. At the meeting, the UMSUG discussed a number of changes to the OID, which aimed to improve the accuracy and clarity of a variety of Unmetered Supplies (UMS) processes. After some additional updates made ex-committee, the UMSUG agreed to recommend the changes outlined in this paper.
- 1.2 The updates to the OID also include one that was previously agreed at the March 2020 UMSUG meeting (introduction of new default Switch Regimes).

2. What is the OID?

- 2.1 The OID is an ELEXON guidance document on Unmetered Supplies for use by customers, manufacturers, Unmetered Supplies Operators, Meter Administrators and other parties involved with Unmetered Supplies.

3. What changes have been made?

- 3.1 The following changes have been made to the OID:
 - New section to support the recent addition of new Default Switch Regimes (7.7 - 'Equivalent Meter Default PECU Switch Regimes');
 - Updates to Charge Code categories and equipment descriptions;
 - Updates relating to the treatment of Unmetered Supplies with a maximum demand of over 100kW;
 - Clarifications to the Charge Code application process for Cable Network Cabinets;
 - Clarifications to the Valid Combinations table for Equipment Charge Codes and Switch Regimes; and
 - Updates to the standard file format for detailed inventories to allow for excel spreadsheet submissions.
- 3.2 The full red-lining can be found in Attachment A.

4. Recommendations

- 4.1 We invite you to:
 - a) **APPROVE** the changes to the OID recommended by the UMSUG; and
 - b) **NOTE** that, subject to approval, the updated OID will be published on the BSC Website in line with the MDD changes due to go live in August 2020.

Attachments

SVG234/03 – UPDATES TO THE UMS OID

Attachment A – OID redlined

For more information, please contact:

Adam Jessop, Product Analyst

Adam.jessop@elexon.co.uk

020 7380 4371