

---

## Headline Report

---

Meeting name **SVG**

---

Purpose of paper **For Information**

---

Meeting number **240**

---

Classification **Public**

---

Date and time **02/02/2021 (9:30 – 13:00)**

---

Synopsis **This report sets out the headlines and key decisions of the most recent SVG meeting.**

---



---

### OPEN SESSION – DECISION PAPER

#### 1. Metering Dispensation D/505 – Generic Metering Dispensation – (SVG240/02)

- 1.1 Elexon has proposed a lifetime Generic Metering Dispensation (D/505) from Code of Practice (CoP) 1, 2, 3, 4, 5 and 10 for the use of measurement transformers of a different IEC standard from the one specified in the relevant CoP so long as the accuracy class and specified limits of error specified within the relevant IEC standard are unchanged. Elexon invited the SVG to approve the Generic Metering Dispensation D/505 on a lifetime basis.
- 1.2 The SVG:
- a) **APPROVED** Generic Metering Dispensation D/505 for the use of measurement transformers of a different IEC standard specified in the relevant CoP so long as the accuracy class and specified limits of error and limits of phase displacement specified within the IEC standard are unchanged on a lifetime basis; and
  - b) **NOTED** that Generic Metering Dispensation D/505 will also be presented for decision to the ISG on 2 February 2021.

---

### OPEN SESSION – INFORMATION PAPERS

#### 2. Over 100kW Unmetered Supplies Update – (SVG240/03)

- 2.1 This paper provided an update on the migration of Unmetered Supplies (UMS) with a maximum demand over 100kW.
- 2.2 The SVG:
- a) **NOTED** the update on migration progress for over 100kW UMS;
- 2.3
- b) **COMMENTED** on the issues noted by UMSOs and Suppliers in the migration process; and
  - c) **NOTED** that an additional update will be provided to the SVG at the May 2021 SVG meeting.

#### 3. Conversion of Existing Metered Openreach Cabinets

- 3.1 Elexon provided a verbal updated on the latest progress with Openreach's request to convert existing metered cabinets into unmetered cabinets.
- 3.2 The SVG:

---

## Headline Report

a) **NOTED** the update on the progress for with Openreach's request.

### 4. Update on GSP Group \_A Annual Demand Ratio

4.1 Elxon provided an update on GSP Group \_A Annual Demand Ratio.

4.2 The SVG:

a) **NOTED** the update on GSP Group \_A Annual Demand Ratio.

---

## OPEN SESSION – DECISION PAPERS

### 5. MDD Change Requests for Version 307 – (SVG240/01)

5.1 This paper invited the SVG to approve two General Change Requests, and note nine Fast Track Change Requests, for implementation in Version 307 of Market Domain Data (MDD) with a go-live date of 17 February 2021.

5.2 The SVG:

a) **APPROVED** two General Change Requests for implementation in MDD 307 with a go-live date of 17 February 2021; and

b) **NOTED** nine Fast Track Change Requests for implementation in MDD 307 with a go-live date of 17 February 2021.

### 6. Updates to SVG Terms of Reference – (SVG240/04)

6.1 Elxon has reviewed the Terms of Reference for the four BSC Panel sub-committees. This paper presented the proposed changes to the SVG ToR.

6.2 The SVG:

a) **NOTED** the proposed changes to the SVG's Terms of Reference;

b) **COMMENTED** on the proposed changes to the SVG's Terms of Reference;

c) **ENDORSED** the updated Terms of Reference; and

d) **NOTED** that the updated Terms of Reference will be presented to the BSC Panel in March 2021 for approval.

### 7. PEG Recommendations: TPDs, AFYCs, Default EACs – (SVG240/06)

7.1 The Profiling Expert Group (PEG) has reviewed the profiling Technical Product Deliverables (TPDs), the Average Fraction of Yearly Consumption (AFYC) and Default Estimated Annual Consumption (EAC) data. The PEG recommended that the TPDs are used in Settlement from 1 April 2021, and that certain Default EACs are updated in Market Domain Data (MDD) for use in Settlement from 1 April 2021. The PEG also recommended that the new AFYC values are not approved.

7.2 The SVG:

a) **APPROVED** the new TPDs for use in Settlement from 1 April 2021;

b) **APPROVED** the new set of HH Default EACs for Measurement Classes C and G;

c) **APPROVED** that the new set of AFYC figures are not used;

d) **NOTED** that ELEXON will raise the necessary Change Requests to update all data items in MDD; and

e) **NOTED** that the SVAA systems will be updated with the new TPDs.

---

# Headline Report

---

## CONFIDENTIAL SESSION – INFORMATION PAPER

### 8. Settlement of Exempt Supply – (SVG240/05)

- 8.1 This paper provided an update on concerns relating to the Settlement of exempt supply that were raised at the SVG meeting on 5 January 2021.
- 8.2 The SVG:
  - a) **NOTED** this update on the concerns relating to the Settlement of exempt supply that were raised at the SVG meeting on 5 January 2021.