

CIRCULAR

TYPE & NUMBER	ELEXON Circular – EL02903
--------------------------	---------------------------

Date	30 October 2018
To	BSC Parties
From	BSC Operations
Purpose	For information

Transmission Loss Multipliers (TLMs) incorrect for Interim Information Run (II)

What is happening?

ELEXON Circular [EL02902](#) noted that the Central Data Collection Agent (CDCA) experienced issues collecting Metered data. This has affected the accuracy of the Transmission Loss Multipliers (TLM) for Non-Interconnector Balancing Mechanism (BM) Units. This is because the TLM is derived using Metered Volumes from Delivering and Offtaking Trading Units.

How will I be impacted?

The TLM data was used in the Interim Information (II) Settlement Runs for Settlement Dates **22 and 23 October 2018**. The data will be less accurate than normal for Parties with Non-Interconnector BM Units. Note that the II Settlement Run has no financial Settlement and is for information only.

All outstanding Metered data has been retrospectively collected by CDCA. The Metered Volumes and TLMs will be corrected in the next Settlement Run, the Initial Settlement Run (SF).

Corrections between II and SF can affect Imbalance Prices however we are expecting the value of any changes to be minimal.

Credit Cover for Parties with Non-Credit Qualifying and Credit-Qualifying BM Units may be impacted until **23 November 2018**. If this issue is adversely affecting your Credit Cover calculations, you can submit a case for [Material Doubt](#) as per Section M of the Balancing and Settlement Code (BSC).

Is there anything else I need to know?

For more information, please email bscservicedesk@cgi.com