

**issued by**

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK



**Accredited to  
ISO/IEC 17025:2005**

**Issue No: 034    Issue date: 10 October 2016**

**Stafford Park 7  
Telford  
Shropshire  
TF3 3BQ**

**Contact: Mr Mark Salt**  
**Tel: +44 (0)1952 290907**  
**Fax: +44 (0)1952 290908**  
**E-Mail: [lab@thelia.org.uk](mailto:lab@thelia.org.uk)**  
**Website: [www.lialab.org.uk](http://www.lialab.org.uk)**

**Testing performed at the above address only**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
<b>SECTION 1: LUMINAIRES</b>		
General Requirements	<u>Safety Tests</u>  Electrical, Mechanical and Thermal  <u>Ingress Protection Tests</u>  IP1X to IP6X IPX3 to IPX5, IPX6, IPX7 and IPX8  RESTRICTIONS:  Ingress protection tests restricted to luminaires not exceeding 900 mm in length  Humidity tests restricted to luminaires not exceeding 1200 mm in length  Thermal tests restricted to luminaires not exceeding:-  Tungsten/tungsten-halogen lamps: 1000 W  Sodium/mercury type discharge lamps: 400 W	EN 60598-1:2015 Excluding: Fixed rough service luminaires   EN 60598-1:2008 Excluding: Fixed rough service luminaires
Fixed luminaires	Safety tests	EN 60598-2-1:1989
Recessed luminaires	Safety tests	EN 60598-2-2:1997 + A1 EN 60598-2-2:2012



1286  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**LIA LABORATORIES LIMITED**  
**Issue No: 034 Issue date: 10 October 2016**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
<b>SECTION 1: LUMINAIRES (cont'd)</b>		
Road and Street Lighting	Safety tests  Maximum input voltage 250 V ac C <sub>d</sub> to be 1.2	EN 60598-2-3:2003 + A1 Excluding: Clause 3.6, Drag coefficient measurement Clause 3.6.8, 5 Nm Impact test Deviation: Clause 13.3 carried out at 25 - 30°C
Portable luminaires	Safety tests	EN 60598-2-4:1998
Floodlights	Safety tests	EN 60598-2-5:1998 + A1
Luminaires with built in transformers	Safety tests	EN 60598-2-6:1995 + A1
Portable luminaires for garden use	Safety tests	EN 60598-2-7:1997 + A1 + A2
Portable child appealing luminaires	Safety tests	EN 60598-2-10:2003 Excluding:- Clause 10.15.2
Socket-outlet mounted night lights	Safety tests	EN 60598-2-12:2006, Excluding: Clause 12.6.1, plug pins Clause 12.6.2, plug pins Clause 12.6.11, impulse test Clause 12.13.1, plug pins
Ground recessed luminaires	Safety tests	EN 60598-2-13:2006 + A1 Excluding: Clause 13.6.1, static load Clause 13.6.2.2, shear load
Lighting chains	Safety tests	EN 60598-2-20:2010, Excluding: Clause 20.16 Sealed chains only
Emergency lighting	Safety tests	EN 60598-2-22:2014 EN 60598-2-22:1998 + A2
Self-Ballasted LED Lamps	Electrical safety	EN 62560:2012 + A1 Excluding: Clause 6 GZ10 and GX53 lamp caps Clause 9 Torsion resistance of unused lamps Clause 22 Photobiological Safety



1286  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**LIA LABORATORIES LIMITED**  
**Issue No: 034 Issue date: 10 October 2016**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
<b>SECTION 2: COMPONENTS FOR LUMINAIRES</b>		
Double-capped LED lamps for general lighting servicesn	Electrical Safety	IEC 62776 Edition 1.0 2014
AC supplied electronic ballasts for tubular fluorescent lamps	Safety tests Maximum input voltage 250 V ac Rated Frequency 50 Hz only	EN 60929:2011 Excluding: Clause 8.3.2 control interfaces
Self ballasted lamps for general lighting services	Safety tests	EN 60968:2013 + A11 Excluding: Lamp caps other than B22
Lamp Controlgear	Safety tests Maximum input voltage 250 V ac Rated Frequency 50 Hz only	EN 61347-1: 2008 + A1 & A2 Excluding: DC equipment Convertors Clause 14.4, Fault condition  EN 61347-1:2015
AC Supplied electronic ballasts for tubular fluorescent lamps	Safety tests Maximum input voltage 250 V ac Rated Frequency 50 Hz only	EN 61347-2-3: 2011 Excluding: Clause 11 Leakage current  Annex 1, Leakage current
Ballasts for emergency luminaires	Safety tests	EN 61347-2-7:2012
Ballasts for tubular fluorescent lamps	Safety tests Maximum input voltage 250 V ac Rated Frequency 50 Hz only	EN 61347-2-8:2001 + A1 Excluding: DC equipment Convertors Clause 15.1, HV Impulse test Clause 18, Tests on wires
Miscellaneous electronic circuits used with Luminaires	Safety tests	EN 61347-2-11:2002
d.c. or a.c. supplied electronic ballasts for LED modules	Safety tests Maximum input voltage 250 V ac Rated Frequency 50 Hz only a.c. only	EN 61347-2-13:2014 EN 61347-2-13:2006
LED modules for general lighting	Safety tests	EN 62031:2008 + A1 + A2 Excluding: Clause 17 Photobiological Safety



1286  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**LIA LABORATORIES LIMITED**  
**Issue No: 034 Issue date: 10 October 2016**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
<b>SECTION 2: COMPONENTS FOR LUMINAIRES (cont)</b>		
d.c. or a.c. supplied electronic controlgear for LED modules	Safety tests Maximum input voltage 250 V ac Rated Frequency 50 Hz only a.c. only	EN 62384:2006 + A1 Excluding: Clause 11, audio frequencies
Ceiling roses	Electrical safety	BS 67:1987
Bayonet lampholders	Electrical safety	EN 61184:1997 B22d lampholder type only
Bayonet lampholders with enhanced safety	Electrical safety	BS 7895:1997 + A1 Excluding: Clause 20.1, Mercurous nitrate
Edison screw lampholders	Electrical safety	EN 60238:2004 + A2 E27 lampholder type only
Supply track systems for luminaires	Electrical safety	EN 60570:2003
Electric Toys (Luminaire toys only)	Safety tests	EN 62115: 2005 +A2
<b>SECTION 3: PERFORMANCE TESTS</b>		
Self-ballasted compact fluorescent lamps	Performance tests	Energy Saving Trust Specification Version 6.1 For the following clauses only 3.1.5 3.1.6 3.1.7 3.1.8 3.2.1, Life test 3.2.6 3.2.7 Appendix D
LED luminaires	Performance tests	Energy Saving Trust specification for LED luminaires v 3.0, 2010
LED lamps and modules	Performance tests	Energy Saving Trust specification for LED lamps and modules v 2.0, 2010
Self-ballasted lamps – performance	Performance tests	EN.60969: 1993



1286  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**LIA LABORATORIES LIMITED**  
**Issue No: 034 Issue date: 10 October 2016**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
<b>SECTION 3: PERFORMANCE TESTS (cont)</b>  Self-ballasted LED lamps – performance	Performance tests	EN.62612: 2013
<b>SECTION 4: GENERAL TESTS</b>  Electrical equipment for connection to un-metered Supplies (UMSUG)  Electrical Equipment - IK codes  Luminaires – IK codes  Double capped tubular fluorescent tubes  Fire hazard testing  Fire hazard testing  Fire hazard testing  Enclosures for Electrical Equipment	Voltage Current Power Volt-amperes Power factor Resistance Efficiency  Safety tests – Impact resistance  Safety tests – Impact resistance  Safety test - Fragment retention  Glow wire test  Ball Pressure test  Needle flame test  Ingress protection tests:-  IP1X Protected against solid objects greater than 50 mm diameter  IP2X Protected against solid objects greater than 12 mm diameter	ELEXON testing procedure for issue of a charge code for new apparatus  EN 62262:2002 Excluding: IK01 IK06  IEC TR 62696:2011 Excluding: IK01 IK06  EN 61549:2003 + A1-A3 Sheet 61549-IEC-810 only  EN 60695-2-10:2013 EN 60695-2-11:2014 EN 60695-2-12:2010 + A1EN 60695-2-13:2010 + A1  EN 60695-10-2:2014  EN 60695-11-5: 2005  EN 60529:1992 + A1 + A2



1286  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**LIA LABORATORIES LIMITED**  
**Issue No: 034 Issue date: 10 October 2016**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
<b>SECTION 4: GENERAL TESTS</b> (cont'd)  Enclosures for Electrical Equipment (cont'd)	IP3X Protected against solid objects greater than 2.5 mm diameter  IP4X Protected against solid objects greater than 1.0 mm diameter  Ingress protection tests:- (cont'd)  IP5X Dust protected Excluding: Objects greater than 810 x 760 x 800 mm  IP6X Dust Tight Excluding: Objects greater than 810 x 760 x 800 mm  IPX3 Protected against spraying water  IPX4 Protected against splashing water  IPX5 Protected against water jets  IPX6 Protected against powerfull water Jets  IPX7 Protected against the effects of immersion Excluding: Objects greater than Ø 350 x 500 mm  IPX8 Protected against the effects of submersion. Excluding: Objects greater than Ø 350 x 500 mm Maximum depth: 100 metres	EN 60529:1992 + A1 + A2 Excluding: IPX9



1286  
Accredited to  
ISO/IEC 17025:2005

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**LIA LABORATORIES LIMITED**  
**Issue No: 034 Issue date: 10 October 2016**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
<b>SECTION 5: PHOTOMETRY</b>  Lamps and Luminaires         Lamps and Lamp systems	Photometric measurement: Luminous Flux, Luminous efficacy, Spectral total flux, Chromaticity Coordinates, Correlated Colour Temperature, Colour Rendering Indices         Photometric Flicker measurements	Documented in-house method in accordance with : IES-LM-79-08 (Clause 9.1) EN 13032-1:2004 (Clause 6.1.2) IEC/PAS 62612 (Clauses 6, 7, 8, 9 and 10) CIE 13.3:1995 CIE 84:1989 CIE 121:1996 (Clause 6.3.3) CIE 127:2007 (integrating sphere method) EN 13032-1:2004 + A1:2012 (Clause 6.1.2) EN 13032-4:2015 (Clause 4.5.3)  IES Lighting Handbook, 10 <sup>th</sup> Edition (definition of flicker index)
NOTE: Where the EN standards listed above have technical equivalents in IEC and BS EN standards, these IEC and BS EN standards are also included in the accreditation.		
END		