

UMSUG122/02 – BSCP520 REDLINING FOR ACTION 121/01 (OTHER MINOR CHANGES FROM UMSUG121)

MEETING NAME	UMSUG 122
---------------------	-----------

Date of meeting	1 March 2018
------------------------	--------------

Paper number	122/02
---------------------	--------

Owner/author	Kathryn Coffin
---------------------	----------------

Purpose of paper	Decision
-------------------------	----------

Classification	Public
-----------------------	--------

Summary	This paper presents draft redlined changes to BSC Procedure (BSCP) 520 'Unmetered Supplies Registered in SMRS' , to discharge UMSUG Action 121/01. ELEXON invites the UMSUG to agree the final redlining for progression through a Change Proposal (CP).
----------------	--

1. Action 121/01

- 1.1 At its last meeting, the UMSUG discussed two papers that proposed changes to BSCP520.
- 1.2 The UMSUG agreed that the changes arising from both papers could be progressed as one CP. You can find further detail of the UMSUG's discussions in the UMSUG121 [minutes](#).

UMSUG paper [121/01](#)

- 1.3 This proposed changes relating to Meter Administrator activities and included draft redlined changes to BSCP520. The UMSUG agreed these changes with some exceptions or additions that were captured in Action 121/01.
- 1.4 We've therefore updated the BSCP520 redlining to reflect these agreed changes. The relevant BSCP sections are 4.6.3.2 and 4.6.3.3.

UMSUG paper [121/02](#)

- 1.5 This highlighted BSC Audit Market Issue 3781. The UMSUG agreed that ELEXON should redline changes to Section 3.2, to include a proposed 15 Working Day (WD) timescale on the Unmetered Supplies Operator (UMSO) to either accept or reject an inventory. The next steps were also captured in Action 121/01.
- 1.6 We've therefore drafted changes to Section 3.2 'Amendment to Inventory', which covers revisions to existing inventories. On further reflection, we also suggest that corresponding changes should be made to Section 3.1 'Establishment of a New UMS Inventory'. We've therefore suggested some proposed redlining to this section.
- 1.7 Section 3.1 is less straightforward to amend than 3.2. This is because the UMSO's validation of a new Detailed Inventory currently appears in the same step (3.1.1) as validating a new application for UMS. Putting a 15 WD deadline on this whole step would therefore require UMSOs to agree Connection Agreements within this timescale. For complex UMS applications, we suggest this may not be feasible and could lead to other audit issues. We've therefore suggested splitting the existing step into two, placing a timescale only on the inventory validation.
- 1.8 We've also made minor housekeeping changes to Sections 1.2.1(q) and 1.7.2, to define and reference Variable Power Switch Regimes.
- 1.9 We invite the UMSUG to agree these changes.

UMSUG122/02 – BSCP520 REDLINING FOR ACTION 121/01 (OTHER MINOR CHANGES FROM UMSUG121)

2. BSCP520 redlining

- 2.1 You can find the redlined changes in Attachment A.
- 2.2 At the moment, these are redlined into the same version of the BSCP as those relating to electric vehicle charging ([UMSUG paper 122/01](#)). This is because we suggest progressing all of these changes as a single CP.

3. Recommendations

- 3.1 We invite you to:
 - a) **AGREE** the final changes required to BSCP520;
 - b) **AGREE** that ELEXON will raise a CP to progress these; and
 - c) **AGREE** that these changes should be combined into a single CP with those covered in UMSUG paper 122/01.

Attachments

Attachment A – BSCP520 draft redlining

For more information, please contact:

Kathryn Coffin, Senior Market Architect

kathryn.coffin@elexon.co.uk

020 7380 4030

Kevin Spencer, Market Architect

kevin.spencer@elexon.co.uk

020 7380 4115