

Phase

Initial Written Assessment

Definition Procedure

Assessment Procedure

Report Phase

Implementation

P366 'Change to Supplier Charge SP08a calculations to account for small scale non-domestic Non Half Hourly hard-to-read Meters'

P366 will amend how Supplier Charge SP08a is applied to Non Half Hourly non-domestic Meters. It is believed that applying Supplier Charge SP08a to HTR Metering Systems is anti-competitive and limits consumer choice.

This Report Phase Consultation for P366 closes:

5pm on 3 June 2019

The Panel may not be able to consider late responses.



The BSC Panel initially recommends **rejection** of P366

This Modification is expected to impact:

- Suppliers



Contact**Chris Wood**

020 7380 4142

chris.wood@elxon.co.uk

Contents

| | | |
|----------|--|-----------|
| 1 | Summary | 3 |
| 2 | Why Change? | 5 |
| 3 | Solution | 8 |
| 4 | Impacts & Costs | 12 |
| 5 | Implementation | 15 |
| 6 | Workgroup's Discussions | 16 |
| 7 | Workgroup's Conclusions | 31 |
| 8 | Panel's Initial Discussions | 33 |
| 9 | Recommendations | 37 |
| | Appendix 1: Workgroup Details | 38 |
| | Appendix 2: Glossary & References | 41 |

About This Document

This is the P366 Draft Modification Report, which ELEXON is issuing for industry consultation on the BSC Panel's behalf. It contains the Panel's provisional recommendations on P366. The Panel will consider all consultation responses at its meeting on 13 June 2019, when it will agree a final recommendation to the Authority on whether or not the change should be made.

There are five parts to this document:

- This is the main document. It provides details of the solution, impacts, costs, benefits/drawbacks and proposed implementation approach. It also summarises the Workgroup's key views on the areas set by the Panel in its Terms of Reference, and contains details of the Workgroup's membership and full Terms of Reference.
- Attachment A contains the draft redlined changes to the BSC for P366.
- Attachment B contains the full responses received to the Workgroup's Assessment Procedure Consultation.
- Attachment C contains the specific questions on which the Panel seeks your views. Please use this form to provide your responses to these questions, and to record any further views/comments you wish the Panel to consider.
- Attachment D contains the business requirements to deliver P366.

P366
Report Phase Consultation

17 May 2019

Version 1.0

Page 2 of 43

© ELEXON Limited 2019

Why Change?

SP08a 'Percentage of Non-Half Hourly (NHH) Energy Settled on Annual Advances' Supplier Charge is applied where it is practically impossible to obtain a Meter read (and therefore makes it impossible to achieve the required targets of read by energy volume). The Proposer believes that small Suppliers are most susceptible to hard-to-read (HTR) SP08a Supplier Charges. In contrast to large Suppliers, small Suppliers aren't able to absorb HTR sites into their Settlement performance, which is calculated based on the percentage of Suppliers' total Settlement volume. As a result, they must either add the SP08a costs to their tariffs or absorb it themselves or withdraw from the market. This in turn could lead to a reduction in competition at a time where the Government and Ofgem are keen to promote competition¹ and the HTR Metering Systems will still remain unread regardless.

Proposed Solution

The P366 Proposed solution requires that the SP08a Supplier Charge for PARMS Serial SP08a for Settlement Runs R3 and RF are set to £0.00 for all Suppliers, and does not require the declaration of HTR Metering Systems.

This Proposed solution above is different to the Proposed solution that was in the Assessment Procedure consultation. the reason for this change is explained further below.

Impacts & Costs

The P366 Proposed solution will have negligible impacts or costs on BSC Systems. The solution will impact Suppliers, by removing the SP08a Supplier Charge (for all non-Half Hourly Metering Systems). The impact on Supplier Charges is discussed further in section three.

Implementation

P366 Proposed solution is proposed for implementation on 7 November 2019 as part of the November 2019 BSC Release.

Recommendation

The Workgroup and the Panel's recommendation is that the Authority **should not approve** P366 for implementation as it does not better facilitate the Applicable BSC Objectives.

The majority of the Panel gave the view that SP08a Supplier Charges derived from HTR Metering Systems are not causing a competition issue. This is in line with the Workgroup's conclusions where a majority (3 of 5 – see section 7) did not think that P366 would better facilitate the Applicable BSC Objectives. The Workgroup overall were neutral on whether P366 would better facilitate competition (Objective (c)) but, thought it would remove an essential Settlement Risk control if implemented as there would be no financial incentive to

¹ <https://www.ofgem.gov.uk/publications-and-updates/cma-remedies-implementation-plan>

obtain Meter reads. This was also noted by several Panel Members when discussing if P366 should be implemented.

Background

The Balancing and Settlement Code (BSC) [Section S, Annex S-1 'Performance Levels and Supplier Charges'](#) paragraph 2.2.1 requires that, in relation to each Grid Supply Point (GSP) Group, the percentage of total energy attributable to a Supplier in respect of NHH Metering Systems settled on the basis of Annualised Advances (actuals) for each Settlement Day shall be no less than 80% for the Third Reconciliation (R3) Volume Allocation Run (VAR) and 97% for the Final Reconciliation (RF) VAR.

Monitoring of performance

ELEXON monitors compliance with BSC Section S using data provided by the Supplier Volume Allocation Agent (SVAA). As part of the [Performance Assurance Framework \(PAF\)](#) we use Performance Assurance Techniques (PATs) to mitigate Settlement Risks. We use PARMS data primarily to support the Performance Monitoring, Peer Comparison and Supplier Charge techniques, and to report to the Performance Assurance Board (PAB). Data from PARMS supports the BSC Audit and we periodically provide information to the BSC Panel and other Panel Committees or Modification groups as required.

Supplier Charges are liquidated damages that Suppliers incur if they fail to meet certain performance levels. Supplier Charges were designed to be a genuine pre-estimate of loss. They compensate Parties disadvantaged by those who aren't meeting defined Standards. We consider Supplier Charges to be a remedial technique within the PAF. However, amongst other things, Supplier Charges can be seen as an incentive to obtain Meter reads. Obtaining Meter reads within the required time frame maintains the integrity of Settlement and ensures billing is accurate.

ELEXON and the PAB also monitor performance against Business Unit Settlement Risk Ratings² ([BUSRRs](#)) to determine, in particular, whether Error and Failure Resolution³ (EFR) should be applied. EFR requires Parties to put in place a plan to rectify any underperformance. Escalation to the PAB and subsequently the Panel can occur if the Supplier doesn't co-operate, put in place robust plans or make sufficient progress with its EFR plan. Whilst this isn't the P366 issue, many Suppliers highlight to ELEXON and the PAB that customers with HTR Metering System are a source of issues that impact Settlement performance. It is then a matter for the PAB to determine whether this is, in fact, a contributing factor based on the circumstances of the case.

Calculation of Supplier Charges for SP08a

PARMS calculates Supplier Charges for Certain PARMS Serials each calendar month. The total charges across all PARMS Serials are capped for each Supplier in each GSP Group to limit each Party's liability in any one reporting period. A GSP Group's monthly liability cap is calculated based on its annual take for the previous financial year. A Supplier's monthly liability cap is calculated based on its total active Import energy in the reporting period.

Each month, the PAB authorises Supplier Charges to be distributed among Trading Parties:



How are NHH Metering System volumes calculated?

The BSC requires that a Supplier settles 97% of its NHH energy for each GSP Group on Actuals.

When an Actual Meter read is taken, an [Annualised Advance \(AA\)](#) is used to calculate the consumption. In simple terms, the AA is an estimate based on the change between two successive Meter reads which is then extrapolated to estimate consumption over the year for each Half Hour.

If it is not possible to use AA then an [Estimated Annual Consumption \(EAC\)](#) is used. An EAC is based on estimated consumption using the Meter's Profile Class and previous read history.

If there have been no recorded Actual Meter reads, then a default EAC is used based primarily on Profile Class. As a result of how EACs are calculated, it is generally accepted that their accuracy will diminish with time.

All HTR Metering Systems will use EACs. This is on the basis that if it is possible to achieve a Meter read to generate an AA, then the Metering System is not, by implication, HTR.

² Use of reporting to monitor how the operations of relevant Business Units (Market Participant IDs – MPIDs) contribute to the level of risk for each of the top Settlement Risks

³ A remedial PAT used to assure ELEXON, the PAB and the rest of the industry that Parties understand performance issues and have robust plans in place to correct them in a timely manner.

- 90% of funds from a GSP Group are re-distributed to the NHH Suppliers operating in the GSP Group, based on their share of NHH energy traded in the GSP Group; and
- 10% are re-distributed to all Trading Parties based on their Main Funding Share (equivalent to market share – HH & NHH).

Applicable PARMS Serial

Compliance with the R3 and RF VAR standards in BSC Annex S-1 paragraph 2.2.1 is monitored by PARMS Serial SP08a. Where a Supplier has failed to reach its R3 and RF target in respect of NHH Metering Systems it will incur a charge.

In calculating the Supplier Charges associated with PARMS Serial SP08a, it is the difference between the VAR target (80% or 97% as applicable) and what is actually achieved that is taken into consideration. For example, if a Supplier supplies 1000 MWh of electricity, they must obtain the actual Meter readings associated with 970 MWh of Supply. If they only achieve 950 MWh, then the SP08a Supplier Charge will apply to the 20 MWh below the required target.

SP08a Supplier Charges are applied at two stages: they are applied at R3 VAR at a cost of £0.22/MWh; and at the RF VAR at a rate of £2.37/MWh for the 2018/19 year (the proposed charges for 2019/20 are due to be published on 23 May 2019 and approved on 30 May 2019 – see Section three).

What is the issue?

The Proposer's belief is that SP08a Supplier Charges incurred as a result of HTR Metering Systems are particularly challenging for small and new entry Suppliers and cause pricing disadvantages. Suppliers with larger, more established 'traditional' customer portfolios may have similar numbers, or more, of HTR Metering Systems as small Suppliers. However, due to the vast number of Metering Systems in the large Supplier's portfolio, the HTR Metering Systems will account for less than 3% of energy Supplied per GSP Group. As the NHH R3 and RF performance targets cannot be achieved without a large NHH customer base (where Suppliers have large numbers of non-HTR sites), this translates into significant competitive and pricing disadvantages for smaller Suppliers.

Due to the combination of practical limitations, disproportionate costs and low consumption, customers will likely refuse site access (or may not know how or where to access the site or Meter). Installation of Advanced Meters or smart Meters has also proved to be difficult for these same reasons and can be further exacerbated where no mobile telephone signal exists and the cost of installing a landline or using alternative means of communication is prohibitively expensive.

The Proposer also notes that most HTR Metering Systems have not been read for 'a prolonged period of time' across multiple Suppliers. Therefore, it is evident that despite best efforts being taken, it is often impractical for Suppliers to obtain Meter reads.

The Proposer believes that the SP08a Supplier Charge incentive for HTR NHH non-domestic Metering Systems⁴ is not functioning effectively as there is nothing Suppliers can do differently to improve Settlement performance on these sites due to practical

⁴ The proposer's belief is that HTR is only an issue on non-domestic Metering systems as the same limitations do not exist in the domestic market in their experience

limitations. Similarly, when Supplier Charges were first proposed and implemented, the market place was very different and it may be that SP08a Supplier Charges are not suitable for the existing market place.

It should be noted that over 90% of uncapped Supplier Charges are made of SP01 Supplier Charges (failure to deliver PARMS report on time). SP08a Supplier Charges however, only account for just over 5% of uncapped charges. It is not possible to translate these proportions directly to capped Supplier Charges due to how they are calculate but, if we assume a roughly linear translation, then prima face, HTR SP08a Supplier charges would only account for a very small amount of all of a Supplier's Supplier Charges. However, if we assume that a Supplier is able to meet all of their other obligations (which the Proposer acknowledges should be the business-as-usual state) then all of a Supplier's Supplier Charges will be made up of SP08a HTR Supplier Charges.

Proposed solution

The Supplier Charges for PARMS Serial SP08a will be set to £0.00/MWh for all Suppliers for the R3 and RF VARs. This means that when Supplier Charges are updated annually, the SP08a charge will remain as £0.00/MWh forever. This means that failure to read NHH Metering Systems (Domestic or non-Domestic) will result in zero SP08a Supplier Charges.

The requirement to achieve 80% and 97% Meter read by volume (at R3 and RF respectively) will remain. However, no Supplier Charges will be levied for failure to meet the required level, regardless of Meter type. Underperformance will be managed using the Error and Failure Resolution (EFR) PAT as is done now (by putting an action plan in place as agreed by ELEXON/PAB), rather than paying Supplier Charges.

The P366 solution will be implemented by amending BSC Section S-1 part 3 so that the charge for SP08a is 'No Charge'. ELEXON informs the PARMS Service Provider each year what the adjusted Supplier Charges will be for the forthcoming year. This is done by e-mail and the change is a manual transposition into PARMS by the PARMS Service Provider. This process will be used to make the SP08a Supplier Charge £0.00/MWh in PARMS.

How P366 will affect SP08a reporting periods

The following is how the annual adjustment to Supplier Charges from 2018/19 to 2019/20 to reflect Retail Price Index (RPI - inflation) adjustments will be made. This is important as the implementation of P366 will follow a similar pattern.

ELEXON will present a paper to the PAB in May 2019 and the adjustments will be made in June so that data reported in July will be subject to the RPI adjustment. More specifically, data reported in July 2019 will be in relation to Meter reads taken in April 2019. That is, by April 2019 Suppliers should have achieved 80% of their Meter reads by volume relating to Settlement Periods in August 2018 (R3) and 97% of Meter reads by volume for Settlement Periods in February 2018 (RF).

As the P366 solution will use the same methodology as used for annual RPI adjustments, the following will occur (assuming the implementation proposals below are approved):

- 7 November 2019 – P366 is implemented
- 7 November 2019 – ELEXON instructs the PARMS Service to adjust the SP08a Supplier charges to £0.00/MWh
- December 2019 – first PARMS reporting period impacted by P366 for Meter reads achieved by September 2019

Specifically, in December 2019, Suppliers will report where, by September 2019, they had failed to achieve:

- 80% by volume of Meter reads for Settlement Periods in January 2019; or
- 97% by volume of Meter reads for Settlement Periods in July 2018

The result of this will be that Suppliers will not receive SP08a Supplier Charges when they receive their invoice in March 2019.

Impact on other Supplier Charges

We looked at how reducing/removing SP08a will affect other Supplier Charges. Of the uncapped total Supplier Charges, Supplier Charge SP01 makes up the vast majority (90%⁵). SP08a Supplier Charges make up only a relatively small amount (5.5%) with SP04, SP08b and SP08c accounting for the remainder.

There is an argument that if the SP08a Supplier Charge is reduced/removed, then the proportion of Supplier Charges in the capped pot will change, meaning that the pre-estimate of loss will be re-weighted and there is a danger that people will not be paying fairly for their performance.

The total capped charges for the previous 12 months average roughly £550k/month across all GSP Groups. The capped amount per GSP Group will not change if SP08a Supplier Charges are reduced or removed. While the argument above has merit, given the relatively small amounts involved, there will be little monetary change in the capped weighting between the different Supplier Charges.

It should also be noted that due to the way capping works, just because the uncapped proportion of SP01 Supplier Charges may be 90%, it doesn't follow that SP01 Supplier Charges make up 90% of the capped Supplier Charges. Given these issues, it is not entirely possible to model the impact. However, considering the caveats about monthly variation and GSP Group variation etc., our very rough handful assessment is that the capped proportion of SP01 charges will change by roughly 5% if the SP08a Supplier Charge is changed to £0.00 or, roughly £205k across all GSP groups and all Suppliers.

It follows, equally, that reducing the amount of SP08a Supplier Charges making up the capped 'pot' by not including HTR data would increase the percentage of other Supplier Charges making up the 'pot'. The difference however, will be less but, there is no pragmatic way to model this to a high degree of accuracy, although some indicative modelling did agree with this assertion.

Legal text

The draft legal text for the Proposed Solution is in Attachment A. The draft legal text deletes BSC Section S-1 paragraph 3.2 which deals with the Suppliers Charges for failure to comply with Serial SP08a.

Self-Governance

The Workgroup (WG) unanimously agreed that P366 **should not** be progressed as a Self-Governance Modification. They believe that if P366 is implemented, there will be a material effect on consumers and competition (impacts Self-Governance criteria a)i and a)ii) and as such the Authority should determine whether to implement P366. This is based on the Proposer's belief that not implementing the P366 would have an adverse effect on competition and consumer choice.



What are the Self-Governance criteria?

A proposal that, if implemented:

- a) is unlikely to have a material effect on:
 - i. existing or future electricity consumers; and
 - ii. competition in the generation, distribution, or supply of electricity or any commercial activities connected with the generation, distribution, or supply of electricity; and
 - iii. the operation of the national electricity transmission system; and
 - iv. matters relating to sustainable development, safety or security of supply, or the management of market or network emergencies; and
 - v. the Code's governance procedures or modification procedures, and
- b) is unlikely to discriminate between different classes of Parties

⁵ The figures in this section are based on data from Dec 17 to Nov 18 which was the latest available Supplier Charge data at time of publishing. They will vary over time dependant on Supplier behaviours.

Are there any alternative solutions?

The original P366 Proposed solution was in two parts. First of all the Supplier would have needed to identify and notify which Metering Systems it believes to be HTR. The second part was the process by which HTR data is excluded from SP08a Supplier Charges.

In line with the Proposer's identified issue, this solution would only have applied to non-domestic NHH Metering Systems (equivalent to those Metering Systems in Profile Classes 3 – 8). That is, a failure to read domestic NHH Metering Systems will still result in SP08a Supplier Charges.

The P366 solution laid out above was the Alternative solution when the P366 Workgroup conducted its Assessment Phase Consultation. However, in light of the consultation responses received, the Proposer no longer wanted to progress the two part solution for identifying HTR Metering systems and then removing the data from PARMS. Instead the Proposer adopted the Workgroup's Alternative Solution [making SP08a charges £0.00/MWh] as the Proposed Solution. The Proposer recognised that the original Proposed solution was expensive and the Alternative solution was more cost effective and proportionate to addressing the issue⁶, especially when considering other reviews that are in-flight such as, the [PAF Review](#) and Ofgem's [Significant Code Review on Market-wide Half-hourly Settlement](#). The Workgroup did not identify any other Alternative Solutions.

A summary of the originally proposed (now defunct) P366 solution is laid out below for information.

Identifying HTR Metering Systems

Suppliers would have been responsible for identifying HTR Metering Systems. There would have been no obligation to declare Metering Systems as HTR, meaning that a HTR declaration may have, more often than not, been a commercial decision. This solution would not have required Meter read data to be changed in anyway other than excluding the HTR volumes from the SP08a Supplier Charges calculation.

HTR Criteria

The three criteria that would all have had to be met were:

- Unoccupied Site;
- Remote location; and
- Lack of communication

Twelve respondents to the Assessment Procedure Consultation agreed with the proposed HTR criteria, whilst two disagreed and one had no comment. Those that disagreed did so because they believe it removes the responsibility of the Supplier to explore all avenues, before determining it to be 'Hard to Read' and because they disagreed with the inclusion of the 'remote location' criteria. The combination of both a) issues with access, and b) issues with communications should be sufficient without needing to consider the geographical location of the site. The location does not automatically make the site HTR. An additional criterion was suggestion for unsafe meter location for example special breathing apparatus required for a chemical waste site. The Workgroup noted these

⁶ Costs, lead times and potential Implementation dates are discussed further in section six as well as the proposer's reasons for changing the solution based on consultation feedback

comments, but did not discuss them in detail as the solution taken forward no longer required HTR criteria.

Declaration of HTR Metering Systems

Suppliers would have needed to inform their NHHDA and ELEXON⁷ using a non-Data Transfer Catalogue (DTC) data flow (manually generated). Metering Systems would have remained HTR until either:

- The Supplier changes;
- The Metering System no longer meets the HTR criteria; or
- HTR status was found to be incorrect e.g. as a result of a BSC Audit.

HTR status would not have changed for any other reason including, but not limited to, a Change of Agent (CoA) event occurring.

Handling of HTR data

NHHDA's would handle all Meter read data as they do now. The only difference is that they would 'flag' the HTR data. NHHDA's would still have communicated with the SVAA using the data flow [D0041](#) 'Supplier Purchase Matrix Data File' with two new data items in the D0041 created specifically for communicating HTR data:

- Total HTR EAC; and
- Total HTR EAC MSID count.

The SVAA would have carried out the same corrections and calculations as they do now and, like NHHDA's they will simply 'flag' HTR data and aggregate the flagged HTR data. The SVAA would have communicated with PARMS using the existing P-flow P0145 'SP08 - Energy and MSIDs on Actuals' with two new data items to communicate HTR data:

- Total HTR EAC Energy; and
- Total HTR EAC MSID Count

PARMS would have been required to calculate an alternative value of SP08a excluding the Total HTR EAC Energy. This value would only have been used to calculate Supplier Charges, and the normal SP08a values (including HTR EACs) would have continued to be reported and not split out HTR volumes and Meter counts. PARMS would not have been affected in any other way and all other functions would have been carried out as they are now e.g. issuing of invoices etc.

⁷ ELEXON would have maintained a register of all HTR Metering Systems as part of a risk based approach to determine whether PATs were needed in regards to Suppliers' HTR declarations.

4 Impacts & Costs

Estimated central implementation costs of P366

ELEXON's costs to implement the P366 solution are approximately £960. These costs are made up of changes to BSC Section S, and changes to internal documents and Guidance Documents

- 3 day's effort to implement new internal processes and documents; and
- 1 day's effort to implement document changes to the BSC and Code Subsidiary Documents (CSDs).

Ongoing Operational costs

It is not expected that there will be any additional effort required. Once the new performance level is set, no further work will be required beyond what is already undertaken in relation to Performance Assurance.

Indicative industry costs of P366

We do not anticipate any notable costs or impact on industry to implement the P366 solution. Following implementation, there would be no on-going costs as the role of BSC Parties will not change, that is, they will still need to submit data at the same rate as now.

P366 impacts

Impact on BSC Parties and Party Agents

| Party/Party Agent | Impact |
|-------------------|--|
| Suppliers | Small costs to put in place revised invoice verification processes but expect savings in the longer term |

Impact on National Electricity Transmission System Operator

There will be no impact on the Transmission Company

Impact on BSCCo

| Area of ELEXON | Impact |
|-------------------------|---|
| Disputes and compliance | Ongoing monitoring of Performance Assurance – no additional impacts |

Impact on BSC Settlement Risks

The risk Register and Risk Operating Plan would be updated but all other PATS remain unaffected. If the risk is deemed to change, further PATs can be instigated if required. The Panel believed other PATs, such as EFR, are a much stronger control than SP08a Supplier Charges. However, some Panel Members think that P366 would remove an incentive to achieve Meter reads and therefore could reduce Settlement accuracy, increasing Settlement Risk

Impact on BSC Systems and process

| BSC System/Process | Impact |
|--------------------|---|
| PARMS | SP08a levels will need to be set to £0.00/MWh |

Impact on BSC Agent/service provider contractual arrangements

| BSC Agent/service provider contract | Impact |
|-------------------------------------|--|
| PARMS Service Provider | Will need to enter the new SP08a Supplier Charge |

Impact on Code

| Code Section | Impact |
|----------------------|--|
| Section S: Annex S-1 | Deletion of one paragraph in BSC Section S-1 |

Impact on Code Subsidiary Documents

| CSD | Impact |
|-----------------------|--------|
| No impact on any CSDs | |

Impact on other Configurable Items

| Configurable Item | Impact |
|---|--------|
| No impact on any other Configurable items | |

Impact on Core Industry Documents and other documents

| Document | Impact |
|-----------------------------------|--|
| Ancillary Services Agreements | No impact on any Core Industry Documents |
| Connection and Use of System Code | |
| Data Transfer Services Agreement | |
| Distribution Code | |

Impact on Core Industry Documents and other documents

| Document | Impact |
|---|--------|
| Distribution Connection and Use of System Agreement | |
| Grid Code | |
| Master Registration Agreement | |
| Supplemental Agreements | |
| System Operator-Transmission Owner Code | |
| Transmission Licence | |
| Use of Interconnector Agreement | |

Impact on a Significant Code Review (SCR) or other significant industry change projects

The Authority has not made a determination as to whether P366 is impacted by any Significant Code Reviews. The Panel therefore submitted the [SCR Suitability Report](#) to the Authority on 7 June 2018. In the absence of a determination on SCR suitability from the Authority, P366 progressed in accordance with the Panel approved timetable.

Impact on Consumers

The Proposer believes that failure to implement P366 may result in non-domestic consumers having reduced choice of Supplier or having their tariffs increased to reflect SP08a Supplier Charges

Impact on the Environment

Nil impact

Other Impacts

| Item impacted | Impact |
|-------------------|--------|
| Nil other impacts | |

Recommended Implementation Date

The Workgroup recommends an Implementation Date for P366 of:

- 7 November 2019 if the Authority's decision is received on or before 31 July 19; or
- 27 February 2020 if the Authority's decision is received after 31 July 2019 but on or before 31 October 2019.

As explained at the start for section three, this will impact March 2019 Supplier Charge

Why has P366 been raised?

The Proposer explained at the first Workgroup (WG) meeting why they raised P366 to help the Workgroup's understanding of the issue ahead of assisting to develop the solution.

The proposer explained that the premise of HTR Metering Systems means that they will never be read. Unless the cost is spilled across a large number of customers, Supplier Charges will be a cost burden. If the distribution of customers was even between all Suppliers, there wouldn't be any type of Supplier disadvantaged. In response to this, a WG Member pointed out that the issue is that some Suppliers focus on particular market areas and in doing so, should accept the consequences there-of as this is a commercial decision.

It was suggested by another WG Member that if all Suppliers add the cost of reading HTR Metering Systems to consumer bills; competition issues would be alleviated and customers would be incentivised to allow Meter reads⁸. It was pointed out in countenance that this still wouldn't deal with the issue of Metering Systems that are HTR for other reasons e.g. due to the location of the site containing the HTR Metering System. It was also mentioned that some consumers with low consumption HTR sites just don't care as the cost of allowing Meter reads is not worth their effort compared to the bills they pay.

The WG discussed that if P366 is implemented, Suppliers will still need to be incentivised to attempt to obtain a Meter Read. Supplier Charges are intended to be a pre-estimate of loss to compensate for inaccuracies in Settlement where some Suppliers have not provided accurate data. The requirement to obtain Meter reads exists to ensure Settlement integrity. However, it is recognised that some will be HTR, which is why the standard is 97% and not 100%.

Even if HTR sites are excluded from SP08a Supplier Charges, Suppliers will still have to obtain Meter Reads and bear the cost of doing so. SP08a charges are relatively small so (and it is questionable whether they are a genuine pre-estimate of loss), it would be easier to scrap SP08a charges altogether. However, this could reduce the incentive to obtain NHH Meter Reads.

It was also pointed out that Supplier Charges are capped, so relatively small amounts of money are involved. A lot of effort is expended in attempting to achieve the 97% target rate when it is not easily achievable. It was pointed out that this is out of the scope of P366 and a separate Modification or Issue would need to be raised to address that defect.

The P366 solution would apply to all Suppliers irrespective of size, the matter is that the reality of the industry means that some Suppliers face the issue of HTR sites more than others. In response to this a WG Member questioned whether the BSC be changed to accommodate for business choices? The counter argument is that it is not necessarily the type of customer (e.g. non-domestic) that is the issue; it is that some customer's portfolios contain a disproportionate number of HTR sites. The fairness of continuously charging Suppliers for failure to obtain a Meter read was questioned if they have no way of preventing the charges. Some WG Members stated that the rules are there for good reason and in due time the market will respond to address any potential competition issues. Suppliers are aware of their obligations and can decide whether to take on HTR customers, and should be factoring in the associated costs for these types of customers, including any Supplier Charges that may result. It was also pointed out that the industry

⁸ It was pointed out that if all Suppliers agreed to pricing arrangements there would be a danger of straying into price fixing territory. The commenter pointed out they were only talking hypothetically and that in no way were they suggesting anything improper

as a whole is not meeting the 97% target rate, so even large Suppliers are not absorbing the HTR costs, following P272, which effectively removed large volumes of energy from the 97% calculations. However, typically larger Suppliers are able to absorb the cost better than smaller Suppliers.

Placing an obligation on Customers to incentivise Meter Reads was discussed. However, this is not permissible under the BSC. It may be something that the Performance Assurance Framework (PAF) review (Issue 69) could consider⁹.

Analysis of data

It was discussed that before the WG could develop the solution fully, they would need some approximate data for the number of HTR Meters and Sites in existence. It was suggested that once analysis had been completed, it may be possible to consider a materiality threshold for the maximum EAC to be considered HTR. The alternate view point was that if something is HTR, then it is HTR so the size of the EAC shouldn't matter.

ELEXON carried out data analysis between WG meetings one and two and presented it at the second WG meeting. However, the data was based on several assumptions, including:

- The date chosen as a snap shot was indicative of annual averages;
- All MSIDs with a default EAC equate to HTR Metering Systems¹⁰; and
- 10% of all Metering Systems using EACs equate to HTR Metering Systems.

In carrying out the analysis ELEXON undertook the following steps:

- Energy volumes and number of MSIDs in GB was taken from SP08a data;
- The number and amount of default MSIDs was taken from PARMS serial SP09 data;
- The proportion of MSIDs for each Metering Profile Class (PC) was calculated using a snapshot of the Supplier Metering Registration Service (SMRS);
- The SMRS snapshot proportion were used to determine the amount of energy and number of HTR for PC 3-8 figures;
- A similar evaluation of data analysis was undertaken on the assumption that 30% of energy consumed is for non-Domestic SVA MSIDs;
- The cost benefit analysis for time to recover charges was calculated; and
- Costings were adjusted once the Service Provider Impact Assessment (IA) was received.

The table below shows the time in years to recover implementations costs. The columns show the total uncapped Supplier Charges, the total capped Supplier Charges (i.e. for all charges) and the assumed proportion of capped charges that are made up of SP08a (which P366 is concerned with). The costs on the left were nominal and based on a working assumption of net costs to industry and ELEXON to implement P366 prior to Service Provider IA - see below of post-IA Cost-Benefit Analysis (CBA)).

⁹ The PAF review is due to consider Supplier Charges and Meter read performance in summer 2019. ELEXON will feed this recommendation into the PAF review.

¹⁰ The WG accepted that this is not always the case but, it was a reasonable assumption for data analysis purposes

•

Table showing time to recover P366 implementation costs

| Summary of average costs - Average of MSID and Energy | | | | |
|---|----------|------------------------|---------------------------|------|
| Implementation cost (ELEXON+Industry) | Uncapped | Capped - Total Charges | Capped - SP08a Assumption | Mean |
| £500,000 | 2 | 16 | 33 | 17 |
| £750,000 | 3 | 23 | 50 | 26 |
| £1,000,000 | 5 | 31 | 67 | 34 |
| £1,250,000 | 6 | 39 | 84 | 43 |
| £1,500,000 | 7 | 47 | 100 | 51 |

It was agreed that given the numerous caveats and assumptions that the data analysis is far from definitive and should not be used to make any decisions. However, it was very useful for discussion, acted as a broad indicator which helped solidify to some extent what was suspected in terms of time to recover implementation costs and the number of MSIDs that may be HTR.

The first analysis was presented prior to conducting Service Provider IA. The WG's initial thoughts was that the analysis would indicate that there may be a need for an 'interim' simple solution rather than a comprehensive and robust solution, particularly considering other changes in the industry such as the Electricity Settlement Reform Significant Code Reform and ELEXON's PAF Review

Evaluation of potential solutions

A Service Provider IA was conducted by ELEXON on behalf of the WG between WG meetings two and three. In the same period two potential alternate solutions had been discussed with ELEXON and ELEXON discussed them with the WG by e-mail correspondence – one of these (making SP08a £0.00 was subsequently adopted by the EG as the Alternative Solution)

The potential Alternative solution **not adopted** was similar to the Proposed Solution but differed in the fact that it would remove HTR data from SP08a and therefore the 97% target rather than from SP08a Supplier Charges (as per the Proposed Modification). It was proposed on the basis that it reduces the chances of entering Error Failure Resolution (EFR) due to not achieving reads on hard-to-read (HTR) Metering Systems. The argument was that this would be more efficient on all concerned as the number of EFR incidents being dealt with would reduce, with negligible impact on overall Settlement performance or Risk. This option was so similar to the original proposal that it was not felt necessary to carry out another Service Provider IA as the assessment of the Proposed was deemed sufficient for evaluating which solution to take forward.

Each option was evaluated based on the impact once implemented and embedded (i.e. business as usual (BAU)). The table below summarises the discussion and scoring (in red – lowest score is best).

| Option | Settlement Risk | Industry effect | Incentive to read Meter | Deterrent to gaming | Total |
|--------------------------------------|---|---|-------------------------|---|-------|
| 1. Discounting HTR from the SP08a | Only SP08a Supplier Charges affected. 1 | Differentiates between Meter classes Reduces re- | EFR threat remains. 1 | Available PATs within the PAF. Cost of | 20 |

| | | | | | |
|--|---|---|--|--|----|
| Supplier Charge calculation | | distribution fund. 3 | | declaring vs SP08a saving Obligation to read Meters. 2 | |
| 2. Discounting HTR from the SP08a PAFMS Serial calculation | Potentially impact Settlement and PAF – accepts that the HTR sites will never be read. Means that 97% of actuals won't be settled – reduces the controls in place. 2 | Reduces EFR work for Suppliers and ELEXON (industry saving) Differentiates between classes of meter Reduces re-distribution fund. 2 | EFR based on not making efforts rather than 'blaming' HTR. Compliance is, arguably, a greater impact than Supplier Charges. Removing HTR creates more room for EFR 'wiggle room'. 2 | Available PATs within the PAF. Cost of declaring vs SP08a saving Obligation to read Meters. 2. More option to game as no EFR risk therefore greater incentive to abuse HTR. More incentive to game. 3 | 22 |
| 3. SP08a charge £0.00 | Would impact all meter classes. Removes a Supplier charge for the entire Market. Won't impact Settlement but impacts the PAF. 3 | Does not differentiate between Meter classes Reduces re-distribution fund. No need to declare HTR and no System change, so better for Industry. 1 | EFR threat remains as incentive to read but, won't be able to use mitigation of HTR at PAB. Not having HTR could incentivise as it is not clear what the HTR tolerance is when mitigating EFR etc. 1 | Available PATs within the PAF. Obligation to read Meters. No real incentive to Game as no HTR criteria and everyone is the same. 1 | 12 |

Following this evaluation, the WG looked at the three System change options. Some of the guiding principles discussed prior to evaluating were:

- Market place is changing – there are reviews into HH Settlement and PAF;

- Cheaper option puts more responsibility on Suppliers initially in terms of learning new processes;
- Supplier Costs are not known but for the purpose of evaluation, they can be assumed in order of most expensive to least expensive; and
- The more a Supplier has to do, the greater the cost and impact.

The column titled IA is an evaluation of the Cost, time to implement and the CBA of implementing i.e. the number of years to recover implementation costs based on the figures provided in the IA. As with the scoring above, for the table below the lowest score is the WG's preferred option. For the column 'IA' the WG weighed the cost, time to implement and time to recover costs together to arrive at a single score for which is the best system solution. Given that there is relatively little difference between the first two rows they were scored equally as the least preferred options. The 'SP08a = £0.00' option is preferred as this has the least cost and least implementation time, and therefore the lowest CBA. The 'Supplier/PARMS' option is the second favourite as it has the second lowest cost and implementation time, and therefore second lowest CBA. The reasons for the other scores are shown in the table below.

| | Cost | Time | CBA | I A | Initial Supplier impact | BAU impact | 'Robustness' | Initial Industry costs | BAU Industry Costs | Sum |
|-----------------------------|---------|---------------------------------|------|--------|--|--|---|---------------------------------|------------------------------|-----|
| NHHDA/ SVAA/ PARMS | £331k | Nine months | ~22 | 3 | Will have minimal impact on Suppliers – will send informatio n as per now 2 | Will have minimal impact on Suppliers – will send information as per now 2 | Less people doing things, equals less chance of failure. Option A has more potential points of failure so once settled in (BAU) there could be more risk. | 2 Same as 'Robustness' 2 | Same as 'Robustness' 2 | 13 |
| Supplier/ SVAA/ PARMS | £317k | Nine and a half months | ~21 | 3 | Will have to replicate some of the DA's role. 3 | Will have to replicate some of the DA's role. 3 | However, DAs and SVAA will be doing this multiple times which may not be true of Suppliers. | 3 Same as 'Robustness'. 3 | Same as 'Robustness' 3 | 18 |
| Supplier/ PARMS | £153k | Five months | ~10 | 2 | Will have to replicate the DA and SVAA's work. 4 | Will have to replicate the DA and SVAA's work. 4 | Applying PATs to DAs and SVAA costs less than multiple Suppliers. Only Suppliers | 4 Same as 'Robustness'. 4 | Same as 'Robustness' 4 | 22 |
| SP08a = £0.00 | Minimal | Minimal | Min. | 1 | Nil impact on Suppliers. 1 | Nil impact on Suppliers. 1 | declaring HTR will use HTR processes. Potentially, once settled in, will there be a difference between Suppliers and it won't be readily apparent where PATs need to be applied. Option A is more transparent in terms of perception of gaming potential around how data is handled. | 1 Same as 'Robustness'. 1 | Same as 'Robustness' 1 | 6 |

The Proposer preferred option one over option three as this is closer to the original defect in terms of addressing competition in NHH non-domestic market and there is minimal risk to Settlement integrity.

It was noted that option one would take much longer to implement, due to the system changes needed, whereas option 3 could be implemented relatively quickly. At the time of writing option 1 could be implemented in June 2020 and option 3 in June 2019.

Option 3 was put forward as an Alternative on the basis that it's better for HTR to apply to all NHH rather than classes 3-4 and fits better with Objective C. It could be argued that only excluding HTR from NHH non-domestic created a non-level playing field. Other WG Members agreed with this unanimously as further detailed in section 7 below.

Alternative solution

An Alternative solution was put forward by one of the WG Members and adopted by the WG following the evaluation described above. The Alternative Solution was to make the SP08a Charge £0.00.

The Proposer of the Alternative solution acknowledged that this will reduce the amount of Supplier Charges redistributed but the amounts involved are not expected to be material. Based on the analysis presented at the second WG meeting, the total **UNCAPPED** SP08a charges for May 17 – Apr 18 were c.£2.5m. When this was **CAPPED** (using some broad assumptions) this was less than £500k for the year or less than £42k/month which, across the whole industry, was not considered a large amount by the Workgroup.

HTR Criteria

It was discussed and agreed that HTR should apply to individual Metering Systems. Where a Site has several Metering Systems, the Supplier should identify which are HTR. Suppliers should be able to apply for HTR for all Metering Systems within a site if they are all believed to be HTR.

It was mentioned by several WG Members that there is a lot of difficulty in trying to establish the exact criteria for HTR and a parallel was drawn to why the target is 97% - HTR 'just is' and the 97% figure 'just is'.

Trying to determine objective HTR criteria was found to be exceptionally difficult when, for every suggestion made, a realistic exemption could be found. For this reason the Workgroup agreed to abide with the Proposer's proposed criteria which is that found in [Section three](#) above.

Metering System location

Location was considered by the Workgroup. Location of the Metering System may not necessarily be a determining factor, for example, if Meter Read Agents visit a remote Scottish Island once a year, it is not HTR. The Address and/or Ordnance Survey grid reference could be used as well as tools such as the Data Communication Company's (DCC's) data base of areas subject to smart Meter coverage. The WG discussed if using the Metering System's address could create potential for gaming i.e. declaring something HTR even when it isn't because of the post code and it was agreed that HTR needs to be a physical characteristic.

Access to Metering Systems

In terms of 'customer not allowing access' – it was agreed that warrants probably wouldn't work. It was discussed that even though this is theoretically possible it is generally accepted that a Magistrate would only grant a warrant if the Supplier could show that there was a genuine belief that theft of electricity, or a safety concern, was occurring and not simply to obtain a Meter read. The use of contractual obligation to compel a customer to facilitate access was discussed. However, this comes back to consumer choice ultimately and it was pointed out that while it may be in a contract, it was not enforceable other than by refusing to Supply anymore which would have commercial and possibly legal implications for the Supplier.

It was discussed that the customer not allowing access is not an evergreen factor as meters need to be changed at some point, e.g. they reach life expectancy. As such, at some point the opportunity may present itself to obtain a Meter read, thus negating HTR status.

The use of the customer's own communications was discussed as a means of communicating Metering data i.e. if the customer has their own communications in place for remote monitoring of the site, then it could be used for transmitting Metering data too. It was agreed that it is unlikely that customers will allow access so it should not be considered.

The WG discussed whether a Metering System could be declare as HTR due to Health and Safety risks. It was agreed however that if this was pursued, then it would have to be very robust. For example, the WG discussed if a Metering System should be considered as HTR if it is locate in a dark un-boarded loft space and it was pointed out that the Meter reader could buy (and train to use) temporary loft boards and a head lamp. On the flipside of this, not all Suppliers would consider this as a reasonable measure to obtain a Meter read, and as such the Metering System would be HTR. The workgroup agreed that this was yet another subjective area for determining HTR status.

Costs of obtaining a Meter read

HTR determinations should focus on cost in relation to:

- Customer's bill;
- Cost of obtaining a meter read; and
- SP08a Supplier Charges;

The costs for installing remote monitoring should be considered, if it is possible to install them. However, if it is possible to install remotely monitored Meter, it's possible to read the Meter so HTR isn't appropriate;

Determining HTR status

The WG discussed whether or not determinations should be made by Suppliers themselves, by a Panel Committee or by ELEXON based on evidence submitted. It was discussed that if ELEXON was given the responsibility (either directly or in support of a Panel Committee) they would likely make use of a BSC Agent as they do for other obligations placed on them by the BSC. The cost of contracting a new BSC Agent (or even

undertaking the work themselves) would be prohibitively expensive compared to the savings across the industry that would be achieved¹¹.

The number of HTR Metering Systems is expected to be relatively small¹² and as such the Settlement risk is quite low. Similarly, it would take time for ELEXON to make determinations and the potential need to defer to the Panel (or appropriate delegated Panel Committee) could delay the process. Determinations by ELEXON could also lead to disputes and appeals which, in turn, could lead to delays in achieving HTR status, whilst at the same time adding to the cost of operating the HTR process.

It was suggested that it should be left to individual Suppliers to trigger the HTR process. This would mean that declaring a Metering System as HTR would be a commercial decision. The Supplier would need to decide if it is in their interest to expend resource on going through the HTR process. Essentially they would need to weigh the cost of declaring HTR against the SP08a savings after the price cap has been taken into account [see section three for further explanation]. This would, in essence make declaring a Metering System as HTR a voluntary process. On this basis, and the precedence of Long Term Vacant Sites, it was agreed that the best option would be for Suppliers to make their own determinations whether a Metering System is HTR.

It was discussed and agreed that the BSC process will be followed even if other industry bodies determine that a Meter is HTR or similar. The basis for this is that there is too much risk involved in accepting others' determinations, for example if the status proves to be wrong, who is liable? However, such determination may be considered as a starting point for triggering the HTR process if appropriate.

It was agreed that Suppliers should make reasonable efforts to obtain Meter reads. The guidance on reasonable efforts was discussed and it was suggested that industry precedence should be used. An example of industry best practice could be that included within Ofgem's [Feed-in Tariffs: 'Guidance for licensed Electricity Suppliers'](#).


As with the criteria, it was agreed to develop what 'best endeavours' means as part of the implementation phase

¹¹ The Proposed Solution would save industry roughly £10k - £15k a year. ELEXON's estimated ongoing costs for the P366 Proposed Solution are between £14k and £29k per year. Administering the validation would require more resource and be more expensive. But hasn't been costed formally as it has not been proposed.

¹² Estimates range from 3,500 to 7,000 Metering Systems, or roughly 0.16 – 0.36% of the NHH Market

How HTR status will be communicated?

ELEXON, on behalf of the Proposer presented the following proposal to the WG:




The following points were made in relation to the above diagram:

- Changing data flows D0010 'Meter Readings' and D0019 'Metering System EAC/AA Data' will be hard to do and will have significant impacts on industry;
- Suppliers could put flags onto MSIDs and tell NHH DAs to do something different – this would be outside of the DTN and therefore difficult to audit;
- A flag in ECOES¹³ could work however, there would still be a need to get the data to the Supplier Volume Allocation Agent (SVAA);
- The Data Collector (DC) doesn't need to be involved. DAs communicate with the SVAA so, need to know which flags to follow. However, DCs don't need to do this.
- Meter read schedules would remain the same, so the DC still needs to try to read the Meter. Costs for this should already be built into Suppliers' billing as this is a licence requirement.
- Creating a new data flow for HTR, and putting it through similar correction process etc. could work but, it would be as complicated as the suggested route;
- DAs can provide MSID level detail for HH Meter and EMR (see BSCP502 for details). Information items wouldn't need too much change other than making it NHH as well as HH;

¹³ Electricity Central Online Enquiry Service

- Could look at the Standard Settlement Configuration (SSC) as a specific code. Similarly, changes to the Time Pattern Regime (TPR) could be considered;
- Potentially may need to communicate HTR outside of the current systems; and
- The cost benefit analysis needs to be considered once service Provider Impact Assessments have been considered.

Based on the discussion at the first WG meeting, the following was presented at the second WG meeting for discussion.



It was agreed that the primary solution (as discussed at the time) should be Suppliers informing NHHDA's which MSIDs are HTR. The NHHDA then communicates the information to the SVAA who then sends data to PARMS. It was agreed that a new P-Flow should be created instead of a D-flow for Suppliers to inform NHHDA's. Creating a P-Flow would be easier than a D-Flow and, considering the relatively low numbers of HTR Metering Systems expected, developing a P-Flow would be more commensurate than a D-Flow.

It was agreed that this would likely be complicated and expensive. A secondary solution was proposed that would require Suppliers to aggregate and correct data (using information from existing data flows) before sending direct to PARMS.

Given that there is potential room for error in asking Suppliers to complete aggregation and corrections a third solution was proposed. This is similar to above but would include the SVAA between Suppliers and PARMS.

Other options that were considered, but discounted due to inherent risk of errors were:

- Default EAC per profile class per GSP group is used by the Supplier to feed into PARMS/SVAA rather than the Supplier aggregating and correcting; and
- The same value being used by ELEXON to simply amend invoices prior to issuing

Commencement and cessation of HTR status

It was agreed that in the event of a Change of Supplier (CoS) it would be the responsibility of the new Supplier to re-institute the HTR process. The reason for this is that what one Supplier may consider to be impractical, another wouldn't or, alternately, some Suppliers may have relatively more recourse to expend (including the tasking of Agents and the associated expense) than others in attempting to obtain a Meter read. Further, this met the principle that it was a Supplier's choice to declare HTR.

It was discussed that Suppliers have an obligation under their licence conditions to obtain a Meter read so the new Supplier should be doing this regardless of HTR status. This would trigger the new Supplier to instigate the HTR process.

A central database was discussed whereby the new Supplier either asks ELEXON or checks the database to see if the switched Metering System is HTR. This was discounted as there would be issues with:

- Data protection – some of the information such as MSIDs could be construed as personal data
- Competition – Suppliers could find a way to use the database to see what portfolios their rivals have; and
- The amount of work to maintain and query – see above.

As part of this discussion there was some concern about whether new Suppliers would not want to take on HTR sites if the cost of Supplier Charges and/or obtaining HTR is prohibitive.

Overcoming these issues was believed to be disproportionate to the P366 defect.

The WG agreed that there is no reason why HTR status should change in the event of Change of Agent. The NHHDA is essentially an extension of the Supplier and acts at the Supplier's behest. This means that, again, it would come down to individual Suppliers whether or not to task their Agents to either seek a Meter Read and/or to process HTR data. This approach would keep the responsibility with the Supplier and reduce costs of having to re-declare HTR status and evidence. However, it will require the Supplier to flag HTR status to the incoming NHHDA.

It was agreed that in the context of HTR a Meter read has to be validated i.e. if a non-validated read is received, that will not automatically end HTR status, but may do so depending on the circumstance and whether the criteria for HTR still applies.

Application by PARMS

At the point of implementation PARMS could use historic determinations e.g. if implementation is June 2020, and Supplier declares that a Metering System was HTR prior to May 19 then benefit will be realised from the Jul 20 Supplier Charges invoice.

PARMS will stop using HTR data from date of declaration i.e. if a Metering System is declared HTR on 15 Aug 20, the R3 benefit will be realised in Feb 21 and the RF in Oct 21.

Monitoring Supplier Performance in relation to HTR

The WG agreed that ELEXON's criteria for selecting Suppliers to be audited should consider the number of HTR Metering Systems a Supplier has. The potential for creating a PAB report or including HTR in existing PAB reports was discussed and it was agreed that this will be re-visited as part of the implementation phase.

NHHDA Qualification

The Workgroup agreed that we will update [BSCP537 'Qualification Process for SVA Parties, SVA Party Agents and CVA Meter Operators'](#) and its associated appendixes so that the

NHHDA Qualification criteria reflects the additional role. As this will not be a material change to NHHDA's business models we do not envisage NHHDA's needing to requalify but, they should, at all times, act in accordance with BSCP537 in this respect.

Long Term Vacant process

The WG assumed that determining HTR will be a manual process as the amount of subjective criteria involved doesn't lend itself to an automated process.

The WG agreed that as an initial assumption there is greater a greater risk associated with HTR than Long Term Vacant (LTV). As such, the WG's initial thoughts were that there should be some sort of sampling procedure (10% was discussed as a starting point).

In-between the first and second WG meetings ELEXON drafted a mock-up HTR guidance document based on the [LTV guidance document](#). Having reviewed the draft document, it was agreed that data flow D0004 'Notification of Failure to Obtain Reading' data flow should not but used to trigger the HTR process. The reason why the WG recommended this is that not all of the 'Site Visit Check Codes' (J0024) in the D0004 would be applicable to the HTR process. The WG discussed which data items would be applicable and whether they could be used in the HTR process, even if just to filter some Meters out. However, it was not possible to agree on which were applicable as a consistent and robust approach was not identified. For example, some may be applicable and some may not dependent on the circumstances of the case and site over time.

Other points of discussion

How long a default EAC has been used for could be used as a criteria for establishing HTR status e.g. if a Supplier has used a default EAC for less than six months, it would not be considered HTR. If a Supplier can demonstrate that the previous Supplier wasn't able to obtain a Meter read within a certain time period (e.g. six months) before CoS, it should be considered for HTR status. DCs may be able to assist in determining the last Meter Read date, so long as the read was validated and passed on with the CoS. It was concluded that once a Metering System becomes HTR based on the criteria proposed, then it is HTR, regardless of how long the default EAC has been used. For example, if a Meter read is gained in February but, a new Supplier determines a Metering System is HTR based on the criteria (e.g. too remote based on their evaluation) then it will be HTR from the new Suppliers determination rather than when the last EAC was calculated.

The WG discussed whether a value other than EAC should be used for HTR Metering Systems. It was agreed that the EAC used before declaring a Metering System as HTR (regardless of how the EAC is determined) should still be used post-HTR as there is no other realistic alternative.

The WG discussed the possibility of Supply points with HTR Metering Systems being changed to Unmetered Supply (UMS). It was agreed that UMS could be an alternative to HTR in a lot of cases but, UMS has a lot of strict criteria that need to be met (e.g. rules surrounding actual Meter reads for determining actual consumption). Changing these criteria to facilitate HTR Metering Systems however was not seen as appropriate as it would be beyond the scope of P366 and could have wider ramifications.

Workgroup's final discussions

The Workgroup met on 23 April 2019 to discuss the Assessment Report consultation comments and make their final recommendations to the Panel.

The Workgroup discussed whether Supplier Charges or other PATs are more effective in encouraging better performance. ELEXON put forward that some PAF Review research indicates that no matter how often Suppliers receive Supplier Charges, their performance rarely improves. However, evidence suggests that other PATs, such as EFR are more effective. The 'annoyance factor' of taking up senior staff time (within a Supplier) spurs more change than anything. Workgroup members echoed this based on their own anecdotal experience.

The Workgroup discussed that the 97% target has no known basis for being 97% and, as far as Workgroup members are aware, is an arbitrary figure. This led to discussion on whether the current targets are fit for purpose in an evolving industry with 60+ participants, whereas the 97% target was set 20 or so years' ago when there was only a handful of participants. The Workgroup discussed whether there is a competition issue and the perception of smaller Suppliers that there is an issue. It was agreed that whether or not there is an issue, there is clearly a perception amongst small Suppliers that there is an issue, as borne out by consultation responses (8 respondents to the Assessment Consultation agreed that SP08a Supplier Charges applied to HTR sites cause competition concerns, whilst 7 disagreed), and the clear divide between small and large Suppliers in response to the question of whether there is a competition issue.

The Workgroup discussed that the PAF review is reviewing Supplier Charges and is due to report to the PAB in May and will be looking at what the right model is for Supplier Charges and more widely how best to incentivise Meter reads and whether Supplier Charges are appropriate.

Proposed versus Alternative Solution

The Workgroup discussed Assessment Procedure consultation respondents (13 out of 15) favouring the Alternative Solution [SP08a = £0.00/MWh] over the Proposed solution [HTR Criteria and exclusion from SP08a Supplier Charges] put forward in the consultation. The Proposer announced that on reflection they no longer wished to take forward their Proposed Solution and would instead like to take forward the Alternative Solution as the P366 solution. Their reason for this decision is that it became clear from the consultation responses that the Alternate has more support in industry¹⁴ and, considering the cost-benefit-analysis of the Alternate (see above), they now think that the Alternate would better facilitate the Applicable BSC Objectives. They noted the work that would be undertaken by [Issue 78 'Measurement and monitoring of Settlement performance'](#). Specifically, that Issue 78 will look at Supplier Charges from a wider perspective and that any work undertaken regarding HTR Metering Systems could still be taken forward by Issue 78.

On the basis that the Workgroup had discussed potential alternatives previously, including removing HTR data from the 97% target – discounted as this would affect Settlement integrity, and that no other Alternatives had been put forward by industry, the Workgroup did not put forward a new Alternative Solution and therefore the P366 Proposed solution became making SP08a Supplier Charges £0.00/MWh.

¹⁴ 7 out of 15 respondents thought that the Alternate better facilitates the Applicable BSC Objective whereas only 5 out of 15 thought the same for the Proposed solution

Other Assessment Procedure consultation responses

The workgroup discussed the responses to the remaining consultation questions and noted that most (if not all) respondents had agreed with the implementation plan, the draft proposed legal texts, the potential impacts and that P366 should not be self-governance. No new arguments were put forward. As industry respondents were, for the most part, in agreement with the Workgroup's views, no further discussion or amendments to the solution were warranted. We have not summarised all of the responses to the original proposed solution as they were no longer relevant once the solution was not taken forward for the reasons given above. Attachment B contains the full responses to the Assessment Procedure Consultation.



Proposed Solution

The **majority** of the Workgroup believe P366 will not better facilitate the Applicable BSC Objectives and so should be **rejected**. The Workgroup were split regarding Applicable BSC Objective (d), whilst the majority were neutral against all other Applicable BSC Objectives. The Proposer believes that the P366 will better facilitate Applicable BSC Objectives (c) and (d) compared to the current baseline.

Please note that a neutral view is equivalent to a vote against the Proposed solution as either the Workgroup Member:

1. Was unable to decide whether something is better or not better than the Applicable BSC Objective; or
2. Has reached a clear conclusion that it neither facilitates nor inhibits the relevant BSC Objective.

Applicable BSC Objective (c)

The **majority** of the Workgroup (3 of 5) were **neutral** about Applicable BSC Objective (c). Two were neutral as they believed it will have neither a positive or negative effect on competition as they don't believe the current arrangements are detrimental to competition, therefore changing the rules wouldn't have any effect. The third Workgroup member was neutral as they could see both sides of the argument for and against the P366 solution and did not feel able to make a determination one way or another.

One Workgroup member thought that the P366 solution **would better** facilitate Applicable BSC Objective (c) as they believe that there is clearly a competition disparity between small and large Suppliers and the P366 solution would go some way to resolving this (but acknowledged that further work would likely need to be undertaken by Issue 78).

The **Proposer** believes that the P366 Solution **would better** facilitate Applicable BSC Objective (c). They argued that removing the cost of Supplier Charges will level the playing field as no Suppliers will need to make the decision as to whether they pass on costs to their customers.

Applicable BSC Objective (d)

The Workgroup were **split** on whether the P366 solution would facilitate Applicable BSC Objective (d). Two thought it would be detrimental, two thought it would be positive and one was neutral. However, only a **minority** (2 of 5) thought that the **P366 solution would be better** than existing BSC arrangements.

Two Workgroup members thought that it would be **detrimental** as they thought it would be removing a control measure within the Performance Assurance Framework.

One workgroup member was **neutral** in their view as they could see the pros and cons for the solution and did not feel able to make a determination one way or another.

One Workgroup member thought that the P366 solution **would better** facilitate Applicable BSC Objective (d) as they believe that the P366 solution would be an efficient

What are the Applicable BSC Objectives?

(a) The efficient discharge by the Transmission Company of the obligations imposed upon it by the Transmission Licence

(b) The efficient, economic and co-ordinated operation of the National Electricity Transmission System

(c) Promoting effective competition in the generation and supply of electricity and (so far as consistent therewith) promoting such competition in the sale and purchase of electricity

(d) Promoting efficiency in the implementation of the balancing and settlement arrangements

(e) Compliance with the Electricity Regulation and any relevant legally binding decision of the European Commission and/or the Agency [for the Co-operation of Energy Regulators]

(f) Implementing and administering the arrangements for the operation of contracts for difference and arrangements that facilitate the operation of a capacity market pursuant to EMR legislation

(g) Compliance with the Transmission Losses Principle

P366
Report Phase Consultation

17 May 2019

Version 1.0

Page 31 of 43

© ELEXON Limited 2019

way of reducing the disparity between large and small Suppliers (but, again, acknowledged that further work would likely need to be undertaken by Issue 78).

The **Proposer** believes that the P366 Solution **would better** facilitate Applicable BSC Objective (d). They argued that removing the cost of Supplier Charges will allow Suppliers to work towards achieving Meter reads and not working towards avoiding Supplier Charges as well as gains that could be achieved from reducing the effort involved in validating Supplier Charge invoices.

Applicable BSC Objectives (a), (b), (e), (f) and (g)

All Workgroup Members believe that the P366 Solution is neutral against Applicable BSC Objectives (a), (b), (e), (f) and (g).

| Does P366 Proposed solution better facilitate the Applicable BSC Objectives? | | |
|--|-------------------|--|
| Obj | Proposer's Views | Other Workgroup Members' Views ¹⁵ |
| (a) | • Neutral | • Neutral |
| (b) | • Neutral | • Neutral |
| (c) | • Positive | • Majority Neutral • Minority positive |
| (d) | • Positive | • Split positive and detrimental • Minority neutral |
| (e) | • Neutral | • Neutral |
| (f) | • Neutral | • Neutral |
| (g) | • Neutral | • Neutral |

¹⁵ Shows the different views expressed by the other Workgroup Members – not all Members necessarily agree with all of these views.

The P366 Assessment Report was presented to the Panel on 9 May 2019.

Impact on Settlement

A Panel Member disagreed with the Assessment Report's assertion that there would be no impact on Settlement. They argued that removing SP08a Supplier Charges would remove a key incentive to obtain Meter reads, reducing the controls in place for achieving 97% by volume of energy consumed.

However, another Member noted that it could be argued that Supplier Charges may have little impact as a PAT if other PATs, such as EFR, are already more effective at controlling Settlement Risk and, arguably, could have a greater effect.

Efficacy of Supplier Charges

A Panel Member agreed with the Workgroup's views that Supplier Charges are seen as a penalty and not as liquidated damages. Overall though, the Panel had mixed views over whether Supplier Charges acted as an incentive to obtain Meter reads or if EFR is seen to be a much stronger control against the risk to Settlement. They agreed though that, ultimately, it is a commercial decision for Suppliers to either spend money on obtaining a Meter read or accept the costs of Supplier Charges and/or other PATs.

The Panel were split on whether Supplier Charges or other PATs are more effective in encouraging Suppliers to obtain Meter Reads. However, the majority of the Panel believed that EFR and other PATs are more effective than Supplier Charges in achieving 97% Actuals.

Panel Members agreed that there was an issue with HTR Meters that needed to be addressed. One Member believed that finding a way to better incentivise Suppliers to obtain Meter reads for HTR Metering Systems (thus being able to reach 97%), before considering Supplier Charges would have been a better approach.

It was also suggested that looking at why the Meter reads by volume of energy target is 97%, rather than trying to remove SP08a charges may have been more effective in aiding those Suppliers operating in the I+C market who perceive there to be a competition issue.

Impact on competition

In discussing the P366 Assessment Report the Panel noted that the majority (53%) of Assessment Phase consultation respondents agreed that there is a competition issue but, were relatively evenly split between small Suppliers (agreeing that there is a competition issue and that they are effected) and large Suppliers (disagreeing that there is an issue).¹⁶

The majority of the Panel however, did not believe P366 would have an impact on competition. They argued that even if SP08a charges were removed, it would likely have little impact on most Supplier's capped Supplier Charges. This is because

¹⁶ Although the breakdown of responses was not fully discussed, if the response from the trade body is split into individual electricity Suppliers (discounting where members also responded individually), the majority becomes 61%. Furthermore if non-Supplier views are discounted, the majority agreeing that there is a competition issue rises to 71%. Even if the trade body response is counted as one 'vote'; when non-Suppliers are discounted, 63% of respondents believe that SP08a charges applied to HTR Metering Systems cause competition concerns.

underperformance from other PARMS Serials, particularly SP01 (non-delivery of PARMS Reports for both HH and NHH Metering Systems), causes most Suppliers' Supplier Charges to be above the Supplier Charge cap. This means that even if SP08a is removed, a lot of Suppliers' overall Supplier Charge invoices would not be affected.

One Panel Member believed the underlying issue was not one of competition, but one of scale. The large Suppliers are able to absorb HTR volumes because they have a larger customer base, but this 'scale benefit' applies in many other, more material areas, such as ability to purchase energy.

One Member believed that P366 was trying to address the symptom rather than the root cause. By removing one of the Supplier charges for NHH underperformance, the solution was seen to be a 'sledgehammer to crack a nut.'

The cost-benefit-analysis undertaken for the Workgroup for each of the potential solutions during the Assessment Phase was discussed. It was noted that it was relatively high-level and does not incorporate how pass through of savings would affect consumers.

One Member believed there was a theoretical competition issue but, given the relatively low amounts of money that will be saved across the industry (i.e. the percentage of all Supplier Charges that SP08a accounts for across the entire industry), it was not, in their opinion, a material issue. The Member believed there are other more material costs to focus on as a Supplier.

A Member did not believe P366 was having a material impact on competition. The estimated number of HTR Metering Systems is between 3,500 and 5,000 NHH Metering Systems. Even allowing for 5,000 HTR Metering Systems, this is a relatively small percentage of all NHH Metering Systems (~0.02% - there are approximately 30.3m NHH Metering Systems) across the industry as a whole. Further, 5,000 Metering Systems was a tiny fraction of all Metering Systems Settling on an estimated reads (~0.5% - there are approximately 1m NHH Metering Systems on estimated reads).

However, another Panel Member noted that, as the number of NHH Metering Systems reduces as a result of:

- The roll-out of smart Meters;
- The transition to mandatory HH Meters required by P272; and
- The move to market-wide HH Settlement

The 'pot' of NHH (by volume of energy) will reduce¹⁷¹⁸. However, the number of HTR Metering Systems will not reduce correspondingly¹⁹. The consequence of this is that the percentage of HTR Metering Systems will increase and therefore the instances of Suppliers failing to reach 97% will increase²⁰. The remaining NHH Metering Systems will also include

¹⁷ The [National Audit Office](#) expect 70-75% roll-out by 2020 and that 5% of households will not be able to accept smart Meter technology. We have assumed the final smart Meter roll-out will be 90%. This assumes smart Meter roll-out will continue past 2020; some homes can't accept smart Meters; and there will be some consumer refusal

¹⁸ Although not discussed by the Panel, if we assume smart Meter roll out will be around 90% and therefore 90% of the total NHH MSIDs will become HH, this will leave ~3m Metering Systems as NHH. HTR will account for ~0.16% of all NHH Metering systems (8 fold increase)

¹⁹ The assumption by the Proposer and the P366 Workgroup is that there will be negligible change in the total number of HTR Metering Systems

²⁰ If we assume 90% of the 1m currently on estimates become HH, leaving ~100k estimated meter reads, then HTR will account for 5% of all estimated reads (10 fold increase) or, in theory (if we accept the premise that HTR will never be read), the industry, as a whole, will not be able to meet the 97% required target and even more Suppliers will be incurring SP08a Supplier Charges. (we have assumed the 97% target will remain as an alternate is yet to be proposed

those consumers who have refused to change to smart Meters despite the Supplier's best efforts.

One of the Panel Members was sympathetic to the Proposer's position. Non-domestic consumers with HTR Metering Systems may not be accepted by large Suppliers keen to improve their Settlement performance. These consumers will likely be picked up by smaller Suppliers who, due to competition in the industry, are only able to provide services to certain types of customer. However, another Member believed Supplier's should be doing due diligence on new I&C customers before accepting them e.g. checking whether a business's Metering Systems are accessible and readable before that business becomes the Supplier's customer.

It was noted that SP08a charges will have an impact for Suppliers with a high percentage of HTR Metering Systems. In theory, Suppliers shouldn't receive SP01 Supplier Charges so, where this is the case, the SP08a Supplier Charges caused by HTR Metering Systems will account for all of a Supplier's Supplier Charges, even after capping.

A Member noted HTR is not just an issue for Settlement. The example they cited from their own experience is that in the Capacity Market, Capacity Providers cannot get paid if it is not possible to obtain a Meter read, even where it is beyond the control of the Capacity Provider to get access to the Meter e.g. Meter access is controlled by a third party.

Issue 78 and PAF Review

A Member believed P366 is not addressing the HTR issue. However, a different Panel Member believed it was a step in the right direction, as it would partially address an issue caused by HTR Metering Systems and P366 would remove a barrier, real or perceived, for smaller Suppliers. The Member believed P366 should be seen as an interim solution until the issue of HTR Meters was addressed, hopefully by Issue 78 or the PAF Review. The Member believed the effect of P366 could be measured, if approved, and remedial action taken if not as expected.

The Panel Chair asked the Panel if they would consider approving P366, only for the PAF Review or a subsequent Modification from the Issue 78 Issue Group superseding the P366 solution. However, it was agreed that the Panel should only judge P366 against the current baseline and should not speculate on what may or may not happen as a result of other Changes.

Panel's initial views against the Applicable BSC Objectives

The **majority** of the Panel agreed with the Workgroup that P366 did **not better facilitate** the Applicable BSC Objectives²¹ for the reasons put forward by the Workgroup. The minority of the Panel believed P366 better facilitated Objective (c) and (d) for the reasons put forward by the Proposer²².

²¹ It should be noted that The Workgroup noted the 53/47 split (see section 6) and the relative demographic split between large and small Suppliers in response to numerous consultation questions.

²² The Panel did not discuss how the Assessment Phase consultation respondents' views could be given further granularity in terms of whether the Proposed Solution better facilitates the Applicable BSC Objectives. The majority of respondents (53%) agreed with the Workgroups initial views that the P366 Proposed Solution **does not** better facilitate the Applicable BSC Objectives.

However, if the response from the trade body is split into individual electricity Suppliers (discounting where members also responded individually), then the majority (55%) **does** think that the P366 Proposed Solution better facilitates the Applicable BSC Objectives. Furthermore if non-Supplier views are discounted, the majority

Report Phase Consultation Questions

Do you agree with the Panel's initial view that P366 **does not** better facilitate the Applicable BSC Objectives than the current baseline and so should be rejected?

Please provide your rationale with reference to the Applicable BSC Objectives

The Panel invites you to give your views using the response form in Attachment C

Panel's views on draft legal text

The Panel unanimously agreed the draft legal text for P366.

Report Phase Consultation Question

Do you agree with the Panel's initial unanimous view that the redlined changes to the BSC deliver the intention of P366?

Please provide your rationale.

The Panel invites you to give your views using the response form in Attachment C

Panel's views on the proposed Implementation Date

The Panel unanimously agreed with the Workgroup's recommended P366 Implementation Date, as detailed in section 5.

Report Phase Consultation Question

Do you agree with the Panel's recommended implementation approach?

Please provide your rationale.

The Panel invites you to give your views using the response form in Attachment C

Panel's views on Self-Governance

The Panel unanimously agreed with the Workgroup that P366 does not meet the Self-Governance criteria as there is a potential for material impact on competition. Given that potential competition issue (even though the majority of the Panel disagreed that there is a competition issue) it was agreed unanimously that P366 should not be progressed as a Self-Governance Modification and it should be for the Authority to make a determination on whether to approve P366.

Report Phase Consultation Question

Do you agree with the Panel's initial unanimous view that P366 should not be treated as a Self-Governance Modification?

Please provide your rationale.

The Panel invites you to give your views using the response form in Attachment C

agreeing that the P366 Propose Solution **does** better facilitate the Applicable BSC Objectives rises to 71%. Even if the trade body response is counted as one 'vote'; when non-Suppliers are discounted, 63% of respondents believe that the P366 Propose Solution **does** better facilitate the Applicable BSC Objectives.

P366
Report Phase Consultation

17 May 2019

Version 1.0

Page 36 of 43

© ELEXON Limited 2019

9 Recommendations

The BSC Panel initially recommends to the Authority:

- That P366 should be **rejected**;
- An Implementation Date for P366 of:
 - 7 November 2019 if an Authority decision is received on or before 31 July 2019; or
 - 27 February 2020 if the Authority's decision is received after 31 July 2019 but on or before 31 October 2019; and
- The draft BSC legal text for P366.

Workgroup's Terms of Reference

| Specific areas set by the BSC Panel in the P366 Terms of Reference |
|---|
| Criteria for determining a HTR site |
| How HTR evidence can be verified |
| Who will be responsible for requesting HTR status |
| Should 'best effort' be proved and how is 'best effort' determined |
| Who will be responsible for determining HTR status and can this be delegated |
| Appeals and disputes process where Suppliers disagree with determinations |
| Whether remoteness is a factor to be considered and how it should be determined |
| Impact of material changes to site (e.g. change of equipment) on EAC volumes |
| How long should a site be deemed HTR and what happens on expiry of HTR status |
| How might Suppliers be incentivised to attempt to achieve Meter reads or updated EAC values |
| The potential impact on Settlement calculations and how they can be avoided |
| The impact on PAF and how it can be mitigated |
| The impact on PARMS serials and how it can be mitigated |
| Should other Suppliers be compensated in some other way for the energy resulting in accepted use of HTR EAC data and if so, how |
| The point at which HTR data should be separated from other PARMS data when calculating SP08a Supplier Charges |
| The route that HTR data should take from source to end user and how HTR data is communicated between Parties |
| Should there be additional reporting of HTR sites in relation to PARMS |
| Are EAC/AA applicable for HTR sites when entering data into Settlement |
| Whether there should be a threshold for costs of compliance when considering HTR status |
| Other industry wide projects that may impact on P366 or be impacted by P366 |
| Precedence set by other industry wide projects e.g. smart Meter roll out |
| The impact of a large number of applications being received to coincide with implementation and how this may be mitigated |
| The cost of ongoing management of the HTR determination process compared to the benefit for industry |
| What changes are needed to BSC documents, systems and processes to support P366 and what are the related costs and lead times |
| Are there any Alternative Modifications |
| Should P366 be progressed as a Self-Governance Modification |
| Does P366 better facilitate the Applicable BSC Objectives than the current baseline |

Assessment Procedure timetable

| P366 Assessment Timetable | |
|---|-----------------------|
| Event | Date |
| Panel submits P366 to Assessment Procedure | 10 May 18 |
| Workgroup Meeting 1 | 7 Jun 18 |
| Workgroup Meeting 2 | 7 Aug 18 |
| Workgroup Meeting 3 | 22 Nov 18 |
| Assessment Procedure Consultation | 25 Mar 19 – 15 Apr 19 |
| Workgroup Meeting 4 | 23 Apr 19 |
| Panel considers Workgroup's Assessment Report | 9 May 19 |

| | |
|---|----------|
| Panel considers Workgroup's Assessment Report | 9 May 19 |
|---|----------|

Workgroup Membership and attendance

| P366 Workgroup Attendance | | | | | |
|---------------------------|------------------------------------|----------|----------|-----------|-----------|
| Name | Organisation | 7 Jun 18 | 7 Aug 18 | 22 Nov 18 | 23 Apr 19 |
| Members | | | | | |
| Lawrence Jones | ELEXON (<i>Chair</i>) | ✓ | ✓ | ✓ | ✓ |
| Chris Wood | ELEXON (<i>Lead Analyst</i>) | ✓ | ✓ | ✓ | ✓ |
| Oliver Zhe Xing | Orsted (<i>Proposer</i>) | ✓ | ☎ | ✓ | ✓ |
| Andy Colley | SSE | ☎ | ☎ | ✗ | ✗ |
| Anna Lesniak | Opus Energy | ✓ | ✗ | ✗ | ✗ |
| Claire Henderson | TMA Data Management | ✓ | ✓ | ☎📄 | ✗ |
| Derek Weaving | Centrica | ✓ | ✗ | ✓ | ✓ |
| Gareth Evans | Waters Wye | ✓ | ✓ | ✗ | ☎ |
| Jonathan Moore | Engie | ✓ | ✓ | ✗ | ✗ |
| Julia Vidot | Haven Power | ✓ | ✗ | ✓ | ✗ |
| Keren Kelly | Npower Group | ✓ | ✗ | ☎ | ✗ |
| Nik Wills | Stark | ✓ | ✓ | ✗ | ✗ |
| Peter Gray | SSE | ✗ | ✓ | ✓ | ✓ |
| Phil Russell | Self-employed | ✓ | ✓ | ✓ | ✗ |
| Robert Johnston | Smartest | ✗ | ✓ | ✗ | ✗ |
| Stephen Johnson | IMServ | ✓ | ✓ | ✗ | ✓ |
| Attendees | | | | | |
| Helen Knowles | Smartest Energy | ✗ | ✗ | ✗ | ✓ |
| Colin Berry | ELEXON (<i>Design Authority</i>) | ✓ | ✓ | ✓ | ✓ |
| Aditi Tulpule | ELEXON (<i>Lead Lawyer</i>) | ✗ | ✗ | ✓ | ✓ |
| Paulina Stelmach | ELEXON Subject Matter Expert | ✓ | ✓ | ✗ | ✗ |
| Sam Daoudi | ELEXON Subject Matter Expert | ✗ | ✓ | ✓ | ✗ |

Appendix 2: Glossary & References

Acronyms

Acronyms used in this document are listed in the table below.

| Acronyms | |
|----------|--|
| Acronym | Definition |
| BAU | Business as usual |
| BSC | Balancing and Settlement Code |
| BSCCo | BSC Company |
| BSCP | BSC Procedure |
| BUSRR | Business Unit Settlement Risk Rating |
| CBA | Cost Benefit Analysis |
| CoA | Change of Agent |
| CSD | Code Subsidiary Document |
| CVA | Central Volume Allocation |
| DC | Data Collector |
| DCC | Data Communications Company |
| DTC | Data Transfer Catalogue |
| DTN | Data Transfer Network |
| EAC | Estimated Annual Consumption |
| ECOES | Electricity Central Online Enquiry Service |
| EFR | Error Failure Resolution |
| EMR | Electricity Market Review |
| GSP | Grid Supply Point |
| HTR | Hard-to-read |
| IA | Impact Assessment |
| LTV | Long term vacant |
| MPID | Meter Participant Identifications |
| MRASCo | Master Registration Agreement Service Company |
| MSID | Metering System Identifier |
| MWh | Megawatt hours |
| NHH | Non Half-Hourly |
| NHHDA | Non Half-Hourly Data Aggregator |
| PAB | Performance Assurance Board |
| PAF | Performance Assurance Forum |
| PARMS | Performance Assuring Reporting and Monitoring System |
| PAT | Performance Assurance Technique |

| Acronyms | |
|----------|-------------------------------------|
| Acronym | Definition |
| PC | Performance Class |
| SCR | Significant Code Review |
| SMRS | Supplier Meter Registration Service |
| SSC | Standard Settlement Configuration |
| SVAA | Settlement Volume Allocation Agent |
| TPR | Time Pattern Regime |
| UMS | Unmetered Supply |
| URS | User Requirement Specifications |
| VAR | Volume Allocation Run |
| WG | Workgroup |

DTC data flows and data items

DTC data flows and data items referenced in this document are listed in the table below.

| DTC Data Flows and Data Items | |
|-------------------------------|-------------------------------------|
| Number | Name |
| D0041 | Supplier Purchase Matrix Data File |
| P0145 | SP08 - Energy and MSIDs on Actuals' |

External links

A summary of all hyperlinks used in this document are listed in the table below.

All external documents and URL links listed are correct as of the date of this document.

| External Links | | |
|----------------|--|---|
| Page(s) | Description | URL |
| 3 | Performance Assurance Reporting and Monitoring System (PARMS) | https://www.elexon.co.uk/reference/performance-assurance/performance-assurance-techniques/parms/ |
| 5 | BSC Section S, Annex S-1 'Performance Levels and Supplier Charges' | https://www.elexon.co.uk/bsc-and-codes/balancing-settlement-code/bsc-sections/ |
| 5 | BUSRRs | https://www.elexon.co.uk/guidance-note/business-unit-settlement-risk-ratings-busrrs/ |
| 5 | Performance Assurance Framework (PAF) | https://www.elexon.co.uk/reference/performance-assurance/performance-assurance-techniques/parms/ |
| 11 | Data Transfer Catalogue | https://dtc.mrasco.com/listdataflows.aspx |

| External Links | | |
|----------------|---|---|
| Page(s) | Description | URL |
| 12 | BSCP537 'Qualification Process for SVA Parties, SVA Party Agents and CVA Meter Operators' | https://www.elexon.co.uk/bsc-and-codes/bsc-related-documents/bscps/?show=all |
| 19 | SCR Suitability Report | https://www.elexon.co.uk/mod-proposal/p366/ |
| 22 | P272 webpage | https://www.elexon.co.uk/mod-proposal/p272-mandatory-half-hourly-settlement-for-profile-classes-5-8/ |
| 27 | Issue 78 webpage | https://www.elexon.co.uk/smg-issue/issue78/ |
| 30 | Feed-in Tariffs: 'Guidance for licensed Electricity Suppliers' | https://www.ofgem.gov.uk/environmental-programmes/fit/electricity-suppliers |
| 34 | LTV guidance document | https://www.elexon.co.uk/guidance-note/long-term-vacant-sites/ |
| 34 | National Audit Office report on smart Meter roll out | https://www.nao.org.uk/report/rolling-out-smart-meters/ |