



毅豐光電股份有限公司 燈具實驗室  
Taiwan Photometric Solution Inc

70953 台南市海中街 288 號 TEL : (06)2568831 FAX : (06)2563437

E-mail : light.lab@msa.hinet.net Web : www.lightlab.com.tw

# TEST REPORT

## ( Electric Parameter Measurement )

Test Standard : According to Applicant requirements

Date of Receipt : 2018 / 06 / 27

Test Date : 2018 / 06 / 27 ~ 2018 / 06 / 27

1. Issue date for test report : 2018 / 07 / 04
2. Report No : 18062705
3. Total pages : 8
4. Test report without steel stamp is not valid, and shall not be reproduced except in full.
5. Test sample is not sampling by laboratory, test result relate only to the items tested.
6. Test report is not responsible for advertisement or promotion for products.

Approved Signatory:





## Test Report

### Information for test items

Applicant : OrangeTek Limited

Applicant's address : Coach House, Blakenhall Park Bar Lane Barton under  
Needwood Burton upon Trent DE13 8AJ, United Kingdom  
OrangeTek Ltd

Manufacturer : Orangetek Limited Taiwan branch

Address of Manufacturer : Rm. B1, 18F., No.51, Sec. 2Gongyi Rd Nantun  
Dist,Taichung City 408

Trademark : **OrangeTek** 

Product : LED Street Light

Model : IGNIS MINI 10 LED 12W

Rated input voltage (V) : 220-240 V

Rated input frequency (Hz) : 50 Hz

Rated input power (W) : 12W

-Following blank-



### **Test content**

Test specifications	
Test environment temperature : <u>24°C~26°C</u> Humidity : <u>50 %RH~70 %RH</u>	
1	This project is for LED Street Light Electrical Parameter Measurement for input power, input current and power factor and VA under 100% lighting output with original setting by manufacturer.
2	Five samples are tested and each sample is tested under input voltage AC 210V/50Hz, AC 220V/50Hz, AC 230V/50Hz, AC 240V/50Hz and AC 250V/50Hz.

-Following blank-

## Test content

Sample 1 loaded with 100% light output

Input Voltage(V)	Frequency (Hz)	Input Power (W)	Input Current (A)	Power Factor
210	50	11.77	0.058	0.966
220	50	11.77	0.056	0.955
230	50	11.77	0.054	0.948
240	50	11.77	0.052	0.943
250	50	11.77	0.050	0.942

Sample 2 loaded with 100% light output

Input Voltage(V)	Frequency (Hz)	Input Power (W)	Input Current (A)	Power Factor
210	50	11.81	0.058	0.970
220	50	11.81	0.056	0.959
230	50	11.81	0.054	0.951
240	50	11.81	0.052	0.946
250	50	11.82	0.050	0.946

Sample 3 loaded with 100% light output

Input Voltage(V)	Frequency (Hz)	Input Power (W)	Input Current (A)	Power Factor
210	50	11.71	0.058	0.961
220	50	11.70	0.055	0.967
230	50	11.70	0.053	0.960
240	50	11.70	0.052	0.938
250	50	11.70	0.050	0.936

Sample 4 loaded with 100% light output

Input Voltage(V)	Frequency (Hz)	Input Power (W)	Input Current (A)	Power Factor
210	50	11.60	0.057	0.969
220	50	11.60	0.055	0.959
230	50	11.60	0.053	0.952
240	50	11.61	0.051	0.949
250	50	11.62	0.049	0.949

Sample 5 loaded with 100% light output

Input Voltage(V)	Frequency (Hz)	Input Power (W)	Input Current (A)	Power Factor
210	50	11.80	0.058	0.969
220	50	11.79	0.056	0.957
230	50	11.78	0.054	0.948
240	50	11.78	0.052	0.944
250	50	11.76	0.050	0.941

## Test content

Measured wattage at 100% light output

Voltage(V)/Sample	1 (W)	2 (W)	3 (W)	4 (W)	5 (W)
210	11.77	11.81	11.71	11.60	11.80
220	11.77	11.81	11.70	11.60	11.79
230	11.77	11.81	11.70	11.60	11.78
240	11.77	11.81	11.70	11.61	11.78
250	11.77	11.82	11.70	11.62	11.76

Measured VA at 100% light output

Voltage(V)/Sample	1 (VA)	2 (VA)	3 (VA)	4 (VA)	5 (VA)
210	12.18	12.18	12.18	11.97	12.18
220	12.32	12.32	12.10	12.10	12.32
230	12.42	12.42	12.19	12.19	12.42
240	12.48	12.48	12.48	12.24	12.48
250	12.50	12.50	12.50	12.25	12.50


Notes: Tests were conducted after operating to reach their steady load state.

### Photo of test items

The appearance of photo



The appearance of photo



-Following blank-



### **Equipment list and testing engineer for test**

Item	Equipment	Manufacturer / Type / Series No
1	Digital power meter	YOKOGAWA WT210 (91K116100)
2	AC Power Source	APC AFC-5KW
3	Temperature and humidity records	YOKOGAWA - SR16000 (S5K910111)
Testing engineers : Chun-Tse Liu		

-Following blank-



Certificate No. : L2262-170605

財團法人全國認證基金會  
Taiwan Accreditation Foundation

## Certificate of Accreditation

This is to certify that

**Photometric Solution International Ltd.**  
**Light laboratory**

NO.288, Haizhong st., Annan Dist., Tainan city, Taiwan(R.O.C)

**is accredited in respect of laboratory**

Accreditation Criteria	: ISO/IEC 17025: 2005
Accreditation Number	: 2262
Originally Accredited	: March 07, 2011
Effective Period	: May 23, 2017 to May 22, 2020
Accredited Scope	: Testing Field, see described in the Appendix Accreditation Program for Designated Testing Laboratory for Commodities Inspection
Specific Accreditation Program	: Accreditation Program for Environmental protection product certification Testing Laboratory Accreditation Program for Energy Efficiency testing Laboratory

*Chung-Lin Wang*

Chung-Lin Wang  
President, Taiwan Accreditation Foundation  
Date : June 05, 2017

P1. total 24 pages

The Appendix forms an integral part of this Certificate, which shall be invalid when use without the Appendix