



Generation Capacity (GC) and Demand Capacity (DC) Estimation Methodology and Challenge Guidance

Summary:

This document gives effect to two requirements in [Balancing and Settlement Code \(BSC\) Section K 'Classification and Registration of Metering Systems and BM Units'](#): K3.4.7E which requires that the Panel establishes and maintains a 'BM Unit Volume Estimation Methodology' and K3.4.7L which requires that the Panel establishes 'GC or DC Estimation Challenge Guidance'. Therefore, this document includes:

- An explanation of GC/DC and Modification P359
- The methodology that Central Registration Agent (CRA) uses to calculate CRA-Estimated GC or DC Amounts for Balancing Mechanism (BM) Units following a GC/DC Breach
- A summary of the process Lead Parties may use to challenge a CRA-Estimated GC or DC Amounts
- The information that should be provided when challenging a CRA-Estimated GC or DC Amount

What are GC and DC?

Generation Capacity (GC) and Demand Capacity (DC) are estimates of the Settlement Period (SP) maximum demand and generation capacity for a BM Unit in a [BSC Season](#). GC and DC values are used in the calculation of Parties' (if applicable) Credit Assessment Energy Indebtedness (CEI) and Credit Cover Percentage (CCP). More representative values of GC and DC are essential to ensure the accurate calculation of CCP and CEI.

In accordance with Section K and [BSCP15 'BM Unit Registration'](#), a BM Unit's DC and GC values are derived, respectively, using the Lead Party's forecast of expected maximum magnitude of negative (indicating Demand) and positive (indicating Generation) BM Unit Metered Volumes (QM_{ij}) for a single Settlement Period in the forthcoming or prevailing BSC Season. The Central Registration Agent (CRA) divides the half-hourly (HH) BM Unit Metered Volumes by the Settlement Period Duration (SPD; in hours) to convert from MWh to a MW GC or DC.

In accordance with Section K3.4.2, Lead Parties must ensure that the maximum positive and negative QM_{ij} are updated ahead of each new BSC Season and during the BSC Season if the Lead Party becomes aware of, or believes, that there will be a GC/DC breach – a GC breach is where actual positive QM_{ij} (divided by SPD) from a SP in the current BSC Season is greater than the GC by the GC Limit; similarly, a DC breach is where actual negative QM_{ij} (divided by SPD) from a SP in the current BSC Season is greater than the DC by the DC Limit.

Modification P359

[P359 'Mechanised process for GC/DC declarations'](#) was raised to address a concern that the current arrangements for re-declaring GC and DC values, using estimates of BM Unit Metered Volumes

provided by the Lead Party, are ambiguous and result in low levels and/or inaccurate re-declared values. Failure to re-declare can result in underestimated Credit Cover requirements. This can increase the risk of non-defaulting Parties paying Default Funding Shares, should a Party not lodge sufficient Credit Cover (e.g. because their DC and Credit Cover Percentage (CCP) are understated) and then enter Payment Default.

P359 implements automated monitoring by the CRA of GC/DC Breaches and introduces a method for the estimation of replacement GC/DC values.

To identify if there has been a GC/DC breach, the CRA will search through the current BSC Season's BM Unit Metered Volumes (QM_{ij}) (excluding Secondary BM Units and BM Units with an open GC or DC Estimation Challenge). For every Settlement Period in the current BSC Season, the CRA converts the BM Unit Metered Volumes (QM_{ij}) (MWh) into a derived capacity value (MW) by dividing the QM_{ij} by the SPD (which is currently 0.5).

For each BM Unit, the CRA compares the derived capacity values with the values of GC and DC held by the CRA for the current BSC Season. If a positive derived capacity exceeds the current declared GC value by more than the GC Limit, this is a GC Breach, or a negative derived capacity exceeds the declared DC by the DC Limit, this is a DC breach. The current GC/DC Limits can be found on the [GC/DC webpage](#).

The CRA will check for breaches periodically at ELEXON's discretion, initially weekly. The checks will not be performed during the first five Working Days of a BSC Season because BM Unit Metered Data is not available for CRA to review until the II Settlement Run, which takes place approximately 5WD after a Settlement Day. The checks will also not be performed during the last five WDs of the BSC Season, so any CRA value or ELEXON value (see following sections) determined as part of an upheld challenge does not take effect in the next BSC Season or affect the application of a new Party-declared GC or DC value due to take effect in the next BSC Season.

When performing the checks, the CRA will use BM Unit Metered Volume data from the latest Settlement Run for each Settlement Day. The earliest Settlement Run that will be used for the checks is the II Settlement Run. Please note that if on a particular Settlement Day, no GC/DC breach was detected at the II Settlement Run, it would still be possible to trigger a GC/DC breach for that Settlement Day later in the same BSC Season, if the BM Unit Metered Volumes had changed significantly at the SF or R1 Settlement Run.

BM Unit Volume Estimation Methodology

This section sets out the BM Unit Volume Estimation Methodology, which the CRA uses to produce the CRA-Estimated GC or DC Amounts (MWh).

If CRA identifies a GC or DC breach, it will produce a CRA-Estimated GC or DC Amount in accordance with the following method:

- To calculate GC for a particular BM Unit and a 'relevant' BSC Season, determine the positive value of QM_{ij} with maximum magnitude from all available, latest historical values of QM_{ij} for that BM Unit from the current BSC Season and the corresponding BSC Season in the previous BSC Year;
- To calculate DC for a particular BM Unit and a 'relevant' BSC Season, determine the negative value of QM_{ij} with maximum magnitude from all available, latest historical values of QM_{ij} for that BM Unit from the current BSC Season and the corresponding BSC Season in the previous BSC Year.

For example, if the CRA identifies a GC Breach during the Spring 2019 BSC Season, the CRA-Estimated GC Amount will be the positive Metered Volume with the maximum magnitude from either the Spring

2018 BSC Season **or** Spring 2019 BSC Season, where only Metered Volumes based on the most recent Settlement Run for every Settlement Day in those seasons are used.

GC or DC Estimation Challenge Guidance

When the CRA identifies a GC/DC breach, the Lead Party's Category F Authorised Person will be notified of the breach, the CRA-Estimated GC or DC Amount (MWh) and the revised GC/DC value (MW), which will be effective from the next Working Day¹. If no category F Authorised Person exists, the notification will be sent to a Category A Authorised Person.

From midnight of the Working Day following the notification, the Lead Party will have **two full Working Days** to challenge the CRA-Estimated GC or DC Amount if they believe it is incorrect (a GC or DC Estimation Challenge). The process for challenging a CRA-Estimated GC or DC Amount is set out in [BSCP15 'BM Unit Registration'](#) and instructions will be provided in the breach notification.

When challenging a CRA-Estimated GC or DC Amount, the Lead Party is claiming material doubt on the correct calculation of this value or the use of correct Settlement Data.

The Lead Party must state why they believe the CRA-Estimated GC or DC Amount is incorrect and provide sufficient evidence to support their appeal. A Lead Party may only submit a GC or DC Estimation Challenge in two circumstances:

- i) if the CRA has not followed the method for estimating QM_{ij} correctly (a System Error); and
- ii) if the Settlement Data used by CRA to estimate QM_{ij} is incorrect (a Settlement Data Error).

Whilst it is not possible to provide an exhaustive list of all specific situations that may give rise to a "system error" or a "Settlement data error", the following subsections are intended to provide guidance:

System Error

A system error is an issue related to the systems maintained and managed by the CRA that calculate the CRA-Estimated GC or DC Amounts. This includes, but is not limited to:

- The database that maintains Settlement Data necessary for calculating CRA-Estimated GC or DC Amounts
- The software that calculates the CRA-Estimated GC or DC Amounts

If a Lead Party believes there is a system error, they should challenge the CRA-Estimated GC or DC Amount which has resulted in an incorrect estimate of QM_{ij} . If ELEXON becomes aware of a system error, an ELEXON Circular will be distributed, detailing the system error, what actions ELEXON will take to resolve the error and what affected Parties should do in response.

Settlement Data Error

For the purpose of this document, a Settlement data error relates to instances where the Lead Party believes that some or all of their Settlement data (i.e. BM Unit Metered Volumes) are incorrect.

Examples of root causes for Settlement data error include:

- Incorrect Settlement data processed by BSC Agents (e.g. CDCA, SVAA)

¹ If the GC or DC Breach has not been processed in time to be included in the CRA registration reports, then the Effective From Date for the CRA-estimated GC or DC value shall be set to the Working Day after next.

- Incorrect Settlement data processed by Supplier Agents (e.g. Data Collector (DC), Data Aggregator (DA), Meter Operator Agent (MOA), etc.)
- A Half Hourly (HH) metered site experiencing communications failures in relation to retrieving metered data, which may result in incorrect estimates being used in Settlement
- A site holding incorrect Meter Technical Details

What to send us as part of a Challenge?

If a Lead Party challenges a CRA-Estimated GC or DC Amount , further to K3.4.7G, they will need to provide the following as part of their challenge:

- An alternative estimate of maximum BM Unit Metered Volume
 - Nb in accordance with K3.4.7G(c), any alternative value proposed by the Lead Party should either be calculated in accordance with the BM Unit Volume Estimation Methodology described above or where an alternative method is more appropriate, an explanation of how this method works.
- An explanation for why they believe the CRA-Estimated GC or DC Amount is incorrect, including evidence to support the challenge, which may include, but is not limited to, the following:
 - Correspondence between the Lead Party and agents identifying an issue
 - Data or analysis that demonstrates the System Error or Settlement data error
- A declaration of when the Lead Party anticipates any Settlement data error to be resolved by. This should be declared from the perspective of future Settlement Runs. For example, if there are BM Unit Metered Volumes that are incorrect at the II Settlement Run, the Lead Party should declare whether the error will be resolved by the later SF or R1 Settlement Run for the affected Settlement Day/s.

ELEXON's Response to a GC/DC Estimation Challenge

Upon being notified of a GC or DC Estimation Challenge, ELEXON will have **two Working Days** to consider the challenge and provide a final decision to the Lead Party as to whether their challenge is upheld or rejected. During this two Working Day period, ELEXON may contact the Lead Party to discuss the challenge in more detail. This could involve asking for further evidence, or clarification on evidence provided.

If a challenge is 'upheld', ELEXON will submit a BSCCo-Determined GC or DC Estimate (a value of QM_{ij}) to the CRA for use in the calculation of the BM Unit's GC or DC, which will be based on ELEXON's consideration of any analysis or evidence provided by the Lead Party, or any other mitigating factors.

If a challenge is 'rejected', no further action is taken and the CRA-Estimated GC or DC Amount will remain as is.

In accordance with [BSCP15 'BM Unit Registration'](#) Section 3.9, If ELEXON upholds a GC or DC Estimation Challenge, any resultant decrease to the magnitude of the DC of a Supplier BM Unit will not count towards the two permitted downwards mid-season changes to the DC, as specified in [Section K3.4.2A](#).

Relationship with Credit Material Doubt process

The GC or DC Estimation Challenge process is separate to the Material Doubt process related to Credit. Challenging a CRA-Estimated GC or DC Amount doesn't mean the calculated value is suspended in its use for credit purposes. Therefore, it is recommended that when raising a GC or DC Estimation Challenge a Lead Party also considers raising Material Doubt in relation to any subsequent calculation of Credit Cover Percentage if – see [Material Doubt Section M Guidance Note](#).

Note:

ELEXON has ultimate discretion as to whether a Lead Party's GC or DC Estimation Challenge is upheld (supported) or rejected and for deciding any BSCCo-Determined GC or DC Estimate to be entered following the outcome of a challenge. ELEXON will act fairly and consistently in applying the principles outlined in this document. In the event of an inconsistency between the information contained in this document and the BSC, the BSC will prevail.

Further Information

For more information please contact the **BSC Service Desk** at bscservicedesk@cgi.com or call **0370 010 6950**.

Intellectual Property Rights, Copyright and Disclaimer

The copyright and other intellectual property rights in this document are vested in ELEXON or appear with the consent of the copyright owner. These materials are made available for you for the purposes of your participation in the electricity industry. If you have an interest in the electricity industry, you may view, download, copy, distribute, modify, transmit, publish, sell or create derivative works (in whatever format) from this document or in other cases use for personal academic or other non-commercial purposes. All copyright and other proprietary notices contained in the document must be retained on any copy you make.

All other rights of the copyright owner not expressly dealt with above are reserved.

No representation, warranty or guarantee is made that the information in this document is accurate or complete. While care is taken in the collection and provision of this information, ELEXON Limited shall not be liable for any errors, omissions, misstatements or mistakes in any information or damages resulting from the use of this information or action taken in reliance on it.