

UMS SUMMARY TEST REPORT

PAGE 1 OF 4

ISSUED BY:
CRANAGE EMC TESTING LIMITED
STABLE COURT
OAKLEY
MARKET DRAYTON
SHROPSHIRE, TF9 4AG



Report No: **U0032R1** Date of Issue: **28th November, 2013**

This document summarises the results of testing to ascertain the appropriate Elexon Charge Codes for inclusion in BSCP520.

Tested & Inspected for: **Easy Energy Solution Ltd.
Unit C Parkway Point
224 Springhill
Parkway
Glasgow Business Park
Baillieston
Glasgow
G69 6GA.**

Test Dates: **27th November, 2013**
Receipt Date of Test Item: **27th November, 2013**

Sample 1

Test Item Description: **65W LED Street Lighting**
Model Number: **RL2R1028**
Serial Number: **A30891305100022A**

Sample 2

Test Item Description: **65W LED Street Lighting**
Model Number: **RL2R1028**
Serial Number: **A30891305100018A**

Sample 3

Test Item Description: **65W LED Street Lighting**
Model Number: **RL2R1028**
Serial Number: **A30891305100010A**

Sample 4

Test Item Description: **65W LED Street Lighting**
Model Number: **RL2R1028**
Serial Number: **A30891305100004A**

UMS SUMMARY TEST REPORT

PAGE 2 OF 4

ISSUED BY:
CRANAGE EMC TESTING LIMITED
STABLE COURT
OAKLEY
MARKET DRAYTON
SHROPSHIRE, TF9 4AG



Report No: **U0032R1** Date of Issue: **28th November, 2013**

Sample 5

Test Item Description: **65W LED Street Lighting**
Model Number: **RL2R1028**
Serial Number: **A30891305100017A**

Approved Signatories: K.G. Richens - Technical Director

APPROVED SIGNATORY

Verification Signatories: R. Flynn - Test Engineer

VERIFICATION SIGNATORY

UMS SUMMARY TEST REPORT

PAGE 3 OF 4

ISSUED BY:
CRANAGE EMC TESTING LIMITED
STABLE COURT
OAKLEY
MARKET DRAYTON
SHROPSHIRE, TF9 4AG



Report No: **U0032R1** Date of Issue: **28th November, 2013**

Mode of Operation: The test item was powered 'On' and gave a constant 100% light output. A photograph showing the test item can be found on page 4. Figures rounded to 1 D.P.

Test Condition: - 30 minutes stabilisation period given prior to measurements. Measurements were subsequently taken after 5 minutes at each voltage level. This was found to be an adequate time window for the purpose of the test measurements.

Watts					
Voltage (Vrms)	Sample No.				
	Sample 1	Sample 2	Sample 3	Sample 4	Sample 5
210	63.2	64.5	64.4	63.7	63.5
220	63.2	64.0	64.4	63.7	63.5
230	63.1	64.0	64.4	63.7	63.5
240	63.1	64.0	64.5	63.8	63.5
250	63.1	64.0	64.5	63.8	63.4

VA					
Voltage (Vrms)	Sample No.				
	Sample 1	Sample 2	Sample 3	Sample 4	Sample 5
210	64.7	65.6	65.9	65.2	65.0
220	65.0	65.9	66.2	65.3	65.3
230	65.3	66.2	66.6	65.9	65.6
240	65.6	66.6	66.9	66.3	65.9
250	66.0	67.0	67.3	66.7	66.3

Ambient temperature range recorded during test period:
18.0°C

UMS SUMMARY TEST REPORT

PAGE 4 OF 4

ISSUED BY:
CRANAGE EMC TESTING LIMITED
STABLE COURT
OAKLEY
MARKET DRAYTON
SHROPSHIRE, TF9 4AG



Report No: **U0032R1** Date of Issue: **28th November, 2013**

Test Equipment

Asset Number	Description	Calibration Date	Calibration Due
AN874	Power Source	-	-
AN1162	Power Analyser	14/05/2013	13/05/2013
AN452	Timer	-	-

Photograph of the Test Item



Measurement Uncertainty

The 95 % confidence measurement uncertainty for AC Power (Analyser) is 0.17%.